



**Marietta City Schools**  
**2025–2026 District Unit Planner**

*Grade 8 Honors Mathematics*

<b>Unit title</b>	Unit 5: Irrational Numbers, Integer Exponents and Scientific Notation	<b>MYP year</b>	3	<b>Unit duration (hrs)</b>	5 -6 Weeks (27 hours) <i>MMS- (4.5 hours per week)</i>
-------------------	---	-----------------	---	----------------------------	---

**Mastering Content and Skills through INQUIRY (Establishing the purpose of the Unit):** *What will students learn?*

**Georgia K-12 Standards**

**Standards**

**8.NR.1** Solve problems involving irrational numbers and rational approximations of irrational numbers to explain real-life applications.

**8.NR.2** Solve problems involving radicals and integer exponents including relevant application situations; apply place value understanding with scientific notation and use scientific notation to explain real-life phenomena.

**8.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.

**MCS Gifted Standards:**

**MCS.Gifted.S3B.**

**NUMERICAL REASONING** – rational and irrational numbers, decimal expansion, integer exponents, square and cube roots, scientific notation

**8.NR.1: Solve problems involving irrational numbers and rational approximations of irrational numbers to explain realistic applications.**

Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)			
8.NR.1.1	Distinguish between rational and irrational numbers using decimal expansion. Convert a decimal expansion which repeats eventually into a rational number.	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should be provided with experiences to use numerical reasoning when describing decimal expansions.</li> <li>Students should be able to classify real numbers as rational or irrational.</li> <li>Students should know that when a square root of a positive integer is not an integer, then it is irrational.</li> <li>Students should use prior knowledge about converting fractions to decimals learned in 6<sup>th</sup> and 7<sup>th</sup> grade to connect changing decimal expansion of a repeating decimal into a fraction and a fraction into a repeating decimal.</li> <li>Emphasis is placed on how all rational numbers can be written as an equivalent decimal. The end behavior of the decimal determines the classification of the number.</li> </ul>	<p><b>Age/Developmentally Appropriate</b></p> <ul style="list-style-type: none"> <li>This specific example is limited to the tenths place; however, the concept for this grade level extends to the hundredths place.</li> </ul>	<p><b>Terminology</b></p> <ul style="list-style-type: none"> <li>Rational numbers are those with decimal expansions that terminate in zeros or eventually repeat.</li> <li>Irrational numbers are non-terminating, non-repeating decimals.</li> </ul>	<p><b>Example</b></p> <ul style="list-style-type: none"> <li>Change <math>0.\overline{4}</math> to a fraction             <ol style="list-style-type: none"> <li>Let <math>x = 0.4444444 \dots</math></li> <li>Multiply both sides so that the repeating digits will be in front of the decimal. In this example, one digit repeats so both sides are multiplied by 10, giving <math>10x = 4.4444444 \dots</math></li> <li>Subtract the original equation from the new equation.                     <math display="block">10x = 4.4444444 \dots</math> <math display="block">x = 0.44444 \dots</math> <math display="block">9x = 4</math> </li> <li>Solve the equation to determine the equivalent fraction.                     <math display="block">9x = 4</math> <math display="block">x = 4/9</math> </li> </ol> </li> </ul>
8.NR.1.2	Approximate irrational numbers to compare the size of irrational numbers, locate them approximately on a number line, and estimate the value of expressions.	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should use visual models and numerical reasoning to approximate irrational numbers.</li> </ul>	<p><b>Example</b></p> <ul style="list-style-type: none"> <li>By estimating the decimal expansion of <math>\sqrt{17}</math>, show that <math>\sqrt{17}</math> is between 4 and 5 and closer to 4 on a number line.</li> </ul>		

**8.NR.2: Solve problems involving radicals and integer exponents including relevant application situations; apply place value understanding with scientific notation and use scientific notation to explain real phenomena.**

Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)	
8.NR.2.1	Apply the properties of integer exponents to generate equivalent numerical expressions.	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should use numerical reasoning to identify patterns associated with properties of integer exponents.</li> <li>The following properties should be addressed: product rule, quotient rule, power rule, power of product rule, power of a quotient rule, zero exponent rule, and negative exponent rule.</li> </ul>	
		<p><b>Example</b></p> $3^2 \times 3^{(-5)} = 3^{(-3)} = \frac{1}{(3^3)} = \frac{1}{27}$	
8.NR.2.2	Use square root and cube root symbols to represent solutions to equations. Recognize that $x^2 = p$ (where $p$ is a positive rational number and $ x  \leq 25$ ) has two solutions and $x^3 = p$ (where $p$ is a negative or positive rational number and $ x  \leq 10$ ) has one solution. Evaluate square roots of perfect squares $\leq 625$ and cube roots of perfect cubes $\geq -1000$ and $\leq 1000$ .	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should be able to find patterns within the list of square numbers and then with cube numbers.</li> <li>Students should be able to recognize that squaring a number and taking the square root of a number are inverse operations; likewise, cubing a number and taking the cube root are inverse operations.</li> </ul>	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>Equations should include rational numbers such as <math>x^2 = \frac{1}{4}</math>.</li> </ul>
		<p><b>Example</b></p> <ul style="list-style-type: none"> <li><math>\sqrt{64} = \sqrt{8^2} = 8</math> and <math>\sqrt[3]{(5^3)} = 5</math>. Since <math>\sqrt{p}</math> is defined to mean the positive solution to the equation <math>x^2 = p</math> (when it exists). It is not mathematically correct to say <math>\sqrt{64} = \pm 8</math> (as is a common misconception). In describing the solutions to <math>x^2 = 64</math>, students should write <math>x = \pm \sqrt{64} = \pm 8</math>.</li> </ul>	
8.NR.2.3	Use numbers expressed in scientific notation to estimate very large or very small quantities, and to express how many times as much one is than the other.	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should use the magnitude of quantities to compare numbers written in scientific notation to determine how many times larger (or smaller) one number written in scientific notation is than another.</li> <li>Students should have opportunities to compare numbers written in scientific notation in contextual, mathematical problems, including scientific situations.</li> </ul>	
		<p><b>Example</b></p> <ul style="list-style-type: none"> <li>Estimate the population of the United States as <math>3 \times 10^8</math> and the population of the world as <math>7 \times 10^9</math> and determine that the world population is more than 20 times larger.</li> </ul>	
8.NR.2.4	Add, subtract, multiply and divide numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Interpret scientific notation that has been generated by technology (e.g., calculators or online technology tools).	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>Students should use place value reasoning which supports the understanding of digits shifting to the left or right when multiplied by a power of 10.</li> </ul>	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students combine knowledge of integer exponent rules and scientific notation to perform operations with numbers expressed in scientific notation.</li> <li>Students should solve realistic problems involving scientific notation.</li> </ul>

**Concepts/Skills to support mastery of standards**

- 8.NR.1.1 - Distinguish between rational and irrational numbers
- 8.NR.1.1 - Convert a repeating decimal into fraction (rational number)
- 8.NR.1.2 - Approximate irrational numbers on a number line
- 8.NR.1.2 - Compare the size of irrational numbers
- 8.NR.1.2 - Estimate the value of expressions
- 8.NR.2.1 - Apply the properties of integer exponents to generate equivalent numerical expressions
- 8.NR.2.2 - Use square root and cube root symbols to represent solutions to equations
- 8.NR.2.2 - Evaluate square roots of perfect squares
- 8.NR.2.3 - Use numbers expressed in scientific notation to estimate very large or very small quantities
- 8.NR.2.4 - Add, subtract, multiply and divide numbers expressed in scientific notation
- 8.NR.2.4 - Interpret scientific notation that has been generated by technology

**Vocabulary**

**K-12 Mathematics Glossary**

Integers	Decimal Expansion	Exponents/Powers	Irrational Numbers	Rational Numbers	Scientific Notation	Approximation
Place Value	Algebraic Expression	Base	Cube Roots	Estimate	Radicals	Addition Property of Equality
Whole Number	Natural Number	Perfect Cubes	Perfect Squares	Square Roots		

Key concept	Related concept(s)	Global context
Form	Justification, Simplification	Scientific and Technical Innovation

**Statement of inquiry**

Various numeric forms can be used to enhance our understanding of scientific principles.

**Inquiry questions**

**Factual—** How can we simplify exponential expressions?

**Conceptual—** How are exponents and scientific notation related?

**Debatable-** What is the best form of representing numbers and expressions?

MYP Objectives	Assessment Tasks	
<i>What specific MYP <b>objectives</b> will be addressed during this unit?</i>	<b>Relationship</b> between summative assessment task(s) and statement of inquiry:	<i>List of common formative and summative assessments.</i>
Criterion A: Knowledge and Understanding  Criterion B: Investigating Patterns  Criterion C: Communication  Criterion D: Applying Mathematics In real life contexts.	Students will use various forms to help them understand scientific principles.	<b><u>Formative Assessment(s):</u></b> Unit 5 CFA  <b><u>Summative Assessment(s):</u></b> Unit 5 Summative  Unit 5 Retest  Unit 5 MYP Project: <b>Savvas Topic 1 Performance Task Form A.</b>
<b>Approaches to learning (ATL)</b>		
<b>Need:</b> Give and receive meaningful feedback <b>Category:</b> Thinking <b>Cluster:</b> Critical Thinking <b>Skill Indicator:</b> Analyzing and evaluating issues and ideas and Utilizing skills and knowledge in multiple contexts		

<b>Learning Experiences</b>		
Objective or Content	Learning Experiences	Personalized Learning and Differentiation
<b>8.NR.1.1</b> Distinguish between rational and irrational numbers using decimal expansion. Convert a decimal expansion which repeats eventually into a rational number.  <b>8.NR.1.2</b> Approximate irrational numbers to compare the size of irrational numbers, locate	<a href="#"><u>Working with Real Numbers</u></a>  <b>Brief Description:</b> In this learning plan, students will distinguish between rational or irrational numbers. Students will understand that a rational number is any number that can be represented as a fraction with a non-zero denominator, and an irrational number is any number that is not rational. Rational numbers can be written as decimals that terminate or eventually repeat;	In this learning plan, students will distinguish between rational or irrational numbers.

<p>them approximately on a number line, and estimate the value of expressions.</p> <p><b>8.NR.2.2</b> Use square root and cube root symbols to represent solutions to equations. Recognize that <math>x^2 = p</math> (where <math>p</math> is a positive rational number and <math> x  \leq 25</math>) has two solutions and <math>x^3 = p</math> (where <math>p</math> is a negative or positive rational number and <math> x  \leq 10</math>) has one solution. Evaluate square roots of perfect squares <math>\leq 625</math> and cube roots of perfect cubes <math>\geq -1000</math> and <math>\leq 1000</math>.</p>	<p>irrational numbers are represented as decimals that neither terminate nor repeat.</p> <p><b>Learning Goal:</b></p> <ul style="list-style-type: none"> <li>• I can distinguish between rational and irrational numbers.</li> <li>• I can locate rational and irrational numbers on a number line.</li> </ul>	
<b>Content Resources</b>		
<p><a href="#">DOE Unit 5 Link</a></p> <p><a href="#">Savvas Correlation Link</a></p>		