	PRICING SHEET				Eligible	In-Eligible	Eligible	In-Eligible
Site Name	Type	Description/Line Notes	Quantity	Service Duration (Months)	Unit Cost	Unit Cost	Extended Equipment Cost	Extended Equipment Cost
Isable Elementary	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	3		$ -	$ -	$ -	$ -
Isable Elementary	Network Rack	APC NetShelter 12U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth - AR112SH6	2		$ -	$ -	$ -	$ -
Isable Elementary	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	1		$ -	$ -	$ -	$ -
Isable Elementary	Cable	Copper Cabling - Network Drop - 82,000 feet	250		$ -	$ -	$ -	$ -
Isable Elementary	Cable	Network Closet Clean Up / Cable Clean Up	4		$ -	$ -	$ -	$ -
Isable Elementary	Cable	12-fiber OS2 LC patch panel	3		$ -	$ -	$ -	$ -
Isable Elementary	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Isable Elementary	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	3		$ -	$ -	$ -	$ -
Isable Elementary	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	12		$ -	$ -	$ -	$ -
Isable Elementary	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Isable Elementary	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Isable Elementary	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Jim Hill High School	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	9		$ -	$ -	$ -	$ -
Jim Hill High School	Network Rack	APC NetShelter 12U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth - AR112SH6	5		$ -	$ -	$ -	$ -
Jim Hill High School	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	1		$ -	$ -	$ -	$ -
Jim Hill High School	Cable	Copper Cabling - Network Drop - 164,000 feet	500		$ -	$ -	$ -	$ -
Jim Hill High School	Cable	Network Closet Clean Up / Cable Clean Up	11		$ -	$ -	$ -	$ -
Jim Hill High School	Cable	12-fiber OS2 LC patch panel	11		$ -	$ -	$ -	$ -
Jim Hill High School	Patch Panel	72-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Jim Hill High School	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	11		$ -	$ -	$ -	$ -
Jim Hill High School	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	44		$ -	$ -	$ -	$ -
Jim Hill High School	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Jim Hill High School	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Jim Hill High School	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Key Elementary	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	4		$ -	$ -	$ -	$ -
Key Elementary	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	2		$ -	$ -	$ -	$ -
Key Elementary	Cable	Copper Cabling - Network Drop - 98,400 feet	300		$ -	$ -	$ -	$ -
Key Elementary	Cable	Network Closet Clean Up / Cable Clean Up	4		$ -	$ -	$ -	$ -
Key Elementary	Cable	12-fiber OS2 LC patch panel	3		$ -	$ -	$ -	$ -
Key Elementary	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Key Elementary	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	3		$ -	$ -	$ -	$ -
Key Elementary	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	12		$ -	$ -	$ -	$ -
Key Elementary	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Key Elementary	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Key Elementary	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Northwest Middle	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	4		$ -	$ -	$ -	$ -
Northwest Middle	Network Rack	APC NetShelter 12U Wallmount Rack Enclosure Cabinet Single Hinged Server Depth - AR112SH6	1		$ -	$ -	$ -	$ -
Northwest Middle	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	1		$ -	$ -	$ -	$ -
Northwest Middle	Cable	Copper Cabling - Network Drop - 65,000 feet	200		$ -	$ -	$ -	$ -
Northwest Middle	Cable	Network Closet Clean Up / Cable Clean Up	5		$ -	$ -	$ -	$ -
Northwest Middle	Cable	12-fiber OS2 LC patch panel	4		$ -	$ -	$ -	$ -
Northwest Middle	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Northwest Middle	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	4		$ -	$ -	$ -	$ -
Northwest Middle	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	16		$ -	$ -	$ -	$ -
Northwest Middle	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Northwest Middle	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Northwest Middle	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Peeples Middle School	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	1		$ -	$ -	$ -	$ -
Peeples Middle School	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	1		$ -	$ -	$ -	$ -
Peeples Middle School	Cable	Copper Cabling - Network Drop - 147,000 feet	450		$ -	$ -	$ -	$ -
Peeples Middle School	Cable	Network Closet Clean Up / Cable Clean Up	3		$ -	$ -	$ -	$ -
Peeples Middle School	Cable	12-fiber OS2 LC patch panel	2		$ -	$ -	$ -	$ -
Peeples Middle School	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Peeples Middle School	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	2		$ -	$ -	$ -	$ -

Peeples Middle School	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	8		$ -	$ -	$ -	$ -
Peeples Middle School	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Peeples Middle School	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Peeples Middle School	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Shirley Elementary	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	6		$ -	$ -	$ -	$ -
Shirley Elementary	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	3		$ -	$ -	$ -	$ -
Shirley Elementary	Cable	Copper Cabling - Network Drop - 131,200 feet	400		$ -	$ -	$ -	$ -
Shirley Elementary	Cable	Network Closet Clean Up / Cable Clean Up	7		$ -	$ -	$ -	$ -
Shirley Elementary	Cable	12-fiber OS2 LC patch panel	7		$ -	$ -	$ -	$ -
Shirley Elementary	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Shirley Elementary	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	7		$ -	$ -	$ -	$ -
Shirley Elementary	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	28		$ -	$ -	$ -	$ -
Shirley Elementary	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Shirley Elementary	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Shirley Elementary	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Wilkins Elementary	Rack Mounted UPS	APC by Schneider Electric Smart-UPS 1500VA Rack-mountable UPS - SMTL1500RM3UCNC	4		$ -	$ -	$ -	$ -
Wilkins Elementary	Network Rack	APC NetShelter SX Networking Enclosure, 42U, 1991H x 750W x 1070D mm, w/ Sides, Black [TAA] - AR3140B2	1		$ -	$ -	$ -	$ -
Wilkins Elementary	Cable	Copper Cabling - Network Drop - 98,400 feet	300		$ -	$ -	$ -	$ -
Wilkins Elementary	Cable	Network Closet Clean Up / Cable Clean Up	5		$ -	$ -	$ -	$ -
Wilkins Elementary	Cable	12-fiber OS2 LC patch panel	4		$ -	$ -	$ -	$ -
Wilkins Elementary	Patch Panel	48-fiber OS2 single-mode LC patch panel	1		$ -	$ -	$ -	$ -
Wilkins Elementary	Cable	Pull 12-strand OS2 single-mode from MDF to each IDF (Fiber optic backbone cable)	4		$ -	$ -	$ -	$ -
Wilkins Elementary	Related components	Fiber Patch Duplex - LC/UPC to LC/UPC OS2 single-mode (9/125) - 2 Meters	16		$ -	$ -	$ -	$ -
Wilkins Elementary	Connector	Fiber Termination Spec (Fusion splice or approved termination; OS2 SM LC/UPC end-to-end)	1		$ -	$ -	$ -	$ -
Wilkins Elementary	Related components	Fiber Testing Spec (End-to-end OLTS insertion loss testing for every strand; OTDR where required)	1		$ -	$ -	$ -	$ -
Wilkins Elementary	Related components	Fiber Labeling/As-Built Spec (Label both ends MDF/IDF; provide strand map + test results package)	1		$ -	$ -	$ -	$ -
Obama Middle School	Cable	Copper Cabling - Network Drop - 65,000 feet	200		$ -	$ -	$ -	$ -
Installation and Configuartion			1		$ -	$ -	$ -	$ -
Shipping			1		$ -	$ -	$ -	$ -
Taxes			1		$ -	$ -	$ -	$ -