



Lead in Water Sample Results

For

**Howard Lake Waverly Winsted
Public Schools
MAWSECO Facility
2023 Testing**



137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 | Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO (17035)
Account #: 19442

Client: Resource Training & Solutions

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, June 6, 2023 9:06:13 AM

Page 1 of 6



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO (17035)

Client: Resource Training & Solutions

Workorder Summary

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, June 6, 2023 9:06:13 AM

Page 2 of 6

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** MAWSECO (17035)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	17035001	Date Collected:	05/30/2023 06:30	Matrix:	Potable Water	
Sample ID:	hl-1	Date Received:	06/01/2023 11:40			
Temp @ Receipt (C):						
Sample Desc:	rm 151 STEP kitchen					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	06/02/2023 17:49	

Lab ID:	17035002	Date Collected:	05/30/2023 00:35	Matrix:	Potable Water	
Sample ID:	hl-2	Date Received:	06/01/2023 11:40			
Temp @ Receipt (C):						
Sample Desc:	fountain outside rm 176					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	06/02/2023 17:51	

Lab ID:	17035003	Date Collected:	05/30/2023 00:40	Matrix:	Potable Water	
Sample ID:	hl-3	Date Received:	06/01/2023 11:40			
Temp @ Receipt (C):						
Sample Desc:	staff lounge					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	06/02/2023 17:53	

Lab ID:	17035004	Date Collected:	05/30/2023 06:45	Matrix:	Potable Water	
Sample ID:	hl-4	Date Received:	06/01/2023 11:40			
Temp @ Receipt (C):						
Sample Desc:	concessions					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	06/02/2023 17:55	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, June 6, 2023 9:06:13 AM

Page 3 of 6



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO (17035)

Client: Resource Training & Solutions

Resource Training & Solut
WO: 17035



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, June 6, 2023 9:06:13 AM

Page 4 of 6

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTI.com



Workorder: MAWSECO (17035)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
 1126 North Front Street
 New Ulm, MN 56073
 Phone: (507) 354-8517
 Toll Free: (800) 782-3557 Fax: (507) 359-2890

Chain of Custody Record


Page 1 of 1

Company Name and Address:
Resource Training and Solutions
137 23rd St South Suite 201
Sartell, MN 56377

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd St South Suite 201
Sartell, MN 56377

Work Order # 1705

Account #:	19442	Email:	jbaumann@resourcecoop-mn.gov
Phone #:	3202553236 x 316		
Contact (Report to):			
Josh Baumann			
Name of Samplers:			
Joe Mckee			
Quote Number		Date Submitted:	
Building Name (Project Number):		Purchase Order #:	
MAWSECO			

Sampler's Signature/Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1. 					1 JUN 23	9:30	Amh
2.			Ro2		1 June 23	1140	3.6

Comments: J. Baumann 1 JUN 23 1140h 3.6' $\pm$ 774 Ro2 TM 774

Sample Information

Lab Use Only	Sample ID	Room/Location	Sample Type Fixture	Date Sampled	Time Sampled AM/PM	Number of Bottles	Analysis
hl-1	rm 151 STEP kitchen		faucet	5/30/23	6:30 AM	1	Lead
hl-2	fountain outside rm 176		fountain	5/30/23	6:35 AM	1	Lead
hl-3	staff lounge		faucet	5/30/23	6:40 AM	1	Lead
hl-4	concessions		faucet	5/30/23	6:45 AM	1	Lead

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvt.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90008-3

See above for page number

Effective Date: 31 Aug 2015

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, June 6, 2023 9:06:13 AM

Page 5 of 6

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** MAWSECO (17035)**Client:** Resource Training & Solutions**Sample Condition Checklist**

Date: 1 June 23 Time: 1140 ☒ AM ☐ PM By: DS
Account Name: Resource Training and Solutions Account # 19442
Bill of Lading #: - Cooler #: -
Temp: 3.6 °C ROI ☒ Ambient ☐ Tracking #: -
TM#: 774 Ice Crystals Present in Sample ☐
MVTL Courier: - Other: -
MVTL Route: - Walk-In ☐ UPS Air ☐ FedEx Air ☐ Speedee ☐
Mail ☐ UPS Ground ☐ FedEx Ground ☐
Containers Supplied by MVTL: Yes ☐ No ☐ Designate customer supplied containers as "Other" in container size column

Number	Containers Size (mL)	Container Type	Preservation	pH
<u>4</u>	(100) (120) (125) <u>(250)</u> (290) (500) (1000) Other	(G) <u>(P)</u> (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ <u>NONE</u> HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 <u>N/A</u> Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) ~~(1000)~~ Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) ~~(AG)~~ (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	**!!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**		
	4 oz Jar	Clear Amber	MeOH None	n/a
	2 oz Jar	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Trip Blank Individual Set of 2 Set of 3		n/a	
	Moisture Vial		n/a	
	Manure Bottle		n/a	

***ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!**

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: **Tuesday, June 6, 2023 9:06:13 AM**

Page 6 of 6



**Minnesota Department of Health
Environmental Laboratory Accreditation Program**

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.

1126 N Front St

New Ulm, MN 56073

for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.

Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific programs, methods, analytes and matrices for which MDH issues this accreditation.

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health,
601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in
Minnesota by contacting MNELAP at (651) 201-5324.

Effective Date: 12/16/2022

Expires: 12/31/2023

Certificate Number: 2417027



Issued under the authority
delegated by the
Commissioner of Health,
State of Minnesota