



Lead in Water Sample Results

For

**Meeker and Wright
Special Education Cooperative
Village Ranch Alternative Program
Wings Alternative Program
Sholund School for Girls
2025 Testing**



137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 | Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Village Ranch (107003)

Client: Resource Training & Solutions

Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Angela Fischer, Inorganic Chemistry Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: **Wednesday, November 19, 2025 8:58:40 AM**

Page 1 of 4



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Village Ranch (107003)

Client: Resource Training & Solutions

Analytical Results

Lab ID: 107003001 **Date Collected:** 10/30/2025 07:00 **Matrix:** Potable Water
Sample ID: MVR1 Drinking Fountain **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 11:53	

Lab ID: 107003002 **Date Collected:** 10/30/2025 07:00 **Matrix:** Potable Water
Sample ID: MVR2 Fountain Bottle Filler **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 11:55	

Lab ID: 107003003 **Date Collected:** 10/30/2025 07:00 **Matrix:** Potable Water
Sample ID: MVR3 Staff Lounge **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 11:57	

Lab ID: 107003004 **Date Collected:** 10/30/2025 07:10 **Matrix:** Potable Water
Sample ID: MVR4 Library **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	36.0	ug/L	10	EPA 200.8	11/18/2025 11:59	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Village Ranch (107003)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Transferred by:

Date:

Time:

Sample Condition:

Received by:

Date:

Time:

Temp:

1.						11/00/20	10:20	15.7C
2.								

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others	Sample ID Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001	MVR1	Drinking Fountain	DW	10-30-25	7:00	1	LEAD
002	MVR2	Fountain Bottle Filler	DW			1	LEAD
003	MVR3	Staff Lounge	DW			1	LEAD
004	MVR4	Library	DW		7:10	1	LEAD
			DW			1	LEAD
			DW			1	LEAD
			DW			1	LEAD
			DW			1	LEAD
			DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, November 19, 2025 8:58:40 AM

Page 3 of 4



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Village Ranch (107003)

Client: Resource Training & Solutions



Sample Condition Checklist

Date: 11/20/25 Time: 10:20 AM PM
 Account Name: Resource Training Account # 19442
 Bill of Lading #: - Cooler #: -
 Temp: 15.7 °C ROI Ambient
 TM#: 72 Ice Crystals Present in Sample
 MVTL Courier: Jim S Other: AVR
 MVTL Route: Central Walk-In UPS Air FedEx Air SpeeDee
 Mail UPS Ground Fed Ex Ground

Containers Supplied by MVTL: Yes No Designate customer supplied containers as "Other" in container size column

Comments: AVR 11/20/25

Number	Containers Size (ml)	Container Type	Preservation	pH
<u>4</u>	(100) <u>250</u> (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ <u>NONE</u> HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 <u>N/A</u> Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	**!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**		
	Jar (2 oz) (4 oz)	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Trip Blank Individual Set of 2 Set of 3		n/a	
	Moisture Vial		n/a	
	PFAS (15 mL tube) (125) (250)	HDPE	None	n/a

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Wings (107005)

Client: Resource Training & Solutions

Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Angela Fischer, Inorganic Chemistry Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: **Wednesday, November 19, 2025 8:58:40 AM**

Page 1 of 4



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Wings (107005)

Client: Resource Training & Solutions

Analytical Results

Lab ID: 107005001 **Date Collected:** 10/29/2025 05:30 **Matrix:** Potable Water
Sample ID: MW1 Dining Room **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 12:00	

Lab ID: 107005002 **Date Collected:** 10/29/2025 05:30 **Matrix:** Potable Water
Sample ID: MW2 Kitchen **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	0.62	ug/L	10	EPA 200.8	11/18/2025 12:02	

Lab ID: 107005003 **Date Collected:** 10/29/2025 05:30 **Matrix:** Potable Water
Sample ID: MW3 Boys Wing **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 12:04	

Lab ID: 107005004 **Date Collected:** 10/29/2025 05:30 **Matrix:** Potable Water
Sample ID: MW4 Girls Wing **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 12:06	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Wings (107005)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Transferred by:

Date:

Time:

Sample Condition:

Received by:

Date:

Time:

Temp:

1.					JS	11 NOV	10:26	15.7C
2.								

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others	Sample ID	Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001		MW1	Dining Room	DW	10-29-25	5:32am	1	LEAD
002		MW2	Kitchen	DW			1	LEAD
003		MW3	Boys wing	DW			1	LEAD
004		MW4	Girls wing	DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0

Please submit the top copy with your samples. We will return the completed original with your results.
See above for page number

Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, November 19, 2025 8:58:40 AM

Page 3 of 4



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Wings (107005)

Client: Resource Training & Solutions



Sample Condition Checklist

Date: 11 Nov 25 Time: 10:20 AM/10:47 PM
Account Name: Resource Training
Bill of Lading #:
Temp: 15.7 C
TM#:
MVTL Courier: Jim S
MVTL Route: Central
Containers Supplied by MVTL: Yes

Table with columns: Number, Containers Size (ml), Container Type, Preservation, pH. Includes rows for various container types and a note: **!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Sholund (107001)

Client: Resource Training & Solutions

Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Angela Fischer, Inorganic Chemistry Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: **Wednesday, November 19, 2025 8:58:40 AM**

Page 1 of 4



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Sholund (107001)

Client: Resource Training & Solutions

Analytical Results

Lab ID: 107001001 **Date Collected:** 10/24/2025 07:09 **Matrix:** Potable Water
Sample ID: MS1 Drinking Fountain North **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 11:49	

Lab ID: 107001002 **Date Collected:** 10/24/2025 07:10 **Matrix:** Potable Water
Sample ID: MS2 Drinking Fountain South **Date Received:** 11/11/2025 10:20
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	11/18/2025 11:51	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, November 19, 2025 8:58:40 AM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Sholund (107001)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517
Fax: (507) 359-2890

Toll Free: (800) 782-3557
Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Resource Training & Soluti
WO: 107001



Chain of Custody Record
Page 1 of 1

Work Order #

Email: jbaumann@resourcecoop-mn.gov
Josh Baumann

Contact (Report to):

Name of Samplers:

Quote Number

Date Submitted:

Project Name/Number:

Purchase Order #:

MAWSECO Sholund

Transferred by:

Date:

Time:

Sample Condition:

Received by:

Date:

Time:

Temp:

1.								
2.				AMB	JS	11/20/25	1020	15.7C

Comments:

Sample Information

AMB 11-20-25 10:20 AM 15.7C JM 774

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F = Fountain S = Sink B = Bottle Filler K = Kettle Describe any others	Sample ID	Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001		MS1	Drinking Fountain North	DW	11/24/25	7:09	1	LEAD
002		MS2	Drinking Fountain South	DW		7:10	1	LEAD
		MS3	Kitchen	DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD
				DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: MAWSECO Sholund (107001)

Client: Resource Training & Solutions



Sample Condition Checklist

Date: 11 Nov 25 Time: 10:20 AM PM
 Account Name: Resource Training By: Dennis R
 Bill of Lading #: - Account #: 19447
 Temp: 15.7 °C ROI Ambient Tracking #: -
 TM#: 224 Ice Crystals Present in Sample Other: M/S
 MVTL Couriers: Jim S
 MVTL Route: Central Walk-In UPS Air FedEx Air Speedee
 Mail UPS Ground Fed Ex Ground
 Containers Supplied by MVTL: Yes No Designate customer supplied containers as "Other" in container size column

Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
<u>2</u>	(100) (120) (125) <u>(250)</u> (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ <u>NONE</u> HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 <u>N/A</u> Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	<u>(100) (120) (125) (250) (290) (500) (1000) Other</u>	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	**!!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**		
	Jar (2 oz) (4 oz)	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Trip Blank Individual Set of 2 Set of 3			n/a
	Moisture Vial			n/a
	PFAS (15 mL tube) (125) (250)	HDPE	None	n/a

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



**Minnesota Department of Health
Environmental Laboratory Accreditation Program**

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.

1126 N Front St

New Ulm, MN 56073

for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.

Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific programs, methods, analytes and matrices for which MDH issues this accreditation.

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health, 601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in Minnesota by contacting MNELAP at (651) 201-5324.

Effective Date: 06/17/2025

Expires: 12/31/2025

Certificate Number: 2934728



Issued under the authority
delegated by the
Commissioner of Health,
State of Minnesota