Resource® Training & Solutions
A Minnesota Service Cooperative

Lead in Water

Sample Results

For

Eden Valley Watkins Schools

2025 Testing

Round 1

Resource® Training & Solutions
A Minnesota Service Cooperative

137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 |Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions
Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:



Angela Fischer, Inorganic Chemistry/Feed Lab Assistant Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670001 **Date Collected:** 03/21/2025 08:00 **Matrix:** Potable Water
Sample ID: EVW 1 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Nurse Office Rm 135

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.92**	ug/L	10	EPA 200.8	03/28/2025 14:57	

Lab ID: 81670002 **Date Collected:** 03/21/2025 08:03 **Matrix:** Potable Water
Sample ID: EVW 2 F **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Hall Fountain by Rm 135

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/28/2025 14:58	

Lab ID: 81670003 **Date Collected:** 03/21/2025 08:07 **Matrix:** Potable Water
Sample ID: EVW 3 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 101

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**6.43**	ug/L	10	EPA 200.8	03/28/2025 15:00	

Lab ID: 81670004 **Date Collected:** 03/21/2025 08:08 **Matrix:** Potable Water
Sample ID: EVW 4 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 102

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.78**	ug/L	10	EPA 200.8	03/28/2025 15:02	

Lab ID: 81670005 **Date Collected:** 03/21/2025 08:09 **Matrix:** Potable Water
Sample ID: EVW 5 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 103

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.92**	ug/L	10	EPA 200.8	03/28/2025 15:04	

Lab ID: 81670006 **Date Collected:** 03/21/2025 08:10 **Matrix:** Potable Water
Sample ID: EVW 6 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 104

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**3.42**	ug/L	10	EPA 200.8	03/28/2025 15:06	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670007 **Date Collected:** 03/21/2025 08:11 **Matrix:** Potable Water
Sample ID: EVW 7 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 105

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.71**	ug/L	10	EPA 200.8	03/28/2025 15:08	

Lab ID: 81670008 **Date Collected:** 03/21/2025 08:12 **Matrix:** Potable Water
Sample ID: EVW 8 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 106

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.73**	ug/L	10	EPA 200.8	03/28/2025 15:10	

Lab ID: 81670009 **Date Collected:** 03/21/2025 08:13 **Matrix:** Potable Water
Sample ID: EVW 9 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 108

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**5.58**	ug/L	10	EPA 200.8	03/28/2025 15:12	

Lab ID: 81670010 **Date Collected:** 03/21/2025 08:15 **Matrix:** Potable Water
Sample ID: EVW 10 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 110

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.87**	ug/L	10	EPA 200.8	03/28/2025 15:13	

Lab ID: 81670011 **Date Collected:** 03/21/2025 08:16 **Matrix:** Potable Water
Sample ID: EVW 11 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 111

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.52**	ug/L	10	EPA 200.8	03/28/2025 15:29	

Lab ID: 81670012 **Date Collected:** 03/21/2025 08:17 **Matrix:** Potable Water
Sample ID: EVW 12 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 112

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**9.56**	ug/L	10	EPA 200.8	03/28/2025 15:30	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670013 **Date Collected:** 03/21/2025 08:18 **Matrix:** Potable Water
Sample ID: EVW 13 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 113

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.82**	ug/L	10	EPA 200.8	03/28/2025 15:32	

Lab ID: 81670014 **Date Collected:** 03/21/2025 08:19 **Matrix:** Potable Water
Sample ID: EVW 14 F **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: by door #3

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/28/2025 15:34	

Lab ID: 81670015 **Date Collected:** 03/21/2025 08:20 **Matrix:** Potable Water
Sample ID: EVW 15 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 114

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.65**	ug/L	10	EPA 200.8	03/28/2025 15:36	

Lab ID: 81670016 **Date Collected:** 03/21/2025 08:24 **Matrix:** Potable Water
Sample ID: EVW 16 F **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Cafeteria

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/28/2025 15:38	

Lab ID: 81670017 **Date Collected:** 03/21/2025 08:30 **Matrix:** Potable Water
Sample ID: EVW 17 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 117

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**5.62**	ug/L	10	EPA 200.8	03/28/2025 15:40	

Lab ID: 81670018 **Date Collected:** 03/21/2025 08:32 **Matrix:** Potable Water
Sample ID: EVW 18 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 119

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**4.24**	ug/L	10	EPA 200.8	03/28/2025 15:42	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670019 **Date Collected:** 03/21/2025 08:33 **Matrix:** Potable Water
Sample ID: EVW 19 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 120

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.09**	ug/L	10	EPA 200.8	03/28/2025 15:44	

Lab ID: 81670020 **Date Collected:** 03/21/2025 08:35 **Matrix:** Potable Water
Sample ID: EVW 20 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 122

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**3.76**	ug/L	10	EPA 200.8	03/28/2025 15:46	

Lab ID: 81670021 **Date Collected:** 03/21/2025 08:39 **Matrix:** Potable Water
Sample ID: EVW 21 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 123

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.53**	ug/L	10	EPA 200.8	03/28/2025 16:01	

Lab ID: 81670022 **Date Collected:** 03/21/2025 08:41 **Matrix:** Potable Water
Sample ID: EVW 22 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 124

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.52**	ug/L	10	EPA 200.8	03/28/2025 16:02	

Lab ID: 81670023 **Date Collected:** 03/21/2025 08:42 **Matrix:** Potable Water
Sample ID: EVW 23 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 125

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.90**	ug/L	10	EPA 200.8	03/28/2025 16:04	

Lab ID: 81670024 **Date Collected:** 03/21/2025 08:43 **Matrix:** Potable Water
Sample ID: EVW 24 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 126

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.94**	ug/L	10	EPA 200.8	03/28/2025 16:06	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670025 **Date Collected:** 03/21/2025 08:45 **Matrix:** Potable Water
Sample ID: EVW 25 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 128

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.20**	ug/L	10	EPA 200.8	03/28/2025 16:08	

Lab ID: 81670026 **Date Collected:** 03/21/2025 08:46 **Matrix:** Potable Water
Sample ID: EVW 26 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 129

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.75**	ug/L	10	EPA 200.8	03/28/2025 16:10	

Lab ID: 81670027 **Date Collected:** 03/21/2025 08:49 **Matrix:** Potable Water
Sample ID: EVW 27 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 130

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.05**	ug/L	10	EPA 200.8	03/28/2025 16:12	

Lab ID: 81670028 **Date Collected:** 03/21/2025 08:50 **Matrix:** Potable Water
Sample ID: EVW 28 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 131

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**6.64**	ug/L	10	EPA 200.8	03/28/2025 16:14	

Lab ID: 81670029 **Date Collected:** 03/21/2025 08:52 **Matrix:** Potable Water
Sample ID: EVW 29 F **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Gym N. Wall

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.70**	ug/L	10	EPA 200.8	03/28/2025 16:16	

Lab ID: 81670030 **Date Collected:** 03/21/2025 08:26 **Matrix:** Potable Water
Sample ID: EVW 30 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: S Kitchen S.E. corner

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.83**	ug/L	10	EPA 200.8	03/28/2025 16:18	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670031 **Date Collected:** 03/21/2025 08:55 **Matrix:** Potable Water
Sample ID: EVW 31 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 121

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.86**	ug/L	10	EPA 200.8	03/31/2025 09:23	

Lab ID: 81670032 **Date Collected:** 03/21/2025 08:56 **Matrix:** Potable Water
Sample ID: EVW 32 S **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Rm 118

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**3.73**	ug/L	10	EPA 200.8	03/31/2025 09:24	

Lab ID: 81670033 **Date Collected:** 03/21/2025 09:59 **Matrix:** Potable Water
Sample ID: EVW 33 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #114

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**3.67**	ug/L	10	EPA 200.8	03/31/2025 09:25	

Lab ID: 81670034 **Date Collected:** 03/21/2025 09:58 **Matrix:** Potable Water
Sample ID: EVW 34 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #115

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**6.27**	ug/L	10	EPA 200.8	03/31/2025 09:26	

Lab ID: 81670035 **Date Collected:** 03/21/2025 09:57 **Matrix:** Potable Water
Sample ID: EVW 35 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #116

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**5.96**	ug/L	10	EPA 200.8	03/31/2025 09:28	

Lab ID: 81670036 **Date Collected:** 03/21/2025 09:56 **Matrix:** Potable Water
Sample ID: EVW 36 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #102

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.20**	ug/L	10	EPA 200.8	03/31/2025 09:29	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670037 **Date Collected:** 03/21/2025 09:55 **Matrix:** Potable Water
Sample ID: EVW 37 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #101

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:30	

Lab ID: 81670038 **Date Collected:** 03/21/2025 09:54 **Matrix:** Potable Water
Sample ID: EVW 38 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room #100

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:31	

Lab ID: 81670039 **Date Collected:** 03/21/2025 09:53 **Matrix:** Potable Water
Sample ID: EVW 39 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Hallway Fountain

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:33	

Lab ID: 81670040 **Date Collected:** 03/21/2025 09:52 **Matrix:** Potable Water
Sample ID: EVW 40 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Teachers Lounge

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.84**	ug/L	10	EPA 200.8	03/31/2025 09:34	

Lab ID: 81670041 **Date Collected:** 03/21/2025 09:50 **Matrix:** Potable Water
Sample ID: EVW 41 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Watkins Kitchen

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.97**	ug/L	10	EPA 200.8	03/31/2025 09:44	

Lab ID: 81670042 **Date Collected:** 03/21/2025 07:45 **Matrix:** Potable Water
Sample ID: EVW 42 Fountain outside HS **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Office

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.69**	ug/L	10	EPA 200.8	03/31/2025 09:45	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670043 **Date Collected:** 03/21/2025 07:44 **Matrix:** Potable Water
Sample ID: EVW 43 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Senior Bench

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.91**	ug/L	10	EPA 200.8	03/31/2025 09:46	

Lab ID: 81670044 **Date Collected:** 03/21/2025 07:49 **Matrix:** Potable Water
Sample ID: EVW 44 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Hall outside 217

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:47	

Lab ID: 81670045 **Date Collected:** 03/21/2025 07:54 **Matrix:** Potable Water
Sample ID: EVW 45 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: District Board Room

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**4.91**	ug/L	10	EPA 200.8	03/31/2025 09:48	

Lab ID: 81670046 **Date Collected:** 03/21/2025 07:55 **Matrix:** Potable Water
Sample ID: EVW 46 Outside Girls Locker **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Room

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:50	

Lab ID: 81670047 **Date Collected:** 03/21/2025 07:57 **Matrix:** Potable Water
Sample ID: EVW 47 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Boys locker room

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:51	

Lab ID: 81670048 **Date Collected:** 03/21/2025 07:58 **Matrix:** Potable Water
Sample ID: EVW 48 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: H.S office

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 09:52	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670049 **Date Collected:** 03/21/2025 07:59 **Matrix:** Potable Water
Sample ID: EVW 49 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: H.S Board room

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**2.49**	ug/L	10	EPA 200.8	03/31/2025 09:53	

Lab ID: 81670050 **Date Collected:** 03/21/2025 08:15 **Matrix:** Potable Water
Sample ID: EVW 50 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: outside teacher's lounge

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.51**	ug/L	10	EPA 200.8	03/31/2025 09:55	

Lab ID: 81670051 **Date Collected:** 03/21/2025 08:04 **Matrix:** Potable Water
Sample ID: EVW 51 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Lobby

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 10:04	

Lab ID: 81670052 **Date Collected:** 03/21/2025 08:07 **Matrix:** Potable Water
Sample ID: EVW 52 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Teacher's Lounge

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**0.88**	ug/L	10	EPA 200.8	03/31/2025 10:06	

Lab ID: 81670053 **Date Collected:** 03/21/2025 08:08 **Matrix:** Potable Water
Sample ID: EVW 53 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Drinking Fountain #109

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 10:07	

Lab ID: 81670054 **Date Collected:** 03/21/2025 08:09 **Matrix:** Potable Water
Sample ID: EVW 54 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Kitchen Brazier

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**7.15**	ug/L	10	EPA 200.8	03/31/2025 10:08	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 81670055 **Date Collected:** 03/21/2025 08:11 **Matrix:** Potable Water
Sample ID: EVW 55 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: West wall middle sink #101

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**7.83**	ug/L	10	EPA 200.8	03/31/2025 10:09	

Lab ID: 81670056 **Date Collected:** 03/21/2025 08:12 **Matrix:** Potable Water
Sample ID: EVW 56 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: North wall sink #101

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**4.80**	ug/L	10	EPA 200.8	03/31/2025 10:11	

Lab ID: 81670057 **Date Collected:** 03/21/2025 11:15 **Matrix:** Potable Water
Sample ID: EVW 57 **Date Received:** 03/25/2025 11:00
Temp @ Receipt (C):
Sample Desc: Drinking Fountain by #204

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	03/31/2025 10:12	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Resource Training & Soluti
WO: 81670

Chain of Custody Record
Page 1 of 7

Work Order # 81670

Company Name and Address: Resource Training and Solutions, 137 23rd Street South Suite 201, Sartell MN 56377	Email: jbaumann@resourcecoop-mn.gov
Account #: 19442 Phone #: 3202553236 x316	Contact (Report to): Josh Baumann
Billing Address (indicate if different from above): Resource Training and Solutions, 137 23rd Street South Suite 201, Sartell MN 56377	Name of Samplers: RALPH KAMPBELL, MAIA AND TONY EDEN VALLEY ELEMENTRY
	Quote Number
	Project Name/Number: Eden Valley Watkins Round 1
	Date Submitted:
	Purchase Order #:

	Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.	Ralph Campbell					25 Mar	1100	17.5
2.				AMO		25		AM13

Comments: AM6 CM 25 Mar 25 1100 1118 17.5C TM-774

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	Sample ID	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
81670001	EVW 1	S NURCE OFFICE	DW	3-21-25	8:00 am	1	Rm 135 LEAD
002	EVW 2	F HALL FOUNTAIN	DW	3-21-25	8:03 AM	1	BY Rm 135 LEAD
003	EVW 3	S Rm 101	DW	3-21-25	8:07 am	1	LEAD
004	EVW 4	S 102	DW	3-21-25	8:08 am	1	LEAD
005	EVW 5	S 103	DW	3-21-25	8:09 am	1	LEAD
006	EVW 6	S 104	DW	3-21-25	8:10 am	1	LEAD
007	EVW 7	S 105	DW	3-21-25	8:11 am	1	LEAD
008	EVW 8	S 106	DW	3-21-25	8:12 am	1	LEAD
009	EVW 9	S 108	DW	3-21-25	8:13 am	1	LEAD
010	EVW 10	S 110	DW	3-21-25	8:15 am	1	LEAD
				3-21-25	am		

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record Page 2 of 7

Work Order #

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Email: jbaumann@resourcecoop-mn.gov

Contact (Report to): Josh Baumann

Account #: 19442 Phone #: 3202553236 x316

Name of Samplers:

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number | Date Submitted:

Project Name/Number: Eden Valley Watkins Round 1 | Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	Sample ID | F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
01	EVW 11 S RM 111	DW	3-21-25	8:16 am	1	LEAD
02	EVW 12 S 112	DW	3-21-25	8:17 am	1	LEAD
03	EVW 13 S 113	DW	3-21-25	8:18 am	1	LEAD
04	EVW 14 F BY DOOR #3	DW	3-21-25	8:19 am	1	LEAD
05	EVW 15 S 114	DW	3-21-25	8:20 am	1	LEAD
06	EVW 16 F CAFETERIA	DW	3-21-25	8:24 am	1	LEAD
07	EVW 17 S 117	DW	3-21-25	8:30 am	1	LEAD
08	EVW 18 S 119	DW	3-21-25	8:32 am	1	LEAD
09	EVW 19 S 120	DW	3-21-25	8:33 am	1	LEAD
10	EVW 20 S 122	DW	3-21-25	8:35 am	1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Member ACIL

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Chain of Custody Record Page 3 of 7

Lab Use Only

Work Order #

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Email: jbaumann@resourcecoop-mn.gov

Contact (Report to): Josh Baumann

Account #: 19442 Phone #: 3202553236 x316

Name of Samplers:

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number | Date Submitted:

Project Name/Number: Eden Valley Watkins Round 1

Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	Sample ID | Room/Location/Fixture (F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others)	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
021	EVW 21 S Rm 123	DW	3-21-25	8:34 am	1	LEAD
022	EVW 22 S 124	DW	3-21-25	8:41 am	1	LEAD
023	EVW 23 S 125	DW	3-21-25	8:42 am	1	LEAD
024	EVW 24 S 126	DW	3-21-25	8:43 am	1	LEAD
025	EVW 25 S 128	DW	3-21-25	8:45 am	1	LEAD
026	EVW 26 S 129	DW	3-21-25	8:46 am	1	LEAD
027	EVW 27 S 130	DW	3-21-25	8:49 am	1	LEAD
028	EVW 28 S 131	DW	3-21-25	8:50 am	1	LEAD
029	EVW 29 F GYM N. WALL	DW	3-21-25	8:52 am	1	LEAD
030	EVW 30 S KITCHEN S.E. CORNER	DW	3-21-25	8:26	1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record Page 4 of 7

Work Order #

Email: jbaumann@resourcecoop-mn.gov

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Contact (Report to): Josh Baumann

Account #: 19442 Phone #: 3202553236 x316

Name of Samplers:

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number

Date Submitted:

Project Name/Number: Eden Valley Watkins Round 1

Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	Sample ID | Room/Location/Fixture (F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others)	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
01	EVW 31 S Rm 121	DW	3-21-25	8:55 am	1	LEAD
02	EVW 32 S 118	DW	3-21-25	8:56 am	1	LEAD
	~~EVW 33~~	DW			1	LEAD
	~~EVW 34~~	DW			1	LEAD
	~~EVW 35~~	DW			1	LEAD
	~~EVW 36~~	DW			1	LEAD
	~~EVW 37~~	DW			1	LEAD
	~~EVW 38~~	DW			1	LEAD
	~~EVW 39~~	DW			1	LEAD
	~~EVW 40~~ Next Pg	DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record
Page 5 of 7

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Work Order #
Email: jbaumann@resourcecoop-mn.gov
Contact (Report to): Josh Baumann
Name of Samplers:

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number
Date Submitted:
Project Name/Number: Eden Valley Watkins Round 1
Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Sample ID | Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
	~~EVW 32~~	DW			1	LEAD
	~~EVW 32~~	DW			1	LEAD
033	EVW 33 Room # 114	DW	3-21-25	9:59	1	LEAD
034	EVW 34 Room # 115	DW	3-21-25	9:58	1	LEAD
035	EVW 35 Room # 116	DW	3-21-25	9:57	1	LEAD
036	EVW 36 Room # 102	DW	3-21-25	9:56	1	LEAD
037	EVW 37 Room # 101	DW	3-21-25	9:55	1	LEAD
038	EVW 38 Room # 100	DW	3-21-25	9:54	1	LEAD
039	EVW 39 Hallway Fountain	DW	3-21-25	9:53	1	LEAD
040	EVW 40 Teachers Lounge	DW	3-21-25	9:52	1	LEAD
041	EVW 41 Watkins Kitchen		3-21-25	9:50	1	Lead

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Member ACIL

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record
Page 6 of 7

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Work Order #
Email: jbaumann@resourcecoop-mn.gov
Contact (Report to): Josh Baumann
Name of Samplers:

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number
Date Submitted:
Project Name/Number: Eden Valley Watkins Round 1
Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Sample ID | Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
	EVW 41	DW	3/21/25	7:45	1	LEAD
042	EVW 42 Fountain outside HS office	DW	3-21-25	7:47	1	LEAD
043	EVW 43 Senior Bench	DW	3-21-25	7:49	1	LEAD
044	EVW 44 Hall outside 217	DW	3-21-25	7:54	1	LEAD
045	EVW 45 District Board room	DW	3-21-25	7:55	1	LEAD
046	EVW 46 outside Girls locker room	DW	3-21-25	7:57	1	LEAD
047	EVW 47 Boys locker room	DW	3-21-25	7:58	1	LEAD
048	EVW 48 H.S. office	DW	3-21-25	7:59	1	LEAD
049	EVW 49 H.S. Board room	DW	3-21-25	8:15	1	LEAD
050	EVW 50 outside teachers lounge	DW	3-21-25	8:02	1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Member ACIL

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record
Page 7 of 7

Work Order #

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Email: jbaumann@resourcecoop-mn.gov

Contact (Report to): Josh Baumann

Account #: 19442 Phone #: 3202553236 x316

Name of Samplers:

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Quote Number | Date Submitted:

Project Name/Number: Eden Valley Watkins Round 1

Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Sample ID | Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
851	EVW 51 Lobby	DW	3-21-25	8:04	1	LEAD
852	EVW 52 Teachers Lounge	DW	3-21-25	8:07	1	LEAD
853	EVW 53 Drinking fountain #109	DW	3-21-25	8:08	1	LEAD
854	EVW 54 Kitchen Brazier	DW	3-21-25	8:09	1	LEAD
855	EVW 55 West wall muddy sink #101	DW	3-21-25	8:11	1	LEAD
856	EVW 56 North wall sink #101	DW	3-21-25	8:12	1	LEAD
857	EVW 57 Drinking fountain by #204	DW	3-21-25	11:15	1	LEAD
		DW	3-21-25		1	LEAD
		DW	3-21-25		1	LEAD
		DW	3-21-25		1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 1 (81670) **Client:** Resource Training & Solutions

Sample Condition Checklist

Date: 25Mar25 Time: 1100/1118 ☒ AM ☐ PM By: CM

Account Name: Resource Training and Solutions Account # 19442

Bill of Lading #: Cooler #:

Temp: 17.5 °C ROI ☐ Ambient ☒ Tracking #:

TM#: 774 Ice Crystals Present in Sample ☐

MVTL Courier: Jims Other:

MVTL Route: central Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeeDee ☐

Mail ☐ UPS Ground ☐ Fed Ex Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
57	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	***DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!***		
	4 oz Jar	Clear Amber	MeOH None	n/a
	2 oz Jar	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Trip Blank Individual Set of 2 Set of 3	n/a		
	Moisture Vial	n/a		
	Manure Bottle	n/a		

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Minnesota Department of Health
Environmental Laboratory Accreditation Program

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.
1126 N Front St
New Ulm, MN 56073

for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.

Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific programs, methods, analytes and matrices for which MDH issues this accreditation.

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health, 601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in Minnesota by contacting MNELAP at (651) 201-5324.

Effective Date: 12/02/2024
Expires: 12/31/2025
Certificate Number: 2821430

Issued under the authority delegated by the Commissioner of Health, State of Minnesota

Lead in Water

Sample Results

For

Eden Valley Watkins Schools

2025-26 Testing

Round 2

137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 |Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions
Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:



Dave Smahel, Chemistry Production Director New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 104190001 **Date Collected:** 10/16/2025 07:20 **Matrix:** Potable Water
Sample ID: EVW 9 S **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 14:56	

Lab ID: 104190002 **Date Collected:** 10/16/2025 07:35 **Matrix:** Potable Water
Sample ID: EVW 17 S **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 14:58	

Lab ID: 104190003 **Date Collected:** 10/16/2025 06:25 **Matrix:** Potable Water
Sample ID: EVW 35 **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 14:59	

Lab ID: 104190004 **Date Collected:** 10/16/2025 06:30 **Matrix:** Potable Water
Sample ID: EVW 34 **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 15:01	

Lab ID: 104190005 **Date Collected:** 10/16/2025 07:25 **Matrix:** Potable Water
Sample ID: EVW 3 S **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.79**	ug/L	10	EPA 200.8	10/21/2025 15:17	

Lab ID: 104190006 **Date Collected:** 10/16/2025 07:40 **Matrix:** Potable Water
Sample ID: EVW 28 S **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.24**	ug/L	10	EPA 200.8	10/21/2025 15:19	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, October 22, 2025 3:45:01 PM

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 104190007 **Date Collected:** 10/16/2025 07:00 **Matrix:** Potable Water
Sample ID: EVW 54 **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**37.6**	ug/L	10	EPA 200.8	10/22/2025 11:37	

Lab ID: 104190008 **Date Collected:** 10/16/2025 07:05 **Matrix:** Potable Water
Sample ID: EVW 55 **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 15:21	

Lab ID: 104190009 **Date Collected:** 10/16/2025 07:30 **Matrix:** Potable Water
Sample ID: EVW 12 S **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 15:23	

Lab ID: 104190010 **Date Collected:** 10/16/2025 07:10 **Matrix:** Potable Water
Sample ID: EVW 56 **Date Received:** 10/16/2025 12:00
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	10/21/2025 15:24	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions



MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Lab Use Only

Chain of Custody Record
Page ____ of ____

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Work Order #
Email: jbaumann@resourcecoop-mn.gov
Contact (Report to): Josh Baumann
Name of Samplers: Peter Stenger

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377
Dont fill out

Quote Number
Date Submitted:
Project Name/Number: Eden Valley Watkins Round 2
Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.					16 oct 25	1200	3.8
2.	16 oct 25	0950	R01		25		

Comments: TM 771

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Sample ID | Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001	EVW 9 S	DW	10-16	7:20	1	LEAD
002	EVW 17 S	DW	10-16	7:35	1	LEAD
003	EVW 35	DW	10-16	6:25am	1	LEAD
004	EVW 34	DW	10-16	6:30am	1	LEAD
005	EVW 3 S	DW	10-16	7:25	1	LEAD
006	EVW 28 S	DW	10-16	7:40	1	LEAD
007	EVW 54	DW	10-16	7:00am	1	LEAD
008	EVW 55	DW	10-16	7:05	1	LEAD
009	EVW 12 S	DW	10-16	7:30	1	LEAD
010	EVW 56	DW	10-16	7:10	1	LEAD
	[redacted]					

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: Eden Valley Watkins Round 2 (104190) **Client:** Resource Training & Solutions

Sample Condition Checklist

Date: 16 Oct 25 Time: 1200/1215 ☐ AM ☐ PM By: JB

Account Name: Resource Training & Solutions Account # 19442

Bill of Lading #: ✓ Cooler #: ✓

Temp: 3.8 °C ROI ☐ Ambient ☐ Tracking #: ✓

TM#: 774 Ice Crystals Present in Sample ☐

MVTL Courier: Jim Other: ✓

MVTL Route: Central Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeeDee ☐

Mail ☐ UPS Ground ☐ Fed Ex Ground ☐

Containers Supplied by MVTL: Yes ☑ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
10	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	***!!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!!**		
	Jar (2 oz) (4 oz)	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Trip Blank Individual Set of 2 Set of 3	n/a		
	Moisture Vial	n/a		
	PFAS (15 mL tube) (125) (250)	HDPE	None	n/a

***ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!**

Form # 30-911001-1 Page 1 of 1 Effective Date: 13 Aug 2025

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

DEPARTMENT OF HEALTH

Minnesota Department of Health
Environmental Laboratory Accreditation Program

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.
1126 N Front St
New Ulm, MN 56073

for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.

Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific programs, methods, analytes and matrices for which MDH issues this accreditation.

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health, 601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in Minnesota by contacting MNELAP at (651) 201-5324.

Effective Date: 12/01/2025
Expires: 12/31/2026
Certificate Number: 3026261

Issued under the authority delegated by the Commissioner of Health, State of Minnesota

Lead in Water

Sample Results

For

Eden Valley Watkins Schools

2025-26 Testing

Round 3

137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 |Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: EVW Round 3 (115067) **Client:** Resource Training & Solutions
Account #: 19442

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:



Dan O'Connell, Organic Chemistry Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: EVW Round 3 (115067) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 115067001 **Date Collected:** 02/19/2026 05:30 **Matrix:** Potable Water
Sample ID: EVW54 Kitchen Brazier **Date Received:** 02/19/2026 11:40
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	**1.12**	ug/L	10	EPA 200.8	02/24/2026 10:48	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Member ACIL

Workorder: EVW Round 3 (115067) **Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Resource Training & Soluti
WO: 115067

Chain of Custody Record
Page 1 of 1

Company Name and Address:
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):
Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Work Order #
Email: jbaumann@resourcecoop-mn.gov
Contact (Report to): Josh Baumann
Name of Samplers: Peter Stenger
Peter Stenger 320 223 3933
Quote Number
Date Submitted:
Project Name/Number: EVW Round 3
Purchase Order #:

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1. Peter Stenger					19 Feb 26	1140	4.7c
2.	19 Feb 26	0730	ROI				

Comments: SP 19 Feb 26 1155 TM 774

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only Lab #	F= Fountain S = Sink B= Bottle Filler K = Kettle Describe any others Sample ID | Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001	EVW54 Kitchen Brazier	DW	2-19-26	0730 CST	1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD
	EVW	DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top copy with your samples. We will return the completed original with your results.

Form # 10-90053-0 See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

MINNESOTA VALLEY TESTING LABORATORIES, INC.
1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

Workorder: EVW Round 3 (115067) **Client:** Resource Training & Solutions

Sample Condition Checklist

Date: 19 Feb 26 Time: 1140/1155 ☒ AM ☐ PM By: SP

Account Name: Resource Training & Solutions Account # 19442

Bill of Lading #: - Cooler #: -

Temp: 4.7 °C ROI ☒ Ambient ☐ Tracking #: -

TM#: 774 Ice Crystals Present in Sample ☐ -

MVTL Courier: Jim S Other:

MVTL Route: Central Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeeDee ☐

Mail ☐ UPS Ground ☐ Fed Ex Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
1	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	$NaHSO_4$ $Na_2O_3S_2$ NONE HNO_3 H_2SO_4 NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	***!!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!***		
	Jar (2 oz) (4 oz)	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H_3PO_4 H_2SO_4 None	n/a
	Trip Blank Individual Set of 2 Set of 3	n/a		
	Moisture Vial	n/a		
	PFAS (15 mL tube) (125) (250)	HDPE	None	n/a

***ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!**

Form # 30-911001-1 Page 1 of 1 Effective Date: 13 Aug 2025

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

DEPARTMENT OF HEALTH

Minnesota Department of Health
Environmental Laboratory Accreditation Program

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.
1126 N Front St
New Ulm, MN 56073

for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.

Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific programs, methods, analytes and matrices for which MDH issues this accreditation.

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health, 601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in Minnesota by contacting MNELAP at (651) 201-5324.

Effective Date: 12/01/2025
Expires: 12/31/2026
Certificate Number: 3026261

Issued under the authority delegated by the Commissioner of Health, State of Minnesota