



# Healthy Youth Survey 2012

## Report of Participating Schools

Lake Washington School District  
Grade 10

March 1, 2013

Looking Glass Analytics  
215 Legion Way SW  
Olympia, WA 98502

## Report Contents

Introduction and Overview .....	2
Survey Participation .....	2
Caution about Participation Rates and Bias .....	2
Small Numbers: Caution about Number of Students Participating .....	2
Key to the Notes .....	2
Highlights of the Local Results .....	3
Selected Results by Gender .....	4
Understanding Your Report .....	5
N's .....	5
Confidence Intervals .....	6
More Information .....	6
Individual Question Results .....	7
Demographics and General Information (Questions 1–9) .....	7
Alcohol, Tobacco, and Other Drug (ATOD) Use .....	8
Lifetime Use (Questions 10-19) .....	8
30-Day Use (Questions 20-33) .....	9
Other Tobacco-Related Questions (Questions 34–49) .....	12
Other Alcohol- and Drug-Related Questions (Questions 50–61) .....	15
Other Health Concerns .....	17
Nutrition and Fitness (Questions 62–80) .....	17
Health Conditions and Health Care (Questions 81–92) .....	21
Sexual Behavior (Questions 93–96) .....	23
Safety (Questions 97–102) .....	23
Behaviors Related to Intentional Injuries (Questions 103–114) .....	24
Depression (Questions 115–123) .....	26
Gambling (Questions 124–125) .....	27
School Climate (Questions 126–135) .....	27
Quality of Life (Questions 136–147) .....	29
Risk and Protective Factors .....	33
Risk and Protective Factor: Reporting Schedule .....	33
Risk and Protective Factor: Domain Scale Results and Graphs .....	34
Risk and Protective Factor: All Scale Graph .....	37
Risk and Protective Factor: Individual Question Results .....	38
Community Domain (Questions 148–165) .....	38
Family Domain (Questions 166–183) .....	40
School Domain (Questions 184–201) .....	43
Peer and Individual Domain (Questions 202–248) .....	46
Questions by Topic .....	56
Core Questions .....	57

For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.

# Lake Washington School District

Grade 10

## Introduction and Overview

This report presents results from the fall 2012 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health, the Office of Superintendent of Public Instruction, the Department of Social and Health Services, the Department of Commerce, the Family Policy Council and the Liquor Control Board in cooperation with schools throughout the state of Washington.

For each survey question, results for your students appear in the first column and statewide results appear in the second column. Survey questions covering the same topics are grouped together when possible but be sure to consult the index for related questions when you are searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site: [www.AskHYS.net/Reports](http://www.AskHYS.net/Reports)

## Survey Participation

Number of students surveyed:	1,241
Number of valid responses:	1,171
Estimate of enrolled students*:	1,701
Survey participation rate**:	69%

\* The estimate of enrolled students is based on figures from the 2012-2013 school year, provided by OSPI.

\*\* The survey participation rate is the number of valid responses divided by the number of enrolled students.

## Caution about Participation Rates and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

## Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case for when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

*For example, if 20 students answered a question and of those 20 only 3 students answered "Yes", the estimate is unreliable.*

See page 6 for a discussion of the "confidence intervals" used in this report to help guide your interpretation of the results.

## Key to the Notes

Four versions of the survey were used in the administration of the 2012 HYS. Forms A and B (or alternate Form NS – identical to Form B except without four sexual behavior questions) were given to secondary students (grades 8, 10 and 12). Form C was given to elementary students (grade 6). Some questions on the Forms were optional at the discretion of the school.

A list of the topics asked and their location in the report are provided in the Questions by Topic section on page 56. The Questions by Form Type section on page 57 provides a list of which Form each question was on.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the optional questions:

A = wording on Form A; B = wording on Form B; C = wording on Form C


† = optional (on tear-off portion of the survey form)

†† = optional (asked on the secondary Form B, but not on Form NS)


## Highlights of the Local Results

Your students and students statewide reported the following behaviors and attitudes:

<b>Substance Use</b>	<b>Your Students</b> % (±CI)	<b>Statewide</b> % (±CI)
Smoked cigarettes in past 30 days	5.9% (±1.4)	9.5% (±1.3)
Drank alcohol in past 30 days	20.0% (±2.3)	23.3% (±1.6)
Used marijuana or hashish in past 30 days	12.4% (±1.9)	19.3% (±1.7)
Binge drinking in past 2 weeks	11.0% (±1.8)	14.3% (±1.4)



<b>Bullying and School Climate</b>	<b>Your Students</b> % (±CI)	<b>Statewide</b> % (±CI)
Carried a weapon at school in the past 30 days	3.3% (±1.0)	6.1% (±0.8)
Bullied in the past 30 days	23.9% (±2.5)	25.1% (±1.4)
Enjoyed being at school over the past year	42.9% (±2.9)	43.0% (±1.7)
Felt safe at school	90.7% (±1.7)	85.0% (±2.1)



For more information on specific HYS topics, see the Fact Sheets at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results – Fact Sheets

### Selected Results by Gender

Selected survey questions are presented by gender to highlight any differences between females and males.

The p-values reported after each question, calculated from a chi-square test, can be used to examine whether differences between females and males are statistically significant.

A p-value of less than 0.05 means there is a significant difference between females and males (that is, if there really is no difference between females and males, the probability of observing a difference at least this large is less than 5%).

To ensure student anonymity, we do not report results by gender for any question unless a minimum of students answer each response option. These results are “suppressed”.

For your student results by gender, a minimum of 10 students need to answer each response option:

*For example, to report smoking cigarettes in the past 30 days for your students by gender – surveys are needed for at least 10 females who smoke, 10 females who don’t smoke, 10 males who smoke, and 10 males who don’t smoke.*

For state results by gender, a minimum of 5 students need to answer each response option.

Results that are suppressed are marked with asterisks “\*”. Many smaller counties, districts and schools may not have enough students to report results by gender for all or some questions.


	Your Students			Statewide		
	Female %	Male %	p-value	Female %	Male %	p-value
Smoked cigarettes in past 30 days	(n=1,145) 4.6%	7.4%	0.0412	(n=8,159) 8.7%	10.4%	0.0085
Drank alcohol in past 30 days	(n=1,145) 19.9%	20.1%	0.9528	(n=8,129) 23.9%	22.7%	0.2024
Used marijuana or hashish in past 30 days	(n=1,144) 10.3%	14.7%	0.0251	(n=8,115) 18.0%	20.7%	0.0022
Binge drinking in past 2 weeks	(n=1,125) 10.1%	12.0%	0.3266	(n=7,997) 13.7%	14.8%	0.1601
Carried a weapon at school in the past 30 days	(n=1,119) 2.1%	4.6%	0.0179	(n=7,924) 3.5%	8.9%	<.0001
Bullied in the past 30 days	(n=1,161) 25.2%	22.4%	0.2487	(n=8,298) 28.1%	22.0%	<.0001
Enjoyed being at school over the past year	(n=1,108) 43.1%	42.6%	0.8830	(n=7,959) 45.2%	40.6%	<.0001
Felt safe at school	(n=1,158) 92.8%	88.4%	0.0093	(n=8,268) 85.9%	84.0%	0.0119

## Understanding Your Report

### N's

In this report "n" is shorthand for "number"---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



### How many students took this survey?

Look on page 2, under Survey Participation. The "number of students surveyed" is the number of surveys that we received. We have careful procedures for "cleaning" to remove surveys with many inconsistent or false answers – the "clean" surveys are the "number of valid surveys". Only valid surveys are presented in this report.

### How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are three versions of the grades 8, 10 and 12 survey---A, B and NS. Core questions are on all versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core questions the n's will be about half, or less
- All versions of the survey have an optional "tear-off" page. Schools that chose to remove the optional page will have no responses for those questions.
- Some schools chose a version of the survey that did not include questions about sexual behaviors (Form NS). [District and county reports may include some schools that DID have those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

<b>13. Have you ever, even once in your life: Smoked Marijuana?</b>	(n=398)	(n=3,975)	N for a core question (almost all students)
a. Yes	49.0% (±3.0)	46.0% (±1.0)	
b. No	51.0% (±3.0)	54.0% (±1.0)	
<b>14. Have you ever, even once in your life: Used inhalants (things you sniff to get high)?</b>	(n=200)	(n=2,000)	N for a question on only one version (about half the students)
a. Yes	11.0% (±4.0)	12.0% (±2.0)	
b. No	89.0% (±4.0)	88.0% (±2.0)	
<b>166. My parents ask if I've gotten my homework done. †</b>	(n=180)	(n=3,200)	N for an optional tear-off question (about half, or less if some schools removed the questions)
a. NO!	10.0% (±5.0)	8.0% (±2.0)	
b. no	17.0% (±5.0)	17.0% (±2.0)	
c. yes	40.0% (±5.0)	43.0% (±2.0)	
d. YES!	33.0% (±5.0)	32.0% (±2.0)	
<b>93. Have you ever had sexual intercourse? ††</b>	(n=100)	(n=1,600)	N for an optional sexual behavior question (about half, or less if some schools requested surveys without the questions)
a. Yes	60.0% (±6.0)	53.0% (±3.0)	
b. No	40.0% (±6.0)	47.0% (±3.0)	
<b>45. Does anyone who lives with you now smoke cigarettes?</b>	(n=375)	(n=3,750)	N for a core question near the end of the survey (almost all, except students who don't finish the survey)
a. Yes	66.0% (±3.0)	71.0% (±1.0)	
b. No	34.0% (±3.0)	29.0% (±1.0)	

**How many students are we talking about?**

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

*For example, in a district if 10.0% of students reported that "Yes" they used inhalants in their lifetime and 200 students answered the question, then 20 students in the district used inhalants (20 X 0.10).*

**Confidence Intervals**

It is unlikely that the point estimate (%) reported for each question is *exactly* the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is not bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% (±1.5%), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – if more students answer a question; then the closer your point estimate is likely to be to the "true" value. If you are a small school, district or county your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

**How can you "use" confidence intervals?**

CIs help you to decide if the differences between your students and the state are statistically significant.

*For an example, let's say your students report 25% ±5%. That means that the CI is between 20% and 30%:  
Here is the math: 25% -5% = 20%, and 25% +5% = 30%*

Using CIs, you can decide if the difference between your students and the state results are statistically significant:


1. A significant difference:

- Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
- Students statewide report 36% ±3%, so the point estimate is 36% and the CI is 33% to 39%
- The CIs don't overlap, so the difference is significant



2. Not a significant difference:

- Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 28% ±3%, so the point estimate is 28% and the CI is 25% to 31%
- The CI for your students overlaps the point estimate for students statewide, so the difference is not significant



3. Not sure if there is a difference:

- Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 32% ±3%, so the point estimate is 32% and the CI is 29% to 35%
- The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really different without using the significance testing tool described in the next paragraph.



More information about interpreting CIs is available on the HYS Training web page at [www.AskHYS.net/Training](http://www.AskHYS.net/Training). The Training web page includes past HYS trainings materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

**More Information**

Much of the information on the Healthy Youth Survey is available online at [www.AskHYS.net](http://www.AskHYS.net).

- Under HYS Results, you can find these "Frequency Reports". Also included is the 2012 Interpretive Guide with a detailed overview of the reports, information on statistical issues and how to use your data. There are also topical fact sheets and a data query system where you can run your own simple analysis.
- Under Training, there are copies of past HYS training workshop materials and the tool for testing significant differences.

Technical information is also at [www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey.aspx](http://www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey.aspx)

## Frequency Results

### Demographics and General Information

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
1. How old are you?	(n=1,179)		(n=8,367)	
a. 12 or younger	0.1%	( $\pm$ 0.2)	0.1%	( $\pm$ 0.1)
b. 13	0.3%	( $\pm$ 0.3)	0.1%	( $\pm$ 0.1)
c. 14	2.3%	( $\pm$ 0.9)	1.3%	( $\pm$ 0.3)
d. 15	75.1%	( $\pm$ 2.5)	71.1%	( $\pm$ 1.6)
e. 16	21.8%	( $\pm$ 2.4)	26.2%	( $\pm$ 1.5)
f. 17	0.5%	( $\pm$ 0.4)	1.0%	( $\pm$ 0.4)
g. 18	0.0%	( $\pm$ 0.0)	0.1%	( $\pm$ 0.1)
h. 19 or older	0.0%	( $\pm$ 0.0)	0.1%	( $\pm$ 0.1)

[Question 2 appears only on the elementary version of the survey.]

3. Are you:	(n=1,179)		(n=8,360)	
a. Female	51.7%	( $\pm$ 2.9)	51.4%	( $\pm$ 1.2)
b. Male	48.3%	( $\pm$ 2.9)	48.6%	( $\pm$ 1.2)

4. How would you describe yourself? (Respondents could select multiple responses.)	(n=1,178)		(n=8,341)	
a. American Indian or Alaskan Native	1.1%	( $\pm$ 0.6)	2.6%	( $\pm$ 0.8)
b. Asian or Asian American	14.9%	( $\pm$ 2.0)	7.6%	( $\pm$ 2.8)
c. Black or African-American	2.4%	( $\pm$ 0.9)	3.7%	( $\pm$ 0.9)
d. Hispanic or Latino/Latina	6.2%	( $\pm$ 1.4)	13.9%	( $\pm$ 5.4)
e. Native Hawaiian or other Pacific Islander	1.1%	( $\pm$ 0.6)	1.7%	( $\pm$ 0.4)
f. White or Caucasian	61.3%	( $\pm$ 2.8)	57.8%	( $\pm$ 6.0)
g. Other	6.4%	( $\pm$ 1.4)	5.6%	( $\pm$ 0.8)
More than one race/ethnicity marked	6.6%	( $\pm$ 1.4)	7.0%	( $\pm$ 0.9)

5. What language is usually spoken at home?	(n=1,127)		(n=8,066)	
a. English	78.8%	( $\pm$ 2.4)	81.1%	( $\pm$ 4.1)
b. Spanish	3.5%	( $\pm$ 1.1)	9.3%	( $\pm$ 3.8)
c. Russian	2.0%	( $\pm$ 0.8)	1.5%	( $\pm$ 0.5)
d. Ukrainian	0.8%	( $\pm$ 0.5)	0.9%	( $\pm$ 0.3)
e. Vietnamese	1.1%	( $\pm$ 0.6)	1.0%	( $\pm$ 0.6)
f. Chinese	3.0%	( $\pm$ 1.0)	1.2%	( $\pm$ 0.8)
g. Korean	0.8%	( $\pm$ 0.5)	0.8%	( $\pm$ 0.5)
h. Japanese	1.3%	( $\pm$ 0.7)	0.3%	( $\pm$ 0.1)
i. Other	8.6%	( $\pm$ 1.6)	3.7%	( $\pm$ 1.0)

[Question 6 appears only on the elementary version of the survey.]

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=1,091)		(n=7,887)	
<b>7. How far did your mother get in school?</b>				
a. Did not finish high school	5.2%	(±1.3)	11.9%	(±2.6)
b. Graduated from high school or GED	11.0%	(±1.9)	19.4%	(±2.0)
c. Had some college or technical training after high school	17.7%	(±2.3)	22.6%	(±1.8)
d. Graduated from a 4-year college	35.0%	(±2.8)	21.2%	(±3.2)
e. Earned an advanced graduate degree	20.1%	(±2.4)	11.8%	(±2.5)
f. Don't know	9.3%	(±1.7)	11.1%	(±1.1)
g. Does not apply	1.7%	(±0.8)	2.0%	(±0.6)
<b>8. How far did your father get in school?</b>				
	(n=1,089)		(n=7,854)	
a. Did not finish high school	4.6%	(±1.2)	12.1%	(±3.0)
b. Graduated from high school or GED	9.1%	(±1.7)	19.5%	(±2.4)
c. Had some college or technical training after high school	11.7%	(±1.9)	17.9%	(±1.6)
d. Graduated from a 4-year college	33.1%	(±2.8)	19.8%	(±3.3)
e. Earned an advanced graduate degree	29.3%	(±2.7)	13.4%	(±3.3)
f. Don't know	10.1%	(±1.8)	14.3%	(±1.6)
g. Does not apply	2.1%	(±0.9)	3.0%	(±0.6)
<b>9. How honest were you in filling out this survey?</b>				
	(n=994)		(n=7,087)	
a. I was very honest	83.7%	(±2.3)	85.0%	(±1.3)
b. I was honest pretty much of the time	13.8%	(±2.1)	12.8%	(±1.1)
c. I was honest some of the time	2.5%	(±1.0)	2.3%	(±0.5)
d. I was honest once in a while				
e. I was not honest at all				

### Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

#### Lifetime Use

***Have you ever, even once in your life:***

<b>10. Smoked a cigarette, even just a puff? (Computed from question 207)</b>				
	(n=541)		(n=3,850)	
a. No	86.5%	(±2.9)	76.1%	(±2.7)
b. Yes	13.5%	(±2.9)	23.9%	(±2.7)
<b>11. Smoked a whole cigarette? (Computed from question 37)</b>				
	(n=507)		(n=3,637)	
a. No	86.2%	(±3.0)	81.5%	(±2.2)
b. Yes	13.8%	(±3.0)	18.5%	(±2.2)

	Your Students % (±CI) (n=1,118)	Statewide % (±CI) (n=7,944)
<b>12. Drank more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from question 208 or 209)</b>		
a. No	56.5% (±2.9)	47.8% (±3.0)
b. Yes	43.5% (±2.9)	52.2% (±3.0)
<b>13. Smoked marijuana? (Computed from question 206)</b>		
	(n=1,121)	(n=7,964)
a. No	79.8% (±2.4)	70.7% (±2.4)
b. Yes	20.2% (±2.4)	29.3% (±2.4)
<b>14. Used inhalants (things you sniff to get high)?</b>		
	(n=536)	(n=3,817)
a. No	93.8% (±2.0)	90.8% (±1.0)
b. Yes	6.2% (±2.0)	9.2% (±1.0)
<b>15. Used heroin?</b>		
	(n=536)	(n=3,821)
a. No	97.0% (±1.4)	95.8% (±0.7)
b. Yes	3.0% (±1.4)	4.2% (±0.7)
<b>16. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.</b>		
	(n=533)	(n=3,821)
a. No	96.8% (±1.5)	94.8% (±1.0)
b. Yes	3.2% (±1.5)	5.2% (±1.0)
<b>17. Used cocaine?</b>		
	(n=536)	(n=3,826)
a. No	95.1% (±1.8)	93.9% (±1.0)
b. Yes	4.9% (±1.8)	6.1% (±1.0)
<b>18. Used steroids (muscle builders) without a doctor's prescription?</b>		
	(n=533)	(n=3,811)
a. No	97.2% (±1.4)	95.8% (±0.7)
b. Yes	2.8% (±1.4)	4.2% (±0.7)

[Question 19 appears only on the elementary version of the survey.]

### 30-Day Use (Use in the Past 30 Days)

*During the past 30 days, on how many days did you:*

	(n=1,145)	(n=8,169)
<b>20. Smoke cigarettes?</b>		
a. None	94.1% (±1.4)	90.5% (±1.3)
b. 1-2 days	3.4% (±1.1)	3.8% (±0.5)
c. 3-5 days	0.8% (±0.5)	1.5% (±0.3)
d. 6-9 days	0.3% (±0.3)	1.1% (±0.3)
e. 10-29 days	0.7% (±0.5)	1.5% (±0.4)
f. All 30 days	0.8% (±0.5)	1.7% (±0.5)
<i>Any use in past 30 days</i>	5.9% (±1.4)	9.5% (±1.3)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=1,145)		(n=8,160)	
<b>21. Use chewing tobacco, snuff, or dip?</b>				
a. None	96.9%	(±1.0)	95.4%	(±0.9)
b. 1-2 days	0.8%	(±0.5)	1.9%	(±0.4)
c. 3-5 days	1.1%	(±0.6)	0.8%	(±0.2)
d. 6-9 days	0.5%	(±0.4)	0.6%	(±0.2)
e. 10-29 days	0.4%	(±0.4)	0.7%	(±0.3)
f. All 30 days	0.3%	(±0.3)	0.6%	(±0.2)
<i>Any use in past 30 days</i>	3.1%	(±1.0)	4.6%	(±0.9)
<b>22. Smoke cigars, cigarillos, or little cigars?</b>				
	(n=581)		(n=4,135)	
a. None	94.0%	(±1.9)	93.1%	(±1.2)
b. 1-2 days	4.0%	(±1.6)	4.0%	(±0.9)
c. 3-9 days	1.5%	(±1.0)	1.9%	(±0.4)
d. 10-29 days	0.5%	(±0.6)	0.6%	(±0.2)
e. All 30 days	0.0%	(±0.0)	0.4%	(±0.2)
<i>Any use in past 30 days</i>	6.0%	(±1.9)	6.9%	(±1.2)
<b>23. Use electronic cigarettes or e-cigs?</b>				
	(n=581)		(n=4,133)	
a. None	96.2%	(±1.6)	96.1%	(±1.0)
b. 1-2 days	2.8%	(±1.3)	2.2%	(±0.6)
c. 3-9 days	0.3%	(±0.5)	1.0%	(±0.4)
d. 10-29 days	0.5%	(±0.6)	0.5%	(±0.2)
e. All 30 days	0.2%	(±0.3)	0.2%	(±0.1)
<i>Any use in past 30 days</i>	3.8%	(±1.6)	3.9%	(±1.0)
<b>24. Use dissolvable tobacco products (such as orbs, sticks, or strips)?</b>				
	(n=580)		(n=4,135)	
a. None	98.8%	(±0.9)	98.9%	(±0.3)
b. 1-2 days	0.2%	(±0.3)	0.6%	(±0.3)
c. 3-9 days	0.3%	(±0.5)	0.2%	(±0.1)
d. 10-29 days	0.3%	(±0.5)	0.1%	(±0.1)
e. All 30 days	0.3%	(±0.5)	0.2%	(±0.1)
<i>Any use in past 30 days</i>	1.2%	(±0.9)	1.1%	(±0.3)
<b>25. Smoke tobacco or flavored tobacco in a hookah, even just a puff?</b>				
	(n=581)		(n=4,135)	
a. None	90.2%	(±2.4)	91.1%	(±1.2)
b. 1-2 days	5.5%	(±1.9)	5.1%	(±0.9)
c. 3-9 days	2.9%	(±1.4)	2.5%	(±0.6)
d. 10-29 days	1.0%	(±0.8)	0.9%	(±0.3)
e. All 30 days	0.3%	(±0.5)	0.4%	(±0.2)
<i>Any use in past 30 days</i>	9.8%	(±2.4)	8.9%	(±1.2)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=580)		(n=4,129)	
<b>26. Are the cigarettes that you usually smoke menthol cigarettes?</b>				
a. I do not smoke cigarettes	91.9%	(±2.2)	90.3%	(±1.3)
b. Yes	3.4%	(±1.5)	3.8%	(±0.8)
c. No	4.7%	(±1.7)	5.8%	(±0.8)

*During the past 30 days, on how many days did you:*

	(n=580)		(n=4,132)	
<b>27. Not including menthols, use tobacco that tastes like candy, fruit, or alcohol (tobacco includes: little cigars, bidis, cloves, chew, spit, snus, hookah)?</b>				
a. None	91.0%	(±2.3)	90.6%	(±1.2)
b. 1-2 days	5.2%	(±1.8)	4.9%	(±0.8)
c. 3-9 days	2.8%	(±1.3)	2.9%	(±0.7)
d. 10-29 days	0.9%	(±0.8)	1.1%	(±0.3)
e. All 30 days	0.2%	(±0.3)	0.5%	(±0.2)
<i>Any use in past 30 days</i>	9.0%	(±2.3)	9.4%	(±1.2)

	(n=1,145)		(n=8,140)	
<b>28. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?</b>				
a. None	80.0%	(±2.3)	76.7%	(±1.6)
b. 1-2 days	12.2%	(±1.9)	13.8%	(±1.0)
c. 3-5 days	5.2%	(±1.3)	5.3%	(±0.6)
d. 6-9 days	1.0%	(±0.6)	2.3%	(±0.4)
e. 10 or more days	1.6%	(±0.7)	2.0%	(±0.3)
<i>Any use in past 30 days</i>	20.0%	(±2.3)	23.3%	(±1.6)

	(n=1,144)		(n=8,126)	
<b>29. Use marijuana or hashish (grass, hash, pot)?</b>				
a. None	87.6%	(±1.9)	80.7%	(±1.7)
b. 1-2 days	3.7%	(±1.1)	6.9%	(±0.7)
c. 3-5 days	3.0%	(±1.0)	3.8%	(±0.5)
d. 6-9 days	1.9%	(±0.8)	2.2%	(±0.3)
e. 10 or more days	3.8%	(±1.1)	6.4%	(±1.0)
<i>Any use in past 30 days</i>	12.4%	(±1.9)	19.3%	(±1.7)

	(n=1,140)		(n=8,118)	
<b>30. Not counting alcohol, tobacco, or marijuana, use another illegal drug?</b>				
a. None	95.8%	(±1.2)	94.9%	(±0.6)
b. 1-2 days	2.2%	(±0.9)	2.8%	(±0.4)
c. 3-5 days	1.1%	(±0.6)	1.1%	(±0.3)
d. 6-9 days	0.6%	(±0.5)	0.5%	(±0.2)
e. 10 or more days	0.4%	(±0.3)	0.7%	(±0.2)
<i>Any use in past 30 days</i>	4.2%	(±1.2)	5.1%	(±0.6)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=1,139)		(n=8,100)	
<b>31. Use any illegal drug, including marijuana? (Computed from questions 29 and 30)</b>				
None	86.7%	( $\pm$ 2.0)	79.7%	( $\pm$ 1.7)
Any use in past 30 days	13.3%	( $\pm$ 2.0)	20.3%	( $\pm$ 1.7)
<b>32. Use a pain killer to get high, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?</b>	(n=1,134)		(n=8,079)	
a. None	95.3%	( $\pm$ 1.2)	94.0%	( $\pm$ 0.8)
b. 1-2 days	2.5%	( $\pm$ 0.9)	3.4%	( $\pm$ 0.5)
c. 3-5 days	0.8%	( $\pm$ 0.5)	1.4%	( $\pm$ 0.2)
d. 6-9 days	0.6%	( $\pm$ 0.5)	0.7%	( $\pm$ 0.2)
e. 10 or more days	0.8%	( $\pm$ 0.5)	0.6%	( $\pm$ 0.2)
Any use in past 30 days	4.7%	( $\pm$ 1.2)	6.0%	( $\pm$ 0.8)
<b>33. Some kids take a medicine prescribed by their doctor to help with hyperactivity or focus (ADD). Some names for this medicine are Ritalin, Adderall, or Concerta. In the past 30 days have you taken one of these drugs?</b>	(n=554)		(n=3,951)	
a. No	88.8%	( $\pm$ 2.6)	89.5%	( $\pm$ 1.2)
b. Yes - prescribed by my doctor for me	8.1%	( $\pm$ 2.3)	7.7%	( $\pm$ 0.8)
c. Yes, but NOT prescribed by a doctor for me	3.1%	( $\pm$ 1.4)	2.8%	( $\pm$ 0.7)

### Other Tobacco-Related Questions

<b>34. If one of your best friends offered you a cigarette, would you smoke it?</b>	(n=1,121)		(n=8,006)	
a. Definitely no	76.9%	( $\pm$ 2.5)	75.3%	( $\pm$ 1.8)
b. Probably no	14.7%	( $\pm$ 2.1)	13.2%	( $\pm$ 0.8)
c. Probably yes	6.2%	( $\pm$ 1.4)	7.5%	( $\pm$ 0.9)
d. Definitely yes	2.2%	( $\pm$ 0.9)	4.0%	( $\pm$ 0.7)
<b>35. Do you think that you will smoke a cigarette anytime in the next year?</b>	(n=1,119)		(n=7,988)	
a. Definitely no	76.3%	( $\pm$ 2.5)	73.4%	( $\pm$ 1.7)
b. Probably no	16.2%	( $\pm$ 2.2)	14.3%	( $\pm$ 0.9)
c. Probably yes	5.2%	( $\pm$ 1.3)	7.7%	( $\pm$ 0.7)
d. Definitely yes	2.3%	( $\pm$ 0.9)	4.6%	( $\pm$ 0.8)
<b>36. Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from questions 34 and 35).</b>	(n=1,120)		(n=7,995)	
a. Yes, not susceptible	72.5%	( $\pm$ 2.6)	70.4%	( $\pm$ 1.9)
b. No, susceptible	27.5%	( $\pm$ 2.6)	29.6%	( $\pm$ 1.9)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=507)		(n=3,637)	
<b>37. How old were you the first time you smoked a whole cigarette?</b>				
a. Never have	86.2%	(±3.0)	81.5%	(±2.2)
b. 10 or younger	2.6%	(±1.4)	3.4%	(±0.8)
c. 11	1.6%	(±1.1)	1.9%	(±0.5)
d. 12	1.6%	(±1.1)	2.2%	(±0.5)
e. 13	2.8%	(±1.4)	3.4%	(±0.7)
f. 14	3.4%	(±1.6)	3.9%	(±0.7)
g. 15	1.8%	(±1.2)	3.3%	(±0.7)
h. 16	0.2%	(±0.4)	0.2%	(±0.2)
i. 17 or older	0.0%	(±0.0)	0.3%	(±0.1)
<b>38. During the past year in school, how many times did you get information in classes about the dangers of tobacco?</b>				
	(n=580)		(n=4,124)	
a. None	42.9%	(±4.0)	33.1%	(±3.7)
b. Once	28.4%	(±3.7)	24.0%	(±2.0)
c. 2 or 3 times	21.0%	(±3.3)	26.5%	(±1.9)
d. 4 or more times	7.6%	(±2.2)	16.4%	(±2.7)
<b>39. Do you think that rules about not using tobacco at your school are usually enforced?</b>				
	(n=580)		(n=4,103)	
a. Definitely no	13.4%	(±2.8)	16.6%	(±2.5)
b. Probably no	14.0%	(±2.8)	19.8%	(±2.5)
c. Probably yes	45.0%	(±4.1)	41.9%	(±2.4)
d. Definitely yes	27.6%	(±3.6)	21.7%	(±2.7)
<b>40. During the past 30 days, on how many days did you use tobacco (cigarettes, cigars, or chew/dip) on school property?</b>				
	(n=581)		(n=4,124)	
a. 0 days	96.0%	(±1.6)	95.4%	(±0.9)
b. 1-2 days	3.1%	(±1.4)	1.8%	(±0.5)
c. 3-9 days	0.5%	(±0.6)	1.0%	(±0.3)
d. 10-29 days	0.3%	(±0.5)	1.0%	(±0.4)
e. All 30 days	0.0%	(±0.0)	0.7%	(±0.3)
<b>41. Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?</b>				
	(n=510)		(n=3,702)	
a. Definitely no	9.4%	(±2.5)	9.6%	(±1.2)
b. Probably no	6.7%	(±2.2)	8.4%	(±1.1)
c. Probably yes	29.0%	(±4.0)	26.8%	(±1.6)
d. Definitely yes	54.9%	(±4.3)	55.2%	(±2.7)
<b>42. Some tobacco companies make t-shirts, lighters or other items that people can buy or receive for free. During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?</b>				
	(n=511)		(n=3,695)	
a. No	91.6%	(±2.4)	91.0%	(±1.3)
b. Yes	8.4%	(±2.4)	9.0%	(±1.3)

	Your Students % (±CI) (n=510)	Statewide % (±CI) (n=3,681)
<b>43. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?</b>		
a. 0 days	72.4% (±3.9)	66.4% (±2.5)
b. 1-2 days	16.3% (±3.2)	17.3% (±1.2)
c. 3-4 days	6.5% (±2.1)	6.6% (±1.0)
d. 5-6 days	2.2% (±1.3)	3.0% (±0.7)
e. 7 days	2.7% (±1.4)	6.7% (±1.3)
<b>44. During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?</b>		
	(n=508)	(n=3,673)
a. 0 days	88.4% (±2.8)	77.9% (±2.6)
b. 1-2 days	6.1% (±2.1)	11.2% (±1.5)
c. 3-4 days	3.1% (±1.5)	5.1% (±0.8)
d. 5-6 days	1.2% (±0.9)	2.5% (±0.6)
e. 7 days	1.2% (±0.9)	3.3% (±0.9)
<b>45. Does anyone who lives with you now smoke cigarettes?</b>		
	(n=503)	(n=3,657)
a. No	83.7% (±3.2)	73.6% (±2.9)
b. Yes	16.3% (±3.2)	26.4% (±2.9)
<b>46. Which of these best describes the rules about smoking inside the house where you live? Smoking is...</b>		
	(n=506)	(n=3,634)
a. Never allowed inside my house	88.5% (±2.8)	87.4% (±1.8)
b. Allowed only at some times or in some places	7.7% (±2.3)	9.0% (±1.4)
c. Always allowed inside my house	3.8% (±1.7)	3.6% (±0.8)
<b>47. During the past 12 months, have you ever tried to quit using tobacco (cigarettes, cigars, chew/dip)?</b>		
	(n=503)	(n=3,611)
a. I did not use tobacco during the past 12 months	88.1% (±2.8)	85.3% (±1.8)
b. Yes	6.2% (±2.1)	7.3% (±1.1)
c. No	5.8% (±2.0)	7.3% (±1.0)
<b>48. During the past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?</b>		
	(n=506)	(n=3,656)
a. Not in the past 30 days	56.1% (±4.3)	51.0% (±1.7)
b. 1-3 times in the past 30 days	29.1% (±4.0)	31.5% (±1.7)
c. 1-3 times per week	10.5% (±2.7)	9.9% (±0.9)
d. Daily or almost daily	2.8% (±1.4)	4.3% (±0.8)
e. More than once a day	1.6% (±1.1)	3.4% (±0.7)

49. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.)	Your Students		Statewide	
	% (±CI)	(n=505)	% (±CI)	(n=3,609)
a. I did not use tobacco during the past 30 days	90.7%	(±2.5)	87.1%	(±1.7)
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	1.6%	(±1.1)	1.6%	(±0.5)
c. I bought it from a vending machine	0.6%	(±0.7)	0.7%	(±0.2)
d. I gave someone else money to buy them for me	2.0%	(±1.2)	3.5%	(±0.7)
e. I borrowed (or bummed) them from someone else	2.0%	(±1.2)	2.7%	(±0.7)
f. A person 18 years old or older gave them to me	1.6%	(±1.1)	1.5%	(±0.3)
g. I took them from a store or a family member	0.2%	(±0.4)	1.1%	(±0.4)
h. I got them some other way	1.4%	(±1.0)	1.9%	(±0.6)

**Other Alcohol- and Drug-Related Questions**

50. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	(n=1,125)		(n=8,009)	
	a. None	89.0%	(±1.8)	85.7%
b. Once	4.9%	(±1.3)	6.2%	(±0.7)
c. Twice	3.0%	(±1.0)	3.5%	(±0.5)
d. 3-5 times	2.0%	(±0.8)	2.7%	(±0.4)
e. 6-9 times	0.7%	(±0.5)	0.8%	(±0.2)
f. 10 or more times	0.4%	(±0.4)	1.1%	(±0.2)

51. Drinking Categories Variable (computed from questions 28 and 50)	(n=1,128)		(n=8,016)	
	a. No alcohol use	78.2%	(±2.4)	75.0%
b. 1-2 days and no binge	8.5%	(±1.6)	8.5%	(±0.7)
c. 3-5 days or 1 binge	6.2%	(±1.4)	7.1%	(±0.7)
d. 6+ days and 2+ binges	7.1%	(±1.5)	9.4%	(±1.0)

52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol and other drugs?	(n=574)		(n=4,086)	
	a. Never	23.9%	(±3.5)	21.1%
b. Once	30.5%	(±3.8)	28.3%	(±2.0)
c. 2-3 times	32.9%	(±3.9)	31.4%	(±1.9)
d. 4 or more times	12.7%	(±2.7)	19.2%	(±2.6)

53. During the past 30 days, have you seen or heard advertisements on TV, the Internet, the radio, or magazines about the dangers of kids drinking alcohol?	(n=576)		(n=4,097)	
	a. Not in the past 30 days	44.1%	(±4.1)	46.2%
b. 1-3 times in the past 30 days	37.5%	(±4.0)	33.2%	(±2.0)
c. 1-3 times per week	10.9%	(±2.6)	11.2%	(±1.0)
d. Daily or almost daily	5.6%	(±1.9)	6.1%	(±0.7)
e. More than once a day	1.9%	(±1.1)	3.3%	(±0.7)

54. NOT including talks on drinking and driving, in the past year have your parents or guardians talked to you about why you should not drink alcohol?	Your Students		Statewide	
	% (±CI) (n=579)		% (±CI) (n=4,103)	
a. Yes, a number of times	34.9%	(±3.9)	35.0%	(±1.8)
b. Yes, once	20.9%	(±3.3)	19.1%	(±1.1)
c. No	32.1%	(±3.8)	32.7%	(±1.5)
d. I don't remember	12.1%	(±2.7)	13.3%	(±1.0)

55. If you had to guess, how many students in your grade at school drank alcohol during the past 30 days?	Your Students		Statewide	
	(n=562)		(n=4,041)	
a. 0 out of 10 (none)	7.3%	(±2.2)	3.7%	(±0.9)
b. 1 out of 10	14.4%	(±2.9)	9.4%	(±1.9)
c. 2 out of 10	13.9%	(±2.9)	10.7%	(±1.1)
d. 3 out of 10	11.2%	(±2.6)	14.1%	(±1.4)
e. 4 out of 10	10.9%	(±2.6)	15.0%	(±1.3)
f. 5 out of 10 (about half)	16.7%	(±3.1)	18.3%	(±1.3)
g. 6 out of 10	7.3%	(±2.2)	8.3%	(±1.1)
h. 7 out of 10	6.8%	(±2.1)	8.4%	(±1.0)
i. 8 out of 10	5.7%	(±1.9)	5.9%	(±1.0)
j. 9 out of 10	3.4%	(±1.5)	3.0%	(±0.7)
k. 10 out of 10 (all)	2.5%	(±1.3)	3.3%	(±0.8)

56. Think about the students in your grade at school. How wrong do most of those students think it is for youth your age to drink alcohol regularly?	Your Students		Statewide	
	(n=528)		(n=3,750)	
a. Very wrong	14.8%	(±3.0)	12.4%	(±1.5)
b. Wrong	31.3%	(±4.0)	28.0%	(±2.1)
c. A little bit wrong	40.2%	(±4.2)	44.5%	(±2.1)
d. Not wrong at all	13.8%	(±3.0)	15.1%	(±1.6)

57. How much do you think people risk harming themselves if they smoke marijuana occasionally?	Your Students		Statewide	
	(n=574)		(n=4,082)	
a. No risk	14.8%	(±2.9)	18.3%	(±1.9)
b. Slight risk	21.3%	(±3.4)	20.8%	(±1.9)
c. Moderate risk	27.5%	(±3.7)	27.2%	(±1.5)
d. Great risk	34.3%	(±3.9)	30.5%	(±2.7)
e. Not sure	2.1%	(±1.2)	3.1%	(±0.8)

58. How many times in the past year (12 months) have you been drunk or high at school?	Your Students		Statewide	
	(n=1,119)		(n=7,993)	
a. Never	91.0%	(±1.7)	84.8%	(±1.6)
b. 1-2 times	4.6%	(±1.2)	6.4%	(±0.7)
c. 3-5 times	1.6%	(±0.7)	3.2%	(±0.5)
d. 6-9 times	1.3%	(±0.7)	1.6%	(±0.3)
e. 10 or more times	1.4%	(±0.7)	4.1%	(±0.8)

59. During the past 30 days, how did you usually get alcohol (beer, wine, or hard liquor)? Choose all that apply.	Your Students		Statewide	
	% (±CI) (n=598)		% (±CI) (n=4,470)	
a. I did not get alcohol in the past 30 days	82.4%	(±3.2)	77.3%	(±1.8)
b. I bought it from a store	0.9%	(±0.8)	1.7%	(±0.4)
c. I got it from friends	7.0%	(±2.2)	8.5%	(±0.9)
d. I got it at a party	2.2%	(±1.2)	4.4%	(±0.7)
e. I got it from an older brother or sister	3.9%	(±1.6)	4.5%	(±0.8)
f. I gave money to someone to get it for me	3.1%	(±1.5)	3.5%	(±0.5)
g. I took it from home without my parent's permission	5.2%	(±1.9)	7.1%	(±0.9)
h. I took it from home with my parent's permission	2.6%	(±1.3)	3.7%	(±0.7)
i. I got it at a family celebration, ceremony, or party	0.9%	(±0.8)	2.6%	(±0.6)
j. I got it some other way	2.2%	(±1.2)	2.3%	(±0.5)

60. If you have EVER used pain killers to get high, where did you usually get them?	(n=549)		(n=3,931)	
	a. I did not use pain killers to get high	90.0%	(±2.5)	88.0%
b. I used my own prescription (from a doctor or dentist)	3.1%	(±1.5)	3.2%	(±0.7)
c. A family member gave them to me	1.6%	(±1.1)	1.3%	(±0.4)
d. I took them from my home or someone else's home without permission	0.7%	(±0.7)	1.9%	(±0.4)
e. I got them from a friend	3.3%	(±1.5)	3.0%	(±0.6)
f. I got them from an acquaintance	0.0%	(±0.0)	0.5%	(±0.2)
g. I got them from a drug dealer	0.5%	(±0.6)	1.0%	(±0.4)
h. I got them from the internet	0.0%	(±0.0)	0.1%	(±0.1)
i. I got them some other way	0.7%	(±0.7)	1.1%	(±0.4)

61. During the last year, have you felt that you needed help (such as counseling or treatment) for your alcohol, tobacco, or other drug use?	(n=552)		(n=3,935)	
	a. I have not used alcohol or other drugs	77.5%	(±3.5)	70.3%
b. I have used alcohol and/or drugs, but I haven't needed help	17.2%	(±3.2)	23.0%	(±1.9)
c. Yes, I felt I have needed help	1.4%	(±1.0)	2.6%	(±0.5)
d. Not sure	3.8%	(±1.6)	4.1%	(±0.8)

## Other Health Concerns

### Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

<b>62. Obese or overweight? (Computed from numeric responses to “How tall are you without your shoes on?” and “How much do you weigh without your shoes on?”)</b>	<b>Your Students</b>		<b>Statewide</b>	
	% (±CI) (n=530)		% (±CI) (n=3,848)	
a. Obese	6.4%	(±2.1)	10.0%	(±1.7)
b. Overweight	11.9%	(±2.8)	12.9%	(±1.2)
c. Not overweight	81.7%	(±3.3)	77.1%	(±2.3)
<b>63. Which of the following are you trying to do about your weight?</b>				
	(n=561)		(n=4,001)	
a. I am not trying to do anything about my weight	33.9%	(±3.9)	28.4%	(±1.7)
b. Lose weight	36.9%	(±4.0)	42.2%	(±2.3)
c. Gain weight	10.2%	(±2.5)	12.9%	(±1.0)
d. Stay the same weight	19.1%	(±3.3)	16.5%	(±1.3)
<b>64. How often do you eat dinner with your family?</b>				
	(n=558)		(n=4,027)	
a. Never	7.7%	(±2.2)	7.6%	(±1.0)
b. Rarely	8.8%	(±2.4)	13.3%	(±1.2)
c. Sometimes	18.8%	(±3.3)	19.1%	(±1.4)
d. Most of the time	33.2%	(±3.9)	32.2%	(±1.9)
e. Always	31.5%	(±3.9)	27.8%	(±1.8)
<b>65. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?</b>				
	(n=490)		(n=3,358)	
a. Almost every month	7.8%	(±2.4)	6.7%	(±1.2)
b. Some months but not every month	3.1%	(±1.5)	6.1%	(±1.0)
c. Only 1-2 months	3.5%	(±1.6)	5.0%	(±0.9)
d. Did not have to skip or cut the size of meals	85.7%	(±3.1)	82.2%	(±2.0)
<b>66. Number of times fruits and vegetables were eaten per day (Computed from questions about the number and types of fruits and vegetables eaten over the past 7 days.)</b>				
	(n=557)		(n=4,024)	
a. Less than 1	7.9%	(±2.2)	10.1%	(±1.3)
b. 1 to less than 3	37.3%	(±4.0)	40.8%	(±1.6)
c. 3 to less than 5	25.7%	(±3.6)	24.6%	(±1.6)
d. 5 or more	29.1%	(±3.8)	24.4%	(±1.5)
<b>67. Did you eat breakfast today?</b>				
	(n=558)		(n=4,020)	
a. Yes	71.1%	(±3.8)	62.9%	(±2.3)
b. No	28.9%	(±3.8)	37.1%	(±2.3)
<b>68. How many sodas or pops did you drink yesterday? (Do not count diet soda.)</b>				
	(n=557)		(n=4,010)	
a. None	71.5%	(±3.8)	67.6%	(±2.2)
b. 1	19.0%	(±3.3)	21.9%	(±1.5)
c. 2	7.5%	(±2.2)	6.3%	(±1.1)
d. 3	1.4%	(±1.0)	2.5%	(±0.6)
e. 4 or more	0.5%	(±0.6)	1.7%	(±0.5)

[Question 69 appears only on the elementary version of the survey.]

**70. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.**

	Your Students		Statewide	
	%(±CI) (n=560)		%(±CI) (n=4,044)	
a. 0 times	40.2%	(±4.1)	33.7%	(±3.0)
b. 1 - 3 times	38.0%	(±4.0)	36.8%	(±1.7)
c. 4 - 6 times	13.2%	(±2.8)	16.4%	(±1.3)
d. 7 - 9 times	3.6%	(±1.5)	6.2%	(±0.8)
e. 10 times or more	5.0%	(±1.8)	6.9%	(±1.2)

**71. During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)**

	(n=558)		(n=4,030)	
	a. I did not drink sodas, sports drinks, or other flavored drinks at school	44.1%	(±4.1)	38.8%
b. I brought them from home	19.7%	(±3.3)	25.2%	(±1.7)
c. I got them from friends	3.9%	(±1.6)	4.9%	(±0.9)
d. I bought them at school	27.8%	(±3.7)	20.5%	(±3.1)
e. Other	4.5%	(±1.7)	10.6%	(±2.1)

**72. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)**

	(n=557)		(n=4,003)	
	a. 0 days	14.2%	(±2.9)	13.0%
b. 1 day	9.7%	(±2.5)	7.5%	(±1.0)
c. 2 days	8.6%	(±2.3)	7.8%	(±0.9)
d. 3 days	11.0%	(±2.6)	9.9%	(±1.3)
e. 4 days	11.0%	(±2.6)	10.3%	(±1.2)
f. 5 days	14.4%	(±2.9)	17.4%	(±1.2)
g. 6 days	12.0%	(±2.7)	10.7%	(±1.3)
h. 7 days	19.2%	(±3.3)	23.3%	(±2.0)

**73. On average how many days a week do you walk to or from school?**

	(n=552)		(n=3,968)	
	a. Never	54.0%	(±4.2)	65.7%
b. 1-2	17.0%	(±3.1)	11.7%	(±1.6)
c. 3-4	6.7%	(±2.1)	5.9%	(±1.1)
d. I walk every day	22.3%	(±3.5)	16.7%	(±2.0)

**74. On average how many days a week do you ride a bicycle to or from school?**

	(n=550)		(n=3,968)	
	a. Never	91.3%	(±2.4)	94.5%
b. 1-2	5.6%	(±1.9)	3.1%	(±0.7)
c. 3-4	0.7%	(±0.7)	1.4%	(±0.4)
d. I bike every day	2.4%	(±1.3)	1.0%	(±0.3)

75. On an average school day, how many hours do you watch TV, including videos and DVDs?	Your Students		Statewide	
	% (±CI) (n=557)		% (±CI) (n=3,990)	
a. I do not watch TV on an average school day	21.9%	(±3.4)	16.2%	(±1.7)
b. Less than 1 hour per day	24.8%	(±3.6)	20.8%	(±1.7)
c. 1 hour per day	20.3%	(±3.3)	17.5%	(±1.4)
d. 2 hours per day	15.8%	(±3.0)	20.7%	(±1.6)
e. 3 hours per day	8.3%	(±2.3)	13.3%	(±1.4)
f. 4 hours per day	5.2%	(±1.9)	5.6%	(±0.8)
g. 5 or more hours per day	3.8%	(±1.6)	6.0%	(±1.1)

76. On an average school day, how many hours do you play video games or use a computer for fun? (Include activities such as Nintendo, Game Boy, Play Station, computer games, and the Internet.)	Your Students		Statewide	
	(n=555)		(n=3,988)	
a. I do not play video games or use a computer for fun on an average school day	22.9%	(±3.5)	23.7%	(±1.8)
b. Less than 1 hour per day	21.8%	(±3.4)	22.1%	(±1.9)
c. 1 hour per day	16.9%	(±3.1)	15.9%	(±0.8)
d. 2 hours per day	14.8%	(±3.0)	14.1%	(±1.3)
e. 3 hours per day	7.9%	(±2.3)	10.5%	(±1.1)
f. 4 hours per day	6.1%	(±2.0)	5.5%	(±0.8)
g. 5 or more hours per day	9.5%	(±2.5)	8.2%	(±1.0)

[Question 77 appears only on the elementary version of the survey.]

78. In an average week when you are in school, on how many days do you go to physical education (PE) classes?	Your Students		Statewide	
	(n=554)		(n=3,975)	
a. 0 days	63.7%	(±4.0)	57.7%	(±5.4)
b. 1 day	1.1%	(±0.9)	1.5%	(±0.6)
c. 2 days	1.3%	(±0.9)	1.6%	(±0.4)
d. 3 days	11.9%	(±2.7)	4.6%	(±3.4)
e. 4 days	4.3%	(±1.7)	6.7%	(±5.2)
f. 5 days	17.7%	(±3.2)	27.9%	(±6.3)

79. During an average PE class, how many minutes do you spend actually exercising or playing sports?	Your Students		Statewide	
	(n=550)		(n=3,976)	
a. I do not take PE	60.9%	(±4.1)	52.4%	(±5.4)
b. Less than 10 minutes	1.5%	(±1.0)	1.5%	(±0.4)
c. 10-20 minutes	2.5%	(±1.3)	3.0%	(±0.7)
d. 21-30 minutes	4.2%	(±1.7)	6.2%	(±1.2)
e. 31-40 minutes	7.3%	(±2.2)	11.4%	(±2.0)
f. 41-50 minutes	12.2%	(±2.7)	12.9%	(±2.0)
g. 51-60 minutes	4.5%	(±1.7)	7.7%	(±1.2)
h. More than 60 minutes	6.9%	(±2.1)	5.1%	(±1.8)

<b>80. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.</b>	<b>Your Students</b> % (±CI) (n=1,104)	<b>Statewide</b> % (±CI) (n=7,943)
a. 0 days	26.4% (±2.6)	33.3% (±2.8)
b. 1-2 days	25.6% (±2.6)	22.3% (±1.4)
c. 3 or more days	47.9% (±3.0)	44.4% (±2.9)

**Health Conditions and Health Care**

<b>81. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more?</b>	(n=544)	(n=3,953)
a. Yes	13.4% (±2.9)	12.8% (±1.1)
b. No	75.6% (±3.6)	73.9% (±1.6)
c. Not sure	11.0% (±2.6)	13.2% (±1.1)

<b>82. Do you have any long-term emotional problems or learning disabilities lasting or expected to last 6 months or more?</b>	(n=545)	(n=3,946)
a. Yes	15.6% (±3.1)	12.7% (±1.2)
b. No	73.2% (±3.7)	75.2% (±1.5)
c. Not sure	11.2% (±2.7)	12.1% (±1.2)

<b>83. Would other people consider you to have a disability or long-term health problem including physical health, emotional, or learning problems?</b>	(n=542)	(n=3,938)
a. Yes	13.1% (±2.8)	11.4% (±1.3)
b. No	73.2% (±3.7)	74.2% (±1.5)
c. Not sure	13.7% (±2.9)	14.4% (±1.0)

<b>84. Are you limited in any activities because of a disability or long-term health problem including physical health, emotional, or learning problems expected to last 6 months or more?</b>	(n=543)	(n=3,930)
a. Yes	10.5% (±2.6)	9.3% (±1.0)
b. No	82.5% (±3.2)	83.3% (±1.2)
c. Not sure	7.0% (±2.2)	7.4% (±0.9)

<b>85. Has a doctor or nurse ever told you that you have asthma?</b>	(n=541)	(n=3,918)
a. Yes	21.6% (±3.5)	22.2% (±1.7)
b. No	74.3% (±3.7)	74.4% (±2.0)
c. Not sure	4.1% (±1.7)	3.4% (±0.6)

<b>86. Do you still have asthma?</b>	(n=540)	(n=3,913)
a. I have never had asthma	57.4% (±4.2)	62.6% (±2.2)
b. Yes	18.5% (±3.3)	15.9% (±1.5)
c. No	16.9% (±3.2)	13.9% (±1.4)
d. Not sure	7.2% (±2.2)	7.7% (±0.8)

**87. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? †**

	Your Students (n=486)		Statewide (n=3,310)	
	%	(±CI)	%	(±CI)
a. Never	88.5%	(±2.8)	89.5%	(±1.4)
b. 1 or 2 days per week	4.3%	(±1.8)	5.2%	(±0.9)
c. 3 to 6 days per week	2.5%	(±1.4)	2.0%	(±0.5)
d. Every day, once per day	2.1%	(±1.3)	1.0%	(±0.4)
e. Every day, twice or more per day	1.0%	(±0.9)	0.9%	(±0.3)
f. I'm not sure	1.6%	(±1.1)	1.3%	(±0.4)

**88. During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma? †**

	(n=489)		(n=3,326)	
	%	(±CI)	%	(±CI)
a. I do not have asthma	76.1%	(±3.8)	75.1%	(±1.9)
b. None	15.5%	(±3.2)	18.7%	(±1.4)
c. 1 to 3 times	5.9%	(±2.1)	3.5%	(±0.7)
d. 4 to 9 times	0.8%	(±0.8)	1.1%	(±0.4)
e. 10 to 12 times	0.4%	(±0.6)	0.4%	(±0.2)
f. More than 12 times	0.4%	(±0.6)	0.2%	(±0.2)
g. I don't know	0.8%	(±0.8)	1.1%	(±0.3)

**89. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? †**

	(n=486)		(n=3,304)	
	%	(±CI)	%	(±CI)
a. Never	77.4%	(±3.7)	77.6%	(±1.6)
b. 1 or 2 days per week	11.7%	(±2.9)	13.0%	(±1.0)
c. 3 to 6 days per week	4.3%	(±1.8)	3.8%	(±0.5)
d. Every day, but not throughout the day	2.5%	(±1.4)	2.0%	(±0.4)
e. Every day, throughout the day	1.4%	(±1.1)	1.0%	(±0.4)
f. I'm not sure	2.7%	(±1.4)	2.6%	(±0.6)

**90. During the past 12 months, have you had an asthma attack? †**

	(n=488)		(n=3,306)	
	%	(±CI)	%	(±CI)
a. Yes	17.0%	(±3.3)	11.1%	(±1.3)
b. No	79.3%	(±3.6)	84.7%	(±1.8)
c. I don't know	3.7%	(±1.7)	4.2%	(±0.9)

[Question 91 appears only on the elementary version of the survey.]

**92. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?**

	(n=539)		(n=3,908)	
	%	(±CI)	%	(±CI)
a. During the past 12 months	85.0%	(±3.0)	78.9%	(±2.2)
b. Between 12 and 24 months ago	6.9%	(±2.1)	9.4%	(±1.1)
c. More than 24 months ago	3.9%	(±1.6)	4.8%	(±0.8)
d. Never	0.7%	(±0.7)	1.3%	(±0.4)
e. Not sure	3.5%	(±1.6)	5.7%	(±1.0)

**Sexual Behavior**

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=100)		(n=1,219)	
<b>93. Have you ever had sexual intercourse? ††</b>				
a. Yes	26.0%	(±8.7)	32.3%	(±5.0)
b. No	74.0%	(±8.7)	67.7%	(±5.0)
<b>94. How old were you when you had sexual intercourse for the first time? ††</b>				
	(n=101)		(n=1,210)	
a. I have never had sexual intercourse	72.3%	(±8.9)	67.4%	(±5.2)
b. 11 years old or younger	3.0%	(±3.4)	3.6%	(±1.1)
c. 12 years old	3.0%	(±3.4)	2.2%	(±1.1)
d. 13 years old	3.0%	(±3.4)	4.0%	(±1.5)
e. 14 years old	6.9%	(±5.0)	9.6%	(±2.5)
f. 15 years old	11.9%	(±6.4)	11.2%	(±2.3)
g. 16 years old	0.0%	(±0.0)	1.8%	(±0.8)
h. 17 years old or older	0.0%	(±0.0)	0.2%	(±0.3)
<b>95. With how many people have you ever had sexual intercourse? ††</b>				
	(n=101)		(n=1,209)	
a. I have never had sexual intercourse	72.3%	(±8.9)	69.1%	(±4.8)
b. 1 person	11.9%	(±6.4)	14.9%	(±2.8)
c. 2 people	2.0%	(±2.8)	6.3%	(±1.3)
d. 3 people	5.0%	(±4.3)	2.8%	(±1.0)
e. 4 people	1.0%	(±2.0)	2.5%	(±1.1)
f. 5 people	2.0%	(±2.8)	1.7%	(±0.9)
g. 6 or more people	5.9%	(±4.7)	2.8%	(±0.6)
<b>96. The last time you had sexual intercourse, did you or your partner use a condom? ††</b>				
	(n=101)		(n=1,212)	
a. I have never had sexual intercourse	73.3%	(±8.8)	67.6%	(±4.9)
b. Yes	17.8%	(±7.6)	20.2%	(±3.7)
c. No	8.9%	(±5.7)	12.2%	(±3.1)

**Safety**

	(n=584)		(n=4,154)	
<b>97. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</b>				
a. I did not ride a bicycle in the past 12 months	23.1%	(±3.4)	24.9%	(±2.2)
b. Never wore a helmet	25.2%	(±3.5)	38.9%	(±3.9)
c. Rarely wore a helmet	8.4%	(±2.3)	9.1%	(±0.8)
d. Sometimes wore a helmet	8.7%	(±2.3)	6.5%	(±1.1)
e. Most of the time wore a helmet	11.3%	(±2.6)	8.2%	(±1.8)
f. Always wore a helmet	23.3%	(±3.4)	12.3%	(±2.7)

[Question 98 appears only on the elementary version of the survey.]

99. How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	Your Students		Statewide	
	% (±CI) (n=584)		% (±CI) (n=4,153)	
a. Never go boating in a small boat	24.3%	(±3.5)	24.9%	(±2.9)
b. Never	10.1%	(±2.5)	11.2%	(±1.6)
c. Less than half the time	8.6%	(±2.3)	9.6%	(±1.2)
d. About half the time	9.2%	(±2.4)	9.5%	(±1.1)
e. More than half the time	15.4%	(±2.9)	13.9%	(±1.6)
f. Always	32.4%	(±3.8)	30.9%	(±1.6)

**100. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?**

	(n=1,104)		(n=7,894)	
a. 0 times	86.1%	(±2.0)	80.6%	(±1.4)
b. 1 time	6.9%	(±1.5)	8.5%	(±0.8)
c. 2-3 times	3.5%	(±1.1)	6.3%	(±0.7)
d. 4-5 times	1.4%	(±0.7)	1.7%	(±0.3)
e. 6 or more times	2.1%	(±0.8)	3.0%	(±0.5)

[Question 101 appears only on the elementary version of the survey.]

**102. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?**

	(n=1,108)		(n=7,883)	
a. 0 times	95.8%	(±1.2)	94.6%	(±0.8)
b. 1 time	2.0%	(±0.8)	2.4%	(±0.5)
c. 2-3 times	1.2%	(±0.6)	1.6%	(±0.3)
d. 4-5 times	0.3%	(±0.3)	0.5%	(±0.1)
e. 6 or more times	0.7%	(±0.5)	0.9%	(±0.2)

**Behaviors Related to Intentional Injuries**

**103. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club for self-protection or because you thought you might need it in a fight? (DO NOT include carrying a weapon for hunting, fishing, or camping.)**

	(n=584)		(n=4,147)	
a. 0 days	91.1%	(±2.3)	90.1%	(±1.3)
b. 1 day	3.6%	(±1.5)	2.7%	(±0.6)
c. 2-3 days	2.6%	(±1.3)	2.5%	(±0.5)
d. 4-5 days	0.9%	(±0.7)	1.0%	(±0.3)
e. 6 or more days	1.9%	(±1.1)	3.7%	(±0.7)

[Question 104 appears only on the elementary version of the survey.]

**105. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?**

	(n=1,119)		(n=7,934)	
a. 0 days	96.7%	(±1.0)	93.9%	(±0.8)
b. 1-5 days	2.2%	(±0.9)	3.8%	(±0.7)
c. 6 or more days	1.1%	(±0.6)	2.3%	(±0.3)

106. During the past 30 days, on how many days did you carry a gun? (Do not include carrying a gun while hunting.)	Your Students		Statewide	
	% (±CI) (n=583)		% (±CI) (n=4,140)	
a. 0 times	97.3%	(±1.3)	96.5%	(±0.7)
b. 1 time	1.5%	(±1.0)	1.5%	(±0.5)
c. 2-3 times	0.7%	(±0.7)	0.8%	(±0.3)
d. 4-5 times	0.2%	(±0.3)	0.3%	(±0.2)
e. 6 or more times	0.3%	(±0.5)	0.9%	(±0.3)

107. During the past 12 months, how many times were you in a physical fight?	(n=1,150)		(n=8,206)	
	a. 0 times	80.2%	(±2.3)	76.7%
b. 1 time	11.3%	(±1.8)	11.6%	(±0.8)
c. 2-3 times	5.7%	(±1.3)	7.3%	(±0.8)
d. 4-5 times	0.9%	(±0.5)	1.8%	(±0.3)
e. 6 or more times	1.9%	(±0.8)	2.7%	(±0.4)

108. During the past 12 months, how many times were you in a physical fight on school property?	(n=583)		(n=4,145)	
	a. 0 times	93.8%	(±2.0)	92.3%
b. 1 time	5.0%	(±1.8)	5.1%	(±0.8)
c. 2-3 times	0.3%	(±0.5)	1.5%	(±0.4)
d. 4-5 times	0.2%	(±0.3)	0.5%	(±0.2)
e. 6 or more times	0.7%	(±0.7)	0.6%	(±0.2)

109. I try to work out conflicts or disagreements by talking about them.	(n=577)		(n=4,147)	
	a. Almost always	41.1%	(±4.0)	33.1%
b. Often	27.2%	(±3.6)	25.2%	(±1.3)
c. Sometimes	18.7%	(±3.2)	25.0%	(±1.8)
d. Seldom	7.1%	(±2.1)	9.3%	(±1.1)
e. Never	5.9%	(±1.9)	7.4%	(±1.3)

[Question 110 appears only on the elementary version of the survey.]

111. During the past 12 months, have you been a member of a gang?	(n=1,111)		(n=7,939)	
	a. No	93.2%	(±1.5)	94.1%
b. Yes	6.8%	(±1.5)	5.9%	(±0.6)

112. During the past 12 months, did your boyfriend or girlfriend ever limit your activities, threaten you, or make you feel unsafe in any other way? †	(n=485)		(n=3,339)	
	a. No	92.2%	(±2.4)	92.2%
b. Yes	7.8%	(±2.4)	7.8%	(±1.0)

113. During the past 12 months, have you had any injuries such as bruises, cuts, black eyes, or broken bones as a result of being hurt by a boyfriend or girlfriend? †	Your Students % (±CI) (n=484)	Statewide % (±CI) (n=3,336)
a. No	95.5% (±1.9)	92.7% (±0.9)
b. Yes	4.5% (±1.9)	7.3% (±0.9)
114. Have you ever been physically abused by an adult? †	(n=487)	(n=3,335)
a. No	84.4% (±3.2)	83.4% (±1.2)
b. Yes	15.6% (±3.2)	16.6% (±1.2)

## Depression

115. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	(n=1,144)	(n=8,173)
a. Yes	26.4% (±2.6)	30.9% (±1.3)
b. No	73.6% (±2.6)	69.1% (±1.3)
116. During the past 12 months, did you ever seriously consider attempting suicide?	(n=1,141)	(n=8,146)
a. Yes	16.1% (±2.1)	18.8% (±1.2)
b. No	83.9% (±2.1)	81.2% (±1.2)
117. During the past 12 months, did you make a plan about how you would attempt suicide?	(n=577)	(n=4,133)
a. Yes	12.3% (±2.7)	14.3% (±1.0)
b. No	87.7% (±2.7)	85.7% (±1.0)
118. During the past 12 months, how many times did you actually attempt suicide?	(n=578)	(n=4,134)
a. 0 times	92.4% (±2.2)	92.2% (±1.0)
b. 1 time	4.7% (±1.7)	4.0% (±0.8)
c. 2-3 times	1.9% (±1.1)	2.4% (±0.5)
d. 4-5 times	0.5% (±0.6)	0.4% (±0.2)
e. 6 or more times	0.5% (±0.6)	0.9% (±0.3)

[Questions 119-120 appear only on the elementary version of the survey.]

121. When you feel sad or hopeless, are there adults that you can turn to for help?	(n=576)	(n=4,130)
a. I never feel sad or hopeless	24.0% (±3.5)	23.5% (±2.2)
b. Yes	47.4% (±4.1)	48.3% (±2.3)
c. No	11.8% (±2.6)	12.1% (±1.0)
d. Not sure	16.8% (±3.1)	16.2% (±1.4)

122. How likely would you be to seek help if you were feeling depressed or suicidal?	Your Students		Statewide	
	% (±CI) (n=536)		% (±CI) (n=3,884)	
a. I never feel depressed or suicidal	35.8%	(±4.1)	39.8%	(±1.8)
b. Very likely	14.7%	(±3.0)	17.1%	(±1.2)
c. Somewhat likely	21.1%	(±3.5)	18.4%	(±1.3)
d. Somewhat unlikely	13.2%	(±2.9)	10.6%	(±1.0)
e. Very unlikely	15.1%	(±3.0)	14.2%	(±1.0)

123. How likely would you be to seek help for a friend who you thought might be depressed or suicidal?	(n=533)		(n=3,867)	
	a. Very likely	60.8%	(±4.2)	62.2%
b. Somewhat likely	23.8%	(±3.6)	22.6%	(±1.6)
c. Somewhat unlikely	7.7%	(±2.3)	6.5%	(±0.9)
d. Very unlikely	7.7%	(±2.3)	8.7%	(±1.1)

**Gambling**

124. In the past 12 months, how often have you gambled (bet) for money or possessions?	(n=523)		(n=3,729)	
	a. Never in the past year	80.1%	(±3.4)	77.6%
b. Once or twice in the past year	10.5%	(±2.6)	11.7%	(±1.2)
c. A few times in the past year	5.7%	(±2.0)	7.0%	(±0.9)
d. Once or twice a month	2.3%	(±1.3)	2.3%	(±0.5)
e. At least once a week	1.3%	(±1.0)	1.6%	(±0.5)

125. Has YOUR gambling ever caused you problems at home, school or with your friends?	(n=523)		(n=3,712)	
	a. I have not gambled	78.6%	(±3.5)	75.8%
b. Yes	2.1%	(±1.2)	3.1%	(±0.7)
c. No	19.3%	(±3.4)	21.1%	(±1.6)

**School Climate**

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

126. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?	(n=1,161)		(n=8,309)	
	a. I have not been bullied	76.1%	(±2.5)	74.9%
b. Once	11.3%	(±1.8)	11.0%	(±0.8)
c. 2-3 times	7.2%	(±1.5)	7.2%	(±0.8)
d. About once a week	2.9%	(±1.0)	3.2%	(±0.4)
e. Several times a week	2.4%	(±0.9)	3.8%	(±0.6)

<b>127. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it was?</b>	<b>Your Students</b>		<b>Statewide</b>	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=531)		(n=3,872)	
a. 0 times	87.6%	( $\pm$ 2.8)	87.7%	( $\pm$ 1.3)
b. 1 time	5.8%	( $\pm$ 2.0)	6.1%	( $\pm$ 0.9)
c. 2 - 3 times	3.6%	( $\pm$ 1.6)	3.3%	( $\pm$ 0.6)
d. About once a week	1.1%	( $\pm$ 0.9)	1.1%	( $\pm$ 0.3)
e. Several times a week or more	1.9%	( $\pm$ 1.2)	1.9%	( $\pm$ 0.5)

<b>128. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school: Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?</b>	(n=532)		(n=3,866)	
	%		%	
	(n=532)		(n=3,866)	
a. 0 times	93.0%	( $\pm$ 2.2)	89.3%	( $\pm$ 1.3)
b. 1 time	4.1%	( $\pm$ 1.7)	5.2%	( $\pm$ 0.7)
c. 2 - 3 times	1.7%	( $\pm$ 1.1)	2.8%	( $\pm$ 0.7)
d. About once a week	0.2%	( $\pm$ 0.4)	1.2%	( $\pm$ 0.3)
e. Several times a week or more	0.9%	( $\pm$ 0.8)	1.4%	( $\pm$ 0.4)

<b>129. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to and from school?</b>	(n=517)		(n=3,770)	
	%		%	
	(n=517)		(n=3,770)	
a. 0 days	93.6%	( $\pm$ 2.1)	92.2%	( $\pm$ 1.3)
b. 1 day	2.7%	( $\pm$ 1.4)	3.9%	( $\pm$ 0.8)
c. 2 or 3 days	1.5%	( $\pm$ 1.1)	2.2%	( $\pm$ 0.5)
d. 4 or 5 days	1.2%	( $\pm$ 0.9)	0.7%	( $\pm$ 0.3)
e. 6 or more days	1.0%	( $\pm$ 0.8)	1.0%	( $\pm$ 0.5)

<b>130. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?</b>	(n=532)		(n=3,853)	
	%		%	
	(n=532)		(n=3,853)	
a. Yes	11.1%	( $\pm$ 2.7)	12.2%	( $\pm$ 1.0)
b. No	82.7%	( $\pm$ 3.2)	82.5%	( $\pm$ 1.2)
c. I'm not sure	6.2%	( $\pm$ 2.1)	5.3%	( $\pm$ 0.8)

<b>131. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?</b>	(n=1,067)		(n=7,705)	
	%		%	
	(n=1,067)		(n=7,705)	
a. no	11.8%	( $\pm$ 1.9)	9.4%	( $\pm$ 1.2)
b. yes	57.2%	( $\pm$ 3.0)	61.3%	( $\pm$ 3.6)
c. I'm not sure	31.0%	( $\pm$ 2.8)	29.3%	( $\pm$ 3.2)

<b>132. My school will punish students who are caught using alcohol or drugs.</b>	(n=546)		(n=3,911)	
	%		%	
	(n=546)		(n=3,911)	
a. NO!	4.0%	( $\pm$ 1.7)	4.0%	( $\pm$ 0.7)
b. no	5.7%	( $\pm$ 1.9)	5.8%	( $\pm$ 1.0)
c. yes	41.4%	( $\pm$ 4.1)	37.1%	( $\pm$ 2.6)
d. YES	48.9%	( $\pm$ 4.2)	53.2%	( $\pm$ 3.0)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=522)		(n=3,796)	
<b>133. Last year in school, were you taught about AIDS or HIV infection?</b>				
a. Yes	84.5%	( $\pm$ 3.1)	74.7%	( $\pm$ 7.8)
b. No	10.7%	( $\pm$ 2.7)	18.7%	( $\pm$ 6.4)
c. I'm not sure	4.8%	( $\pm$ 1.8)	6.6%	( $\pm$ 1.6)
<b>134. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy? †</b>	(n=486)		(n=3,332)	
a. yes	74.1%	( $\pm$ 3.9)	73.7%	( $\pm$ 7.3)
b. no	15.8%	( $\pm$ 3.3)	18.0%	( $\pm$ 6.1)
c. I don't know	10.1%	( $\pm$ 2.7)	8.3%	( $\pm$ 1.5)
<b>135. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy? †</b>	(n=486)		(n=3,326)	
a. yes	79.0%	( $\pm$ 3.6)	73.4%	( $\pm$ 7.3)
b. no	13.2%	( $\pm$ 3.0)	17.2%	( $\pm$ 6.0)
c. I don't know	7.8%	( $\pm$ 2.4)	9.4%	( $\pm$ 1.7)

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the survey questions related to individual quality of life.

	(n=513)		(n=3,732)	
<b>136. Youth Quality of Life (Computed from questions 137–141)</b>				
a. Low	26.7%	( $\pm$ 3.8)	23.7%	( $\pm$ 1.4)
b. Medium low	26.7%	( $\pm$ 3.8)	26.4%	( $\pm$ 1.3)
c. Medium high	25.0%	( $\pm$ 3.8)	24.3%	( $\pm$ 1.5)
d. High	21.6%	( $\pm$ 3.6)	25.5%	( $\pm$ 1.8)
<b>137. I feel I am getting along with my parents or guardians.</b>	(n=515)		(n=3,766)	
a. 0 not at all true	3.9%	( $\pm$ 1.7)	4.2%	( $\pm$ 0.9)
b. 1	2.7%	( $\pm$ 1.4)	2.1%	( $\pm$ 0.5)
c. 2	0.6%	( $\pm$ 0.7)	3.0%	( $\pm$ 0.6)
d. 3	4.5%	( $\pm$ 1.8)	2.9%	( $\pm$ 0.5)
e. 4	4.1%	( $\pm$ 1.7)	3.5%	( $\pm$ 0.6)
f. 5	6.4%	( $\pm$ 2.1)	6.7%	( $\pm$ 1.0)
g. 6	5.2%	( $\pm$ 1.9)	5.8%	( $\pm$ 0.8)
h. 7	11.1%	( $\pm$ 2.7)	11.2%	( $\pm$ 1.0)
i. 8	17.5%	( $\pm$ 3.3)	15.4%	( $\pm$ 1.3)
j. 9	16.5%	( $\pm$ 3.2)	16.4%	( $\pm$ 1.2)
k. 10 completely true	27.6%	( $\pm$ 3.9)	29.0%	( $\pm$ 1.7)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=513)		(n=3,759)	
<b>138. I look forward to the future.</b>				
a. 0 not at all true	3.9%	(±1.7)	3.2%	(±0.7)
b. 1	1.9%	(±1.2)	1.5%	(±0.4)
c. 2	1.2%	(±0.9)	1.4%	(±0.4)
d. 3	2.9%	(±1.5)	1.8%	(±0.6)
e. 4	3.1%	(±1.5)	2.2%	(±0.5)
f. 5	3.7%	(±1.6)	5.1%	(±0.6)
g. 6	4.5%	(±1.8)	4.6%	(±0.9)
h. 7	7.2%	(±2.2)	7.6%	(±0.9)
i. 8	14.6%	(±3.1)	11.2%	(±1.0)
j. 9	13.5%	(±3.0)	13.7%	(±1.3)
k. 10 completely true	43.5%	(±4.3)	47.8%	(±2.0)
<b>139. I feel good about myself.</b>				
	(n=510)		(n=3,752)	
a. 0 not at all true	4.7%	(±1.8)	4.3%	(±0.8)
b. 1	2.7%	(±1.4)	2.4%	(±0.5)
c. 2	4.3%	(±1.8)	3.3%	(±0.4)
d. 3	5.5%	(±2.0)	3.8%	(±0.6)
e. 4	3.5%	(±1.6)	4.6%	(±0.7)
f. 5	9.2%	(±2.5)	8.0%	(±1.0)
g. 6	6.9%	(±2.2)	8.2%	(±0.9)
h. 7	13.5%	(±3.0)	11.4%	(±1.1)
i. 8	16.3%	(±3.2)	16.0%	(±1.4)
j. 9	11.4%	(±2.8)	14.1%	(±0.9)
k. 10 completely true	22.0%	(±3.6)	23.9%	(±2.4)
<b>140. I am satisfied with the way my life is now.</b>				
	(n=512)		(n=3,733)	
a. 0 not at all true	6.8%	(±2.2)	6.2%	(±1.0)
b. 1	3.5%	(±1.6)	2.3%	(±0.4)
c. 2	2.7%	(±1.4)	3.1%	(±0.5)
d. 3	5.1%	(±1.9)	3.6%	(±0.6)
e. 4	3.3%	(±1.6)	5.0%	(±0.6)
f. 5	7.2%	(±2.3)	7.6%	(±0.8)
g. 6	9.2%	(±2.5)	7.6%	(±0.8)
h. 7	11.9%	(±2.8)	12.1%	(±1.0)
i. 8	17.6%	(±3.3)	14.4%	(±1.2)
j. 9	11.3%	(±2.8)	15.4%	(±1.0)
k. 10 completely true	21.3%	(±3.6)	22.7%	(±1.7)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=512)		(n=3,719)	
<b>141. I feel alone in my life.</b>				
a. 0 not at all true	31.4%	(±4.0)	40.1%	(±2.0)
b. 1	12.5%	(±2.9)	11.6%	(±1.1)
c. 2	11.1%	(±2.7)	8.7%	(±1.0)
d. 3	9.4%	(±2.5)	5.1%	(±0.7)
e. 4	2.9%	(±1.5)	3.5%	(±0.5)
f. 5	6.6%	(±2.2)	6.3%	(±0.7)
g. 6	5.3%	(±1.9)	4.9%	(±0.7)
h. 7	6.3%	(±2.1)	6.1%	(±0.9)
i. 8	4.9%	(±1.9)	5.4%	(±0.7)
j. 9	4.5%	(±1.8)	3.8%	(±0.7)
k. 10 completely true	5.1%	(±1.9)	4.3%	(±0.6)
<b>142. Which of the following best describes where you currently live? (Choose only one answer.)</b>				
	(n=528)		(n=3,839)	
a. My parent's or guardian's home	94.9%	(±1.9)	94.9%	(±1.1)
b. With friends or other families (because lost home or cannot afford housing)	1.5%	(±1.0)	1.8%	(±0.6)
c. On your own (because lost home or cannot afford housing)	1.1%	(±0.9)	0.9%	(±0.3)
d. Motel or hotel	0.4%	(±0.5)	0.4%	(±0.2)
e. Shelter (shelter or emergency/transitional housing)	0.6%	(±0.6)	0.3%	(±0.2)
f. Car, park, campground, or other public place	0.6%	(±0.6)	0.5%	(±0.2)
g. Waiting to be placed in foster care	0.0%	(±0.0)	0.2%	(±0.2)
h. Another place	0.9%	(±0.8)	0.9%	(±0.3)
<b>143. Who did you live with most of the time in the past 30 days?</b>				
	(n=595)		(n=4,204)	
a. Parent(s) and/or step-parents	96.3%	(±1.5)	93.9%	(±1.2)
b. Relatives - like a grandparent, an aunt, an older brother - but NOT your parent(s)	1.5%	(±1.0)	3.3%	(±0.9)
c. Foster care parent(s)	0.5%	(±0.6)	0.5%	(±0.2)
d. The family of one of your friends	0.7%	(±0.7)	0.5%	(±0.2)
e. Friends of yours with no adults present	0.3%	(±0.5)	0.3%	(±0.2)
f. On your own	0.3%	(±0.5)	0.7%	(±0.3)
g. Other	0.3%	(±0.5)	0.8%	(±0.2)
<b>144. Where did you live most of the time in the last 30 days?</b>				
	(n=594)		(n=4,205)	
a. In a house, apartment, or mobile home	97.6%	(±1.2)	97.9%	(±0.4)
b. In a motel or hotel	0.3%	(±0.5)	0.3%	(±0.2)
c. In a group home	0.2%	(±0.3)	0.2%	(±0.1)
d. In a shelter	0.3%	(±0.5)	0.2%	(±0.1)
e. In a car, park, or campground	0.2%	(±0.3)	0.2%	(±0.1)
f. On the street	0.3%	(±0.5)	0.5%	(±0.2)
g. Moved from place to place	0.3%	(±0.5)	0.6%	(±0.2)
h. Other	0.7%	(±0.7)	0.2%	(±0.1)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=526)		(n=3,838)	
<b>145. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?</b>				
a. No	77.2%	(±3.6)	71.5%	(±3.1)
b. Yes	19.6%	(±3.4)	25.3%	(±3.0)
c. Not sure	3.2%	(±1.5)	3.2%	(±0.8)
<b>146. Has your military parent or guardian been sent to Iraq, Afghanistan, or other combat zone?</b>				
	(n=520)		(n=3,824)	
a. I do not have a parent or guardian who has ever served in the military	74.6%	(±3.8)	70.4%	(±2.7)
b. No	16.9%	(±3.2)	16.6%	(±1.4)
c. Yes	4.0%	(±1.7)	7.4%	(±1.4)
d. Not sure	4.4%	(±1.8)	5.6%	(±0.9)

[Question 147 appears only on the elementary version of the survey.]

### Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

### Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.

	2000	2002	2004	2006	2008	2010	2012
<b>Community Protective Factors</b>							
Opportunities for Prosocial Involvement	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X <sup>E</sup>	X <sup>E</sup>
<b>Community Risk Factors</b>							
Transitions and Mobility			X <sup>S</sup>				
Perceived Availability of Handguns	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X
Low Neighborhood Attachment	X	X <sup>S</sup>		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Perceived Availability of Drugs	X	X	X	X	X	X	X
<b>Family Protective Factors</b>							
Opportunities for Prosocial Involvement		X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
Rewards for Prosocial Involvement		X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
<b>Family Risk Factors</b>							
Poor Family Management		X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>
Parental Attitudes Favorable towards Drug Use			X <sup>S, †</sup>		X <sup>S, †</sup>	X <sup>S</sup>	X <sup>S</sup>
Parental Attitudes Favorable to Antisocial Behavior			X <sup>S, †</sup>				
Antisocial Behavior Among Familiar Adults		X <sup>S</sup>					
<b>Peer-Individual Protective Factors</b>							
Social Skills	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Prosocial Peers			X	X	X	X <sup>S</sup>	X <sup>S</sup>
Belief in the Moral Order	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement			X	X	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>
<b>Peer-Individual Risk Factors</b>							
Perceived Risk of Drug Use	X	X	X	X	X	X	X
Early Initiation of Drug Use	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X <sup>S</sup>
Favorable Attitudes Towards Antisocial Behavior	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Rewards for Antisocial Involvement	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>		
Friends' Use of Drugs	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers			X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Intentions to Use		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>School Protective Factors</b>							
Opportunities for Prosocial Involvement	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X
<b>School Risk Factors</b>							
Low Commitment to School	X	X	X	X	X	X	X
Academic Failure	X	X	X	X	X	X	X

Note: X<sup>S</sup> = Included only on the secondary version; X<sup>E</sup> = Included only on the elementary version; † = Based on optional questions.

### Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington’s Social Development Research Group.


#### Community Domain

##### Risk Factors

	Your Students % (±CI) (n=587)	Statewide % (±CI) (n=4,177)
Perceived Availability of Drugs (Questions 148-151)	22.0% (±3.4)	28.4% (±1.8)
Perceived Availability of Handguns (Question 152)	8.5% (±2.3)	17.4% (±2.0)
Laws And Norms Favorable to Drug Use (Questions 153-158)	19.7% (±3.2)	31.4% (±2.9)

##### Protective Factors

	(n=578)	(n=4,096)
Opportunities for Prosocial Involvement (Questions 159-162)	84.6% (±3.0)	75.2% (±3.8)
Rewards for Prosocial Involvement (Questions 163-165)	NA <sup>E</sup>	NA <sup>E</sup>



Note: NA<sup>S</sup> = Included only on the secondary version; NA<sup>E</sup> = Included only on the elementary version; † = Based on optional questions.

For more information, see the History of Risk and Protective Factor Report on [www.AskHYS.net](http://www.AskHYS.net), under HYS Results – Frequency Reports - Additional Reports


**Family Domain**

**Risk Factors**

	Your Students % (±CI) (n=469)	Statewide % (±CI) (n=3,329)
Poor Family Management (Questions 166-173)	31.8% (±4.2)	32.3% (±2.2)
Parental Attitudes Favorable Towards Drug Use (Questions 181-183)	35.2% (±3.9)	37.1% (±2.2)

**Protective Factors**

	Your Students % (±CI) (n=474)	Statewide % (±CI) (n=3,359)
Opportunities for Prosocial Involvement (Questions 174-176)	63.9% (±4.3)	58.7% (±2.3)
Rewards for Prosocial Involvement (Questions 177-180)	55.4% (±4.5)	54.9% (±2.9)




**School Domain**

**Risk Factors**

	Your Students % (±CI) (n=570)	Statewide % (±CI) (n=4,093)
Academic Failure (Questions 184-185)	38.2% (±4.0)	45.3% (±2.5)
Low Commitment to School (Questions 186-192)	28.4% (±3.7)	33.1% (±2.0)

**Protective Factors**

	Your Students % (±CI) (n=579)	Statewide % (±CI) (n=4,143)
Opportunities for Prosocial Involvement (Questions 193-197)	71.3% (±3.7)	66.5% (±2.1)
Rewards for Prosocial Involvement (Questions 198-201)	66.0% (±3.9)	60.1% (±2.1)




**Peer-Individual Domain**

**Risk Factors**


	<b>Your Students</b>	<b>Statewide</b>
	<b>% (±CI)</b>	<b>% (±CI)</b>
Perceived Risk of Drug Use (Questions 202–205)	(n=560) 32.7% (±3.9)	(n=3,949) 38.1% (±2.7)
Early Initiation of Drug Use (Questions 206-209)	(n=539) 11.9% (±2.7)	(n=3,842) 22.2% (±2.4)
Early Initiation of Antisocial Behavior (Questions 212–215)	(n=533) 23.1% (±3.6)	(n=3,778) 33.3% (±3.6)
Favorable Attitudes Towards Drug Use (Questions 216-219)	(n=527) 29.0% (±3.9)	(n=3,739) 37.0% (±2.3)
Friends' Use of Drugs (Questions 221-224)	(n=510) 17.6% (±3.3)	(n=3,611) 25.1% (±2.1)
Interaction With Antisocial Peers (Questions 225-230)	(n=490) 25.9% (±3.9)	(n=3,494) 37.0% (±3.2)
Intentions to Use (Questions 231-233)	(n=512) 41.2% (±4.3)	(n=3,627) 43.1% (±2.9)

**Protective Factors**

Interaction With Prosocial Peers (Questions 234-238)	(n=512) 66.4% (±4.1)	(n=3,634) 60.5% (±3.0)
Belief in the Moral Order (Questions 239-242)	(n=567) 81.5% (±3.2)	(n=4,038) 74.7% (±2.1)
Opportunities for Prosocial Involvement (Questions 243-245)	NA <sup>E</sup>	NA <sup>E</sup>
Social Skills (Questions 246-248)	(n=501) 68.5% (±4.1)	(n=3,552) 58.8% (±2.0)




**Peer-Individual Risk Factors**



**Peer-Individual Risk Factors**

**Peer-Individual Protective Factors**

### Risk and Protective Factor Graph of All Scale Results



Note: NA<sup>S</sup> = Included only on the secondary version; NA<sup>E</sup> = Included only on the elementary version; † = Based on optional questions.

## Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

### Community Domain

#### Perceived Availability of Drugs (Questions 148-151)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=588)		(n=4,182)	
<b>148. If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?</b>				
a. Very hard	20.1%	(±3.2)	21.4%	(±1.9)
b. Sort of hard	32.7%	(±3.8)	26.5%	(±1.6)
c. Sort of easy	28.1%	(±3.6)	29.3%	(±1.6)
d. Very easy	19.2%	(±3.2)	22.8%	(±1.4)
<b>149. If you wanted to get some cigarettes, how easy would it be for you to get some?</b>				
	(n=586)		(n=4,177)	
a. Very hard	33.6%	(±3.8)	30.6%	(±1.9)
b. Sort of hard	31.4%	(±3.8)	23.2%	(±1.6)
c. Sort of easy	22.2%	(±3.4)	22.1%	(±1.1)
d. Very easy	12.8%	(±2.7)	24.1%	(±2.4)
<b>150. If you wanted to get some marijuana, how easy would it be for you to get some?</b>				
	(n=587)		(n=4,174)	
a. Very hard	33.9%	(±3.8)	30.7%	(±2.5)
b. Sort of hard	21.0%	(±3.3)	17.9%	(±1.6)
c. Sort of easy	21.8%	(±3.4)	20.1%	(±1.4)
d. Very easy	23.3%	(±3.4)	31.4%	(±2.6)
<b>151. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?</b>				
	(n=584)		(n=4,159)	
a. Very hard	59.6%	(±4.0)	57.2%	(±2.1)
b. Sort of hard	24.0%	(±3.5)	24.2%	(±1.8)
c. Sort of easy	12.5%	(±2.7)	12.6%	(±1.3)
d. Very easy	3.9%	(±1.6)	5.9%	(±1.0)

#### Perceived Availability of Handguns (Question 152)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=588)		(n=4,160)	
<b>152. If you wanted to get a handgun, how easy would it be for you to get one?</b>				
a. Very hard	71.8%	(±3.6)	61.7%	(±3.0)
b. Sort of hard	19.7%	(±3.2)	20.9%	(±1.6)
c. Sort of easy	5.6%	(±1.9)	9.3%	(±1.3)
d. Very easy	2.9%	(±1.4)	8.1%	(±1.1)

**Laws and Norms Favorable to Drug Use (Questions 153-158)**

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=593)		(n=4,190)	
<b>153. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age to use marijuana?</b>				
a. Very wrong	56.0%	(±4.0)	50.6%	(±2.7)
b. Wrong	34.2%	(±3.8)	32.5%	(±1.8)
c. A little bit wrong	7.3%	(±2.1)	12.3%	(±1.4)
d. Not wrong at all	2.5%	(±1.3)	4.5%	(±0.8)
<b>154. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age to drink alcohol?</b>				
	(n=593)		(n=4,177)	
a. Very wrong	42.2%	(±4.0)	40.9%	(±2.0)
b. Wrong	43.7%	(±4.0)	38.2%	(±1.6)
c. A little bit wrong	11.5%	(±2.6)	16.4%	(±1.4)
d. Not wrong at all	2.7%	(±1.3)	4.5%	(±0.8)
<b>155. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age to smoke cigarettes?</b>				
	(n=591)		(n=4,178)	
a. Very wrong	58.0%	(±4.0)	53.8%	(±2.7)
b. Wrong	32.3%	(±3.8)	29.8%	(±1.7)
c. A little bit wrong	8.3%	(±2.2)	11.8%	(±1.4)
d. Not wrong at all	1.4%	(±0.9)	4.6%	(±1.0)
<b>156. If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood<sup>C</sup>/ community<sup>A</sup> would he or she be caught by the police?</b>				
	(n=586)		(n=4,173)	
a. NO!	11.8%	(±2.6)	16.3%	(±1.6)
b. no	55.6%	(±4.0)	55.5%	(±2.0)
c. yes	25.8%	(±3.6)	22.0%	(±1.8)
d. YES!	6.8%	(±2.0)	6.2%	(±1.0)
<b>157. If a kid carried a handgun in your neighborhood<sup>C</sup>/ community<sup>A</sup> would he or she be caught by the police?</b>				
	(n=584)		(n=4,165)	
a. NO!	3.8%	(±1.5)	7.8%	(±1.1)
b. no	18.2%	(±3.1)	26.2%	(±2.0)
c. yes	44.9%	(±4.0)	39.2%	(±1.7)
d. YES!	33.2%	(±3.8)	26.7%	(±2.2)
<b>158. If a kid smoked marijuana in your neighborhood<sup>C</sup>/ community<sup>A</sup> would he or she be caught by the police?</b>				
	(n=586)		(n=4,171)	
a. NO!	11.9%	(±2.6)	17.2%	(±1.7)
b. no	48.6%	(±4.1)	49.0%	(±1.9)
c. yes	30.0%	(±3.7)	25.1%	(±1.8)
d. YES!	9.4%	(±2.4)	8.7%	(±1.3)

### Opportunities for Prosocial Involvement (Questions 159-162)

#### 159. There are adults in my neighborhood or community I could talk to about something important.

	(n=589)		(n=4,183)	
a. NO!	8.3%	(±2.2)	10.0%	(±1.3)
b. no	15.6%	(±2.9)	14.6%	(±1.5)
c. yes	42.3%	(±4.0)	40.4%	(±1.7)
d. YES!	33.8%	(±3.8)	35.0%	(±2.4)

#### Which of the following activities for people your age are available in your community?

#### 160. Sports teams and recreation

	(n=588)		(n=4,176)	
a. Yes	96.3%	(±1.5)	88.2%	(±2.8)
b. No	3.7%	(±1.5)	11.8%	(±2.8)

#### 161. Scouts, Camp Fire, 4-H Clubs, or other service clubs

	(n=587)		(n=4,136)	
a. Yes	83.3%	(±3.0)	72.5%	(±4.2)
b. No	16.7%	(±3.0)	27.5%	(±4.2)

#### 162. Boys and Girls Club, YMCA, or other activity clubs

	(n=587)		(n=4,133)	
a. Yes	89.8%	(±2.5)	78.1%	(±4.7)
b. No	10.2%	(±2.5)	21.9%	(±4.7)

### Rewards for Prosocial Involvement (Questions 163-165)

[Questions 163-165 appear only on the elementary version of the survey.]

### Family Domain

#### Poor Family Management (Questions 166-173)

#### 166. My parents ask if I've gotten my homework done. †

	(n=479)		(n=3,391)	
a. NO!	4.8%	(±1.9)	6.0%	(±1.1)
b. no	11.9%	(±2.9)	10.8%	(±1.3)
c. yes	37.4%	(±4.3)	38.6%	(±1.8)
d. YES!	45.9%	(±4.5)	44.6%	(±2.3)

#### 167. Would your parents know if you did not come home on time? †

	(n=470)		(n=3,334)	
a. NO!	3.6%	(±1.7)	5.9%	(±1.0)
b. no	14.3%	(±3.2)	13.9%	(±1.3)
c. yes	43.2%	(±4.5)	40.1%	(±2.0)
d. YES!	38.9%	(±4.4)	40.0%	(±1.9)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=477)		(n=3,385)	
<b>168. When I am not at home, one of my parents knows where I am and who I am with. †</b>				
a. NO!	3.4%	(±1.6)	4.1%	(±0.8)
b. no	7.5%	(±2.4)	8.7%	(±1.2)
c. yes	47.6%	(±4.5)	44.5%	(±1.9)
d. YES!	41.5%	(±4.4)	42.8%	(±2.1)
<b>169. The rules in my family are clear. †</b>	(n=477)		(n=3,372)	
a. NO!	3.8%	(±1.7)	4.1%	(±0.8)
b. no	9.6%	(±2.7)	10.5%	(±1.1)
c. yes	44.2%	(±4.5)	43.0%	(±2.3)
d. YES!	42.3%	(±4.5)	42.4%	(±2.4)
<b>170. My family has clear rules about alcohol and drug use. †</b>	(n=473)		(n=3,369)	
a. NO!	3.2%	(±1.6)	4.4%	(±0.9)
b. no	11.6%	(±2.9)	12.1%	(±1.2)
c. yes	34.9%	(±4.3)	33.7%	(±2.1)
d. YES!	50.3%	(±4.5)	49.9%	(±2.3)
<b>171. If you drank some beer, wine, or liquor (for example, vodka, whiskey, or gin) without your parent's permission, would you be caught by them? †</b>	(n=469)		(n=3,323)	
a. NO!	7.7%	(±2.4)	11.2%	(±1.2)
b. no	33.3%	(±4.3)	34.6%	(±2.1)
c. yes	31.3%	(±4.2)	27.6%	(±1.8)
d. YES!	27.7%	(±4.1)	26.7%	(±2.1)
<b>172. If you carried a handgun without your parent's permission, would you be caught by them? †</b>	(n=469)		(n=3,320)	
a. NO!	4.5%	(±1.9)	6.3%	(±1.0)
b. no	14.7%	(±3.2)	14.7%	(±1.2)
c. yes	32.4%	(±4.3)	28.7%	(±1.4)
d. YES!	48.4%	(±4.5)	50.3%	(±1.7)
<b>173. If you skipped school, would you be caught by your parents? †</b>	(n=470)		(n=3,329)	
a. NO!	4.5%	(±1.9)	5.7%	(±1.2)
b. no	9.6%	(±2.7)	10.2%	(±1.4)
c. yes	37.7%	(±4.4)	31.6%	(±1.7)
d. YES!	48.3%	(±4.5)	52.4%	(±2.5)

**Opportunities for Prosocial Involvement (Questions 174-176)**

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=477)		(n=3,379)	
<b>174. If I had a personal problem, I could ask my mom or dad for help. †</b>				
a. NO!	6.7%	(±2.3)	8.6%	(±1.2)
b. no	13.0%	(±3.0)	14.1%	(±1.5)
c. yes	41.9%	(±4.4)	40.2%	(±2.1)
d. YES!	38.4%	(±4.4)	37.0%	(±2.0)
<b>175. My parents give me lots of chances to do fun things with them. †</b>	(n=474)		(n=3,354)	
a. NO!	6.3%	(±2.2)	8.4%	(±1.1)
b. no	18.6%	(±3.5)	20.3%	(±1.7)
c. yes	43.2%	(±4.5)	41.6%	(±2.0)
d. YES!	31.9%	(±4.2)	29.6%	(±1.8)
<b>176. My parents ask me what I think before most family decisions affecting me are made. †</b>	(n=471)		(n=3,347)	
a. NO!	10.0%	(±2.7)	12.0%	(±1.3)
b. no	21.9%	(±3.7)	24.2%	(±2.1)
c. yes	40.1%	(±4.4)	39.8%	(±2.0)
d. YES!	28.0%	(±4.1)	24.0%	(±1.9)

**Rewards for Prosocial Involvement (Questions 177-180)**

<b>177. My parents notice when I am doing a good job and let me know about it. †</b>	(n=472)		(n=3,347)	
a. Never or almost never	8.1%	(±2.5)	12.2%	(±1.4)
b. Sometimes	27.5%	(±4.0)	29.7%	(±2.0)
c. Often	36.4%	(±4.4)	31.7%	(±1.9)
d. All the time	28.0%	(±4.1)	26.4%	(±1.7)
<b>178. How often do your parents tell you they're proud of you for something you've done? †</b>	(n=470)		(n=3,342)	
a. Never or almost never	9.1%	(±2.6)	13.7%	(±1.4)
b. Sometimes	29.1%	(±4.1)	27.2%	(±1.8)
c. Often	35.7%	(±4.3)	31.1%	(±1.4)
d. All the time	26.0%	(±4.0)	27.9%	(±1.9)
<b>179. Do you enjoy spending time with your mom? †</b>	(n=472)		(n=3,337)	
a. NO!	7.0%	(±2.3)	7.3%	(±1.3)
b. no	11.2%	(±2.9)	10.6%	(±1.1)
c. yes	45.1%	(±4.5)	42.9%	(±2.0)
d. YES!	36.7%	(±4.4)	39.3%	(±2.0)

	Your Students		Statewide	
	% ( $\pm$ CI) (n=467)		% ( $\pm$ CI) (n=3,300)	
<b>180. Do you enjoy spending time with your dad? †</b>				
a. NO!	8.4%	( $\pm$ 2.5)	10.0%	( $\pm$ 1.6)
b. no	9.4%	( $\pm$ 2.7)	11.9%	( $\pm$ 1.1)
c. yes	45.6%	( $\pm$ 4.5)	41.3%	( $\pm$ 2.2)
d. YES!	36.6%	( $\pm$ 4.4)	36.8%	( $\pm$ 2.4)

### Parental Attitudes Favorable Towards Drug Use (Questions 181-183)

	(n=595)		(n=4,194)	
	<b>181. How wrong do your parents feel it would be for you to: Drink beer, wine, or hard liquor (for example, vodka, whiskey or gin) regularly?</b>			
a. Very wrong	70.1%	( $\pm$ 3.7)	69.6%	( $\pm$ 1.8)
b. Wrong	20.3%	( $\pm$ 3.2)	17.4%	( $\pm$ 1.2)
c. A little bit wrong	7.4%	( $\pm$ 2.1)	9.1%	( $\pm$ 0.8)
d. Not wrong at all	2.2%	( $\pm$ 1.2)	4.0%	( $\pm$ 0.7)

	(n=593)		(n=4,187)	
	<b>182. How wrong do your parents feel it would be for you to: Smoke cigarettes?</b>			
a. Very wrong	89.2%	( $\pm$ 2.5)	85.5%	( $\pm$ 1.3)
b. Wrong	8.4%	( $\pm$ 2.2)	9.9%	( $\pm$ 1.1)
c. A little bit wrong	1.7%	( $\pm$ 1.0)	2.6%	( $\pm$ 0.5)
d. Not wrong at all	0.7%	( $\pm$ 0.7)	2.1%	( $\pm$ 0.6)

	(n=592)		(n=4,188)	
	<b>183. How wrong do your parents feel it would be for you to: Smoke marijuana?</b>			
a. Very wrong	80.6%	( $\pm$ 3.2)	77.6%	( $\pm$ 2.0)
b. Wrong	12.7%	( $\pm$ 2.7)	12.3%	( $\pm$ 1.3)
c. A little bit wrong	4.9%	( $\pm$ 1.7)	6.2%	( $\pm$ 0.9)
d. Not wrong at all	1.9%	( $\pm$ 1.1)	3.9%	( $\pm$ 0.8)

### School Domain

#### Academic Failure (Questions 184-185)

	(n=1,098)		(n=7,930)	
	<b>184. Putting them all together, what were your grades like last year?</b>			
a. Mostly As	57.7%	( $\pm$ 2.9)	41.8%	( $\pm$ 3.7)
b. Mostly Bs	26.6%	( $\pm$ 2.6)	32.3%	( $\pm$ 1.8)
c. Mostly Cs	11.1%	( $\pm$ 1.9)	17.7%	( $\pm$ 1.8)
d. Mostly Ds	3.1%	( $\pm$ 1.0)	5.2%	( $\pm$ 1.0)
e. Mostly Fs	1.5%	( $\pm$ 0.7)	2.9%	( $\pm$ 0.6)

	(n=571)		(n=4,099)	
	<b>185. Are your school grades better than the grades of most students in your class?</b>			
a. NO!	5.4%	( $\pm$ 1.9)	7.7%	( $\pm$ 1.1)
b. no	31.2%	( $\pm$ 3.8)	31.8%	( $\pm$ 1.6)
c. yes	46.2%	( $\pm$ 4.1)	46.7%	( $\pm$ 2.0)
d. YES!	17.2%	( $\pm$ 3.1)	13.8%	( $\pm$ 1.3)

**Low Commitment to School (Questions 186-192)**

	<b>Your Students</b>		<b>Statewide</b>	
	<b>% (±CI)</b>		<b>% (±CI)</b>	
	<b>(n=587)</b>		<b>(n=4,189)</b>	
<b>186. How often do you feel the schoolwork you are assigned is meaningful and important?</b>				
a. Almost always	17.4%	(±3.1)	17.5%	(±1.3)
b. Often	30.7%	(±3.7)	29.0%	(±1.4)
c. Sometimes	34.1%	(±3.8)	33.3%	(±1.6)
d. Seldom	13.6%	(±2.8)	14.5%	(±1.5)
e. Never	4.3%	(±1.6)	5.7%	(±0.8)
<b>187. How interesting are most of your courses to you?</b>	<b>(n=588)</b>		<b>(n=4,183)</b>	
a. Very interesting and stimulating	8.7%	(±2.3)	8.4%	(±1.1)
b. Quite interesting	29.4%	(±3.7)	28.0%	(±1.8)
c. Fairly interesting	40.8%	(±4.0)	38.4%	(±1.7)
d. Slightly dull	13.9%	(±2.8)	17.5%	(±1.4)
e. Very dull	7.1%	(±2.1)	7.7%	(±1.0)
<b>188. How important do you think the things you are learning in school are going to be for you later in life?</b>	<b>(n=585)</b>		<b>(n=4,176)</b>	
a. Very important	22.2%	(±3.4)	26.1%	(±1.8)
b. Quite important	28.4%	(±3.7)	28.8%	(±1.3)
c. Fairly important	29.4%	(±3.7)	25.5%	(±1.4)
d. Slightly important	15.9%	(±3.0)	14.8%	(±1.2)
e. Not at all important	4.1%	(±1.6)	4.9%	(±0.7)
<b>Think back over the past year in school. How often did you:</b>				
<b>189. Enjoy being in school?</b>	<b>(n=1,108)</b>		<b>(n=7,970)</b>	
a. Never	8.9%	(±1.7)	9.4%	(±0.8)
b. Seldom	14.1%	(±2.1)	14.4%	(±0.9)
c. Sometimes	34.1%	(±2.8)	33.2%	(±1.3)
d. Often	29.9%	(±2.7)	29.4%	(±1.3)
e. Almost always	13.0%	(±2.0)	13.6%	(±0.9)
<b>190. Hate being in school?</b>	<b>(n=584)</b>		<b>(n=4,169)</b>	
a. Never	9.6%	(±2.4)	8.9%	(±0.8)
b. Seldom	33.0%	(±3.8)	28.7%	(±1.8)
c. Sometimes	37.2%	(±3.9)	38.4%	(±1.2)
d. Often	14.7%	(±2.9)	15.2%	(±1.2)
e. Almost always	5.5%	(±1.9)	8.8%	(±1.1)
<b>191. Try to do your best work in school?</b>	<b>(n=584)</b>		<b>(n=4,164)</b>	
a. Never	1.7%	(±1.1)	3.0%	(±0.5)
b. Seldom	4.5%	(±1.7)	5.7%	(±0.9)
c. Sometimes	13.5%	(±2.8)	15.5%	(±1.5)
d. Often	30.1%	(±3.7)	33.6%	(±1.4)
e. Almost always	50.2%	(±4.1)	42.2%	(±2.2)

192. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	Your Students		Statewide	
	% (±CI) (n=586)		% (±CI) (n=4,176)	
a. None	87.4%	(±2.7)	81.5%	(±2.6)
b. 1	6.5%	(±2.0)	7.7%	(±1.1)
c. 2	2.7%	(±1.3)	3.6%	(±0.7)
d. 3	0.9%	(±0.7)	2.4%	(±0.5)
e. 4-5	1.4%	(±0.9)	2.3%	(±0.5)
f. 6-10	0.5%	(±0.6)	1.2%	(±0.4)
g. 11 or more	0.7%	(±0.7)	1.3%	(±0.5)

**Opportunities for Prosocial Involvement (Questions 193-197)**

193. In my school, students have lots of chances to help decide things like class activities and rules.	(n=581)		(n=4,152)	
	% (±CI)		% (±CI)	
a. NO!	12.7%	(±2.7)	16.8%	(±1.5)
b. no	36.3%	(±3.9)	35.1%	(±1.9)
c. yes	41.5%	(±4.0)	39.1%	(±2.0)
d. YES!	9.5%	(±2.4)	9.1%	(±1.2)

194. There are lots of chances for students in my school to talk with a teacher one-on-one.	(n=583)		(n=4,152)	
	% (±CI)		% (±CI)	
a. NO!	4.1%	(±1.6)	4.2%	(±0.9)
b. no	13.4%	(±2.8)	14.9%	(±1.6)
c. yes	52.8%	(±4.1)	54.8%	(±1.4)
d. YES!	29.7%	(±3.7)	26.1%	(±2.1)

195. Teachers ask me to work on special classroom projects.	(n=570)		(n=4,114)	
	% (±CI)		% (±CI)	
a. NO!	12.1%	(±2.7)	14.7%	(±1.3)
b. no	48.4%	(±4.1)	48.5%	(±2.3)
c. yes	32.1%	(±3.8)	30.8%	(±2.0)
d. YES!	7.4%	(±2.2)	6.0%	(±0.8)

196. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	(n=581)		(n=4,151)	
	% (±CI)		% (±CI)	
a. NO! (Definitely NOT true)	2.8%	(±1.3)	2.4%	(±0.6)
b. no (Mostly not true)	6.0%	(±1.9)	5.1%	(±0.8)
c. yes (Mostly true)	35.5%	(±3.9)	34.9%	(±2.3)
d. YES! (Definitely true)	55.8%	(±4.1)	57.6%	(±3.0)

197. I have lots of chances to be part of class discussions or activities.	(n=580)		(n=4,139)	
	% (±CI)		% (±CI)	
a. NO!	2.9%	(±1.4)	3.0%	(±0.6)
b. no	9.0%	(±2.3)	10.0%	(±1.3)
c. yes	52.8%	(±4.1)	56.4%	(±2.0)
d. YES!	35.3%	(±3.9)	30.5%	(±2.6)

**Rewards for Prosocial Involvement (Questions 198-201)**

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=578)		(n=4,132)	
<b>198. My teacher(s) notices when I am doing a good job and lets me know about it.</b>				
a. NO!	8.1%	(±2.2)	9.5%	(±1.1)
b. no	31.7%	(±3.8)	29.9%	(±1.7)
c. yes	49.1%	(±4.1)	48.8%	(±1.9)
d. YES!	11.1%	(±2.6)	11.8%	(±1.2)
<b>199. The school lets my parents know when I have done something well.</b>	(n=577)		(n=4,130)	
a. NO!	26.3%	(±3.6)	28.7%	(±1.6)
b. no	49.7%	(±4.1)	46.6%	(±1.9)
c. yes	19.4%	(±3.2)	19.4%	(±1.5)
d. YES!	4.5%	(±1.7)	5.3%	(±0.8)
<b>200. I feel safe at my school.</b>	(n=1,158)		(n=8,280)	
NO! <sup>AC</sup> /Definitely NOT true <sup>B</sup>	2.8%	(±1.0)	4.5%	(±0.8)
no <sup>AC</sup> /Mostly not true <sup>B</sup>	6.5%	(±1.4)	10.5%	(±1.5)
yes <sup>AC</sup> /Mostly true <sup>B</sup>	52.6%	(±2.9)	55.6%	(±1.6)
YES! <sup>AC</sup> /Definitely true <sup>B</sup>	38.1%	(±2.8)	29.4%	(±2.9)
<b>201. My teachers praise me when I work hard in school.</b>	(n=574)		(n=4,122)	
a. NO!	10.6%	(±2.5)	14.6%	(±1.6)
b. no	37.6%	(±4.0)	40.6%	(±2.1)
c. yes	44.8%	(±4.1)	36.2%	(±2.0)
d. YES!	7.0%	(±2.1)	8.7%	(±1.0)

**Peer and Individual Domain**

**Perceived Risk of Drug Use (Questions 202-205)**

*How much do you think people risk harming themselves if they:*

	(n=577)		(n=4,090)	
<b>202. Smoke one or more packs of cigarettes per day?</b>				
a. No risk	1.7%	(±1.1)	2.2%	(±0.6)
b. Slight risk	2.6%	(±1.3)	3.6%	(±0.7)
c. Moderate risk	14.0%	(±2.8)	12.6%	(±1.3)
d. Great risk	79.5%	(±3.3)	77.9%	(±2.5)
e. Not sure	2.1%	(±1.2)	3.7%	(±1.1)
<b>203. Try marijuana once or twice?</b>	(n=575)		(n=4,083)	
a. No risk	27.3%	(±3.7)	31.1%	(±2.3)
b. Slight risk	26.1%	(±3.6)	25.4%	(±1.7)
c. Moderate risk	22.3%	(±3.4)	19.5%	(±1.4)
d. Great risk	22.1%	(±3.4)	20.7%	(±2.1)
e. Not sure	2.3%	(±1.2)	3.3%	(±0.8)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=572)		(n=4,078)	
<b>204. Smoke marijuana regularly? (at least once or twice a week)</b>				
a. No risk	10.5%	(±2.5)	14.3%	(±1.8)
b. Slight risk	12.1%	(±2.7)	14.8%	(±1.6)
c. Moderate risk	22.6%	(±3.4)	21.1%	(±1.4)
d. Great risk	51.9%	(±4.1)	46.0%	(±3.1)
e. Not sure	3.0%	(±1.4)	3.8%	(±0.8)
<b>205. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?</b>				
	(n=571)		(n=4,074)	
a. No risk	5.3%	(±1.8)	7.3%	(±1.1)
b. Slight risk	14.9%	(±2.9)	15.8%	(±1.4)
c. Moderate risk	29.2%	(±3.7)	30.2%	(±1.6)
d. Great risk	48.2%	(±4.1)	43.0%	(±2.2)
e. Not sure	2.5%	(±1.3)	3.6%	(±0.9)

**Early Initiation of Drug Use (Questions 207-209)**

*How old were you the first time you:*

	(n=1,121)		(n=7,964)	
<b>206. Smoked marijuana?</b>				
a. Never have	79.8%	(±2.4)	70.7%	(±2.4)
b. 10 or younger	1.2%	(±0.6)	2.4%	(±0.5)
c. 11	0.7%	(±0.5)	2.0%	(±0.4)
d. 12	1.8%	(±0.8)	3.3%	(±0.6)
e. 13	4.7%	(±1.2)	6.2%	(±0.7)
f. 14	6.2%	(±1.4)	8.7%	(±0.9)
g. 15	5.1%	(±1.3)	5.9%	(±0.6)
h. 16	0.4%	(±0.4)	0.6%	(±0.2)
i. 17 or older	0.1%	(±0.2)	0.0%	(±0.1)
<b>207. Smoked a cigarette, even just a puff?</b>				
	(n=541)		(n=3,850)	
a. Never have	86.5%	(±2.9)	76.1%	(±2.7)
b. 10 or younger	1.1%	(±0.9)	5.3%	(±1.0)
c. 11	1.8%	(±1.1)	2.3%	(±0.6)
d. 12	0.9%	(±0.8)	2.8%	(±0.6)
e. 13	2.8%	(±1.4)	3.8%	(±0.9)
f. 14	2.4%	(±1.3)	5.4%	(±0.8)
g. 15	3.3%	(±1.5)	3.5%	(±0.6)
h. 16	0.7%	(±0.7)	0.6%	(±0.2)
i. 17 or older	0.4%	(±0.5)	0.2%	(±0.1)

208. Had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?	Your Students		Statewide	
	% (±CI) (n=1,118)		% (±CI) (n=7,944)	
a. Never have	56.5%	(±2.9)	47.8%	(±3.0)
b. 10 or younger	8.1%	(±1.6)	10.7%	(±1.0)
c. 11	3.1%	(±1.0)	3.8%	(±0.5)
d. 12	4.1%	(±1.2)	5.9%	(±0.7)
e. 13	7.4%	(±1.5)	9.5%	(±0.8)
f. 14	9.7%	(±1.7)	11.4%	(±1.0)
g. 15	10.0%	(±1.8)	9.7%	(±0.8)
h. 16	0.9%	(±0.6)	1.1%	(±0.3)
i. 17 or older	0.0%	(±0.0)	0.2%	(±0.1)

209. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	(n=537)		(n=3,823)	
	a. Never have	87.3%	(±2.8)	80.8%
b. 10 or younger	0.6%	(±0.6)	1.2%	(±0.4)
c. 11	0.2%	(±0.4)	0.8%	(±0.3)
d. 12	0.7%	(±0.7)	1.5%	(±0.4)
e. 13	1.5%	(±1.0)	2.5%	(±0.7)
f. 14	2.6%	(±1.4)	4.8%	(±0.7)
g. 15	6.0%	(±2.0)	7.0%	(±1.0)
h. 16	1.1%	(±0.9)	1.0%	(±0.3)
i. 17 or older	0.0%	(±0.0)	0.3%	(±0.2)

[Questions 210-211 appear only on the elementary version of the survey.]

### Early Initiation of Antisocial Behavior (Questions 212-215)

*How old were you when you first:*

212. Got suspended from school?	(n=532)		(n=3,813)	
	a. Never have	86.7%	(±2.9)	77.2%
b. 10 or younger	4.3%	(±1.7)	6.9%	(±1.2)
c. 11	2.3%	(±1.3)	2.6%	(±0.5)
d. 12	1.3%	(±1.0)	3.1%	(±0.6)
e. 13	3.2%	(±1.5)	4.9%	(±0.8)
f. 14	1.3%	(±1.0)	3.5%	(±0.9)
g. 15	0.8%	(±0.7)	1.4%	(±0.5)
h. 16	0.2%	(±0.4)	0.2%	(±0.1)
i. 17 or older	0.0%	(±0.0)	0.3%	(±0.2)

213. Got arrested?	Your Students		Statewide	
	% (±CI) (n=533)		% (±CI) (n=3,781)	
a. Never have	95.1%	(±1.8)	91.1%	(±1.4)
b. 10 or younger	1.3%	(±1.0)	1.4%	(±0.5)
c. 11	0.2%	(±0.4)	1.0%	(±0.4)
d. 12	1.1%	(±0.9)	1.4%	(±0.4)
e. 13	0.0%	(±0.0)	1.3%	(±0.3)
f. 14	1.5%	(±1.0)	2.2%	(±0.6)
g. 15	0.6%	(±0.6)	1.4%	(±0.5)
h. 16	0.0%	(±0.0)	0.1%	(±0.1)
i. 17 or older	0.2%	(±0.4)	0.1%	(±0.1)

214. Carried a handgun?	(n=532)		(n=3,776)	
	a. Never have	92.3%	(±2.3)	89.0%
b. 10 or younger	2.6%	(±1.4)	2.9%	(±0.6)
c. 11	1.5%	(±1.0)	1.6%	(±0.6)
d. 12	0.6%	(±0.6)	1.1%	(±0.3)
e. 13	1.1%	(±0.9)	1.5%	(±0.4)
f. 14	0.8%	(±0.7)	1.6%	(±0.4)
g. 15	0.9%	(±0.8)	1.8%	(±0.4)
h. 16	0.2%	(±0.4)	0.4%	(±0.2)
i. 17 or older	0.0%	(±0.0)	0.1%	(±0.1)

215. Attacked someone with the idea of seriously hurting them?	(n=533)		(n=3,771)	
	a. Never have	88.9%	(±2.7)	85.7%
b. 10 or younger	4.3%	(±1.7)	4.0%	(±0.7)
c. 11	1.1%	(±0.9)	1.5%	(±0.5)
d. 12	1.1%	(±0.9)	2.1%	(±0.4)
e. 13	2.4%	(±1.3)	2.3%	(±0.5)
f. 14	1.3%	(±1.0)	2.3%	(±0.5)
g. 15	0.8%	(±0.7)	1.5%	(±0.4)
h. 16	0.0%	(±0.0)	0.3%	(±0.2)
i. 17 or older	0.0%	(±0.0)	0.3%	(±0.2)

**Favorable Attitudes Towards Drug Use (Questions 216-219)**

*How wrong do YOU think it is for someone your age to:*

216. Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?	(n=527)		(n=3,746)	
	a. Very wrong	51.6%	(±4.3)	43.9%
b. Wrong	27.5%	(±3.8)	28.0%	(±1.8)
c. A little bit wrong	16.5%	(±3.2)	20.3%	(±1.9)
d. Not wrong at all	4.4%	(±1.7)	7.7%	(±0.9)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=527)		(n=3,741)	
<b>217. Smoke cigarettes?</b>				
a. Very wrong	67.4%	(±4.0)	61.5%	(±2.4)
b. Wrong	23.7%	(±3.6)	22.6%	(±1.6)
c. A little bit wrong	6.6%	(±2.1)	10.7%	(±1.3)
d. Not wrong at all	2.3%	(±1.3)	5.2%	(±0.9)
<b>218. Smoke marijuana?</b>				
	(n=528)		(n=3,738)	
a. Very wrong	55.1%	(±4.3)	48.6%	(±3.2)
b. Wrong	20.8%	(±3.5)	19.2%	(±1.8)
c. A little bit wrong	13.6%	(±2.9)	17.5%	(±1.5)
d. Not wrong at all	10.4%	(±2.6)	14.7%	(±1.4)
<b>219. Use LSD, cocaine, amphetamines, or another illegal drug?</b>				
	(n=527)		(n=3,740)	
a. Very wrong	81.0%	(±3.4)	80.3%	(±1.5)
b. Wrong	12.7%	(±2.9)	13.0%	(±1.3)
c. A little bit wrong	3.6%	(±1.6)	3.5%	(±0.6)
d. Not wrong at all	2.7%	(±1.4)	3.2%	(±0.5)
<b>220. What are the chances you would be seen as cool if you: Began drinking alcoholic beverages regularly, that is, at least once or twice a month?</b>				
	(n=571)		(n=4,052)	
a. No or very little chance	36.4%	(±4.0)	38.6%	(±2.0)
b. Little chance	21.4%	(±3.4)	23.3%	(±1.4)
c. Some chance	21.5%	(±3.4)	21.2%	(±1.2)
d. Pretty good chance	14.4%	(±2.9)	12.2%	(±1.4)
e. Very good chance	6.3%	(±2.0)	4.7%	(±0.8)

**Friends Use of Drugs (Questions 221-224)**

*Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...*

	(n=510)		(n=3,613)	
<b>221. Smoked cigarettes?</b>				
a. None of my friends	77.8%	(±3.6)	70.1%	(±2.8)
b. 1 of my friends	11.4%	(±2.8)	13.8%	(±1.6)
c. 2 of my friends	5.3%	(±1.9)	7.1%	(±1.0)
d. 3 of my friends	2.9%	(±1.5)	3.4%	(±0.7)
e. 4 of my friends	2.5%	(±1.4)	5.5%	(±1.0)
<b>222. Tried beer, wine, or hard liquor (for example: vodka, whiskey, or gin) when their parents didn't know about it?</b>				
	(n=509)		(n=3,615)	
a. None of my friends	58.9%	(±4.3)	47.2%	(±3.0)
b. 1 of my friends	14.1%	(±3.0)	17.3%	(±1.3)
c. 2 of my friends	10.2%	(±2.6)	12.9%	(±1.2)
d. 3 of my friends	6.7%	(±2.2)	8.2%	(±1.0)
e. 4 of my friends	10.0%	(±2.6)	14.3%	(±1.6)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=511)		(n=3,612)	
<b>223. Used marijuana?</b>				
a. None of my friends	63.4%	(±4.2)	53.9%	(±3.1)
b. 1 of my friends	13.1%	(±2.9)	16.0%	(±1.5)
c. 2 of my friends	10.0%	(±2.6)	9.2%	(±1.0)
d. 3 of my friends	5.1%	(±1.9)	7.9%	(±1.0)
e. 4 of my friends	8.4%	(±2.4)	12.9%	(±1.6)
<b>224. Used LSD, cocaine, amphetamines, or other illegal drugs?</b>				
	(n=510)		(n=3,609)	
a. None of my friends	86.1%	(±3.0)	86.9%	(±1.4)
b. 1 of my friends	8.8%	(±2.5)	6.9%	(±1.0)
c. 2 of my friends	2.2%	(±1.3)	3.0%	(±0.6)
d. 3 of my friends	1.2%	(±0.9)	1.2%	(±0.4)
e. 4 of my friends	1.8%	(±1.1)	2.0%	(±0.5)

**Interaction with Antisocial Peers (Questions 225-230)**

*Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...*

<b>225. Been suspended from school?</b>				
	(n=489)		(n=3,502)	
a. None of my friends	81.4%	(±3.5)	74.8%	(±2.9)
b. 1 of my friends	13.1%	(±3.0)	14.0%	(±1.6)
c. 2 of my friends	4.7%	(±1.9)	6.2%	(±1.0)
d. 3 of my friends	0.6%	(±0.7)	2.3%	(±0.5)
e. 4 of my friends	0.2%	(±0.4)	2.7%	(±0.7)
<b>226. Carried a handgun</b>				
	(n=491)		(n=3,504)	
a. None of my friends	93.9%	(±2.1)	90.5%	(±1.5)
b. 1 of my friends	4.1%	(±1.8)	4.8%	(±0.9)
c. 2 of my friends	0.6%	(±0.7)	2.4%	(±0.6)
d. 3 of my friends	0.8%	(±0.8)	0.9%	(±0.3)
e. 4 of my friends	0.6%	(±0.7)	1.4%	(±0.4)
<b>227. Sold illegal drugs?</b>				
	(n=489)		(n=3,497)	
a. None of my friends	84.5%	(±3.2)	79.1%	(±1.8)
b. 1 of my friends	9.6%	(±2.6)	10.9%	(±1.5)
c. 2 of my friends	4.1%	(±1.8)	5.3%	(±0.8)
d. 3 of my friends	0.4%	(±0.6)	2.1%	(±0.6)
e. 4 of my friends	1.4%	(±1.1)	2.7%	(±0.6)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=492)		(n=3,495)	
<b>228. Stolen or tried to steal a motor vehicle such as a car or motorcycle?</b>				
a. None of my friends	92.9%	(±2.3)	91.0%	(±1.4)
b. 1 of my friends	4.7%	(±1.9)	4.8%	(±1.0)
c. 2 of my friends	1.0%	(±0.9)	1.8%	(±0.5)
d. 3 of my friends	0.8%	(±0.8)	1.1%	(±0.4)
e. 4 of my friends	0.6%	(±0.7)	1.2%	(±0.4)
<b>229. Been arrested?</b>				
	(n=490)		(n=3,492)	
a. None of my friends	88.4%	(±2.8)	84.4%	(±1.8)
b. 1 of my friends	8.0%	(±2.4)	8.6%	(±1.2)
c. 2 of my friends	2.4%	(±1.4)	4.0%	(±0.9)
d. 3 of my friends	1.0%	(±0.9)	1.6%	(±0.4)
e. 4 of my friends	0.2%	(±0.4)	1.5%	(±0.4)
<b>230. Dropped out of school?</b>				
	(n=489)		(n=3,485)	
a. None of my friends	94.3%	(±2.1)	89.7%	(±1.7)
b. 1 of my friends	3.1%	(±1.5)	6.1%	(±1.2)
c. 2 of my friends	1.6%	(±1.1)	2.4%	(±0.8)
d. 3 of my friends	0.8%	(±0.8)	0.9%	(±0.4)
e. 4 of my friends	0.2%	(±0.4)	0.9%	(±0.3)

**Intentions to Use (Questions 231-233)**

<b>231. When I am an adult I will smoke cigarettes.</b>				
	(n=512)		(n=3,633)	
a. NO!	78.5%	(±3.6)	76.1%	(±2.5)
b. no	17.0%	(±3.3)	16.4%	(±1.8)
c. yes	3.1%	(±1.5)	4.8%	(±0.9)
d. YES!	1.4%	(±1.0)	2.6%	(±0.6)
<b>232. When I am an adult I will drink beer, wine, or liquor.</b>				
	(n=508)		(n=3,618)	
a. NO!	27.4%	(±3.9)	26.4%	(±2.8)
b. no	17.7%	(±3.3)	18.4%	(±1.1)
c. yes	42.1%	(±4.3)	42.6%	(±2.5)
d. YES!	12.8%	(±2.9)	12.6%	(±1.3)
<b>233. When I am an adult I will smoke marijuana.</b>				
	(n=510)		(n=3,614)	
a. NO!	62.4%	(±4.2)	60.1%	(±2.9)
b. no	24.9%	(±3.8)	21.8%	(±2.2)
c. yes	9.2%	(±2.5)	11.1%	(±1.2)
d. YES!	3.5%	(±1.6)	7.0%	(±1.0)

**Interaction with Prosocial Peers (Questions 234-238)**

*Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...*

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=514)		(n=3,661)	
<b>234. Participated in clubs, organizations or activities at school?</b>				
a. None of my friends	13.2%	( $\pm$ 2.9)	14.7%	( $\pm$ 2.3)
b. 1 of my friends	9.5%	( $\pm$ 2.5)	11.7%	( $\pm$ 1.4)
c. 2 of my friends	15.2%	( $\pm$ 3.1)	15.1%	( $\pm$ 1.5)
d. 3 of my friends	13.0%	( $\pm$ 2.9)	13.7%	( $\pm$ 1.2)
e. 4 of my friends	49.0%	( $\pm$ 4.3)	44.7%	( $\pm$ 3.2)
<b>235. Made a commitment to stay drug-free?</b>	(n=511)		(n=3,650)	
a. None of my friends	25.2%	( $\pm$ 3.8)	25.3%	( $\pm$ 2.2)
b. 1 of my friends	9.0%	( $\pm$ 2.5)	13.8%	( $\pm$ 1.5)
c. 2 of my friends	10.8%	( $\pm$ 2.7)	10.9%	( $\pm$ 1.1)
d. 3 of my friends	11.4%	( $\pm$ 2.8)	11.7%	( $\pm$ 1.0)
e. 4 of my friends	43.6%	( $\pm$ 4.3)	38.3%	( $\pm$ 2.9)
<b>236. Liked school?</b>	(n=511)		(n=3,640)	
a. None of my friends	22.5%	( $\pm$ 3.6)	24.4%	( $\pm$ 1.7)
b. 1 of my friends	11.4%	( $\pm$ 2.8)	12.5%	( $\pm$ 1.1)
c. 2 of my friends	15.9%	( $\pm$ 3.2)	18.2%	( $\pm$ 1.4)
d. 3 of my friends	17.8%	( $\pm$ 3.3)	18.1%	( $\pm$ 1.1)
e. 4 of my friends	32.5%	( $\pm$ 4.1)	26.8%	( $\pm$ 2.1)
<b>237. Regularly attended religious services?</b>	(n=509)		(n=3,618)	
a. None of my friends	28.1%	( $\pm$ 3.9)	30.7%	( $\pm$ 2.8)
b. 1 of my friends	25.1%	( $\pm$ 3.8)	23.9%	( $\pm$ 1.9)
c. 2 of my friends	18.9%	( $\pm$ 3.4)	19.5%	( $\pm$ 1.4)
d. 3 of my friends	13.4%	( $\pm$ 3.0)	11.4%	( $\pm$ 1.4)
e. 4 of my friends	14.5%	( $\pm$ 3.1)	14.6%	( $\pm$ 2.5)
<b>238. Tried to do well in school?</b>	(n=508)		(n=3,628)	
a. None of my friends	7.3%	( $\pm$ 2.3)	6.1%	( $\pm$ 1.2)
b. 1 of my friends	4.1%	( $\pm$ 1.7)	5.6%	( $\pm$ 0.9)
c. 2 of my friends	9.3%	( $\pm$ 2.5)	10.9%	( $\pm$ 1.1)
d. 3 of my friends	16.1%	( $\pm$ 3.2)	18.0%	( $\pm$ 1.4)
e. 4 of my friends	63.2%	( $\pm$ 4.2)	59.4%	( $\pm$ 2.5)

**Belief in the Moral Order (Questions 239-242)**

**239. I think it is okay to take something without asking as long as you get away with it.**

	(n=566)		(n=4,043)	
a. NO!	47.2%	( $\pm$ 4.1)	50.8%	( $\pm$ 1.8)
b. no	42.8%	( $\pm$ 4.1)	38.9%	( $\pm$ 1.9)
c. yes	8.1%	( $\pm$ 2.3)	7.2%	( $\pm$ 0.9)
d. YES!	1.9%	( $\pm$ 1.1)	3.0%	( $\pm$ 0.5)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=567)		(n=4,040)	
<b>240. I think sometimes it's okay to cheat at school.</b>				
a. NO!	40.0%	( $\pm$ 4.0)	33.9%	( $\pm$ 2.4)
b. no	41.4%	( $\pm$ 4.1)	36.8%	( $\pm$ 1.7)
c. yes	15.2%	( $\pm$ 3.0)	25.1%	( $\pm$ 2.5)
d. YES!	3.4%	( $\pm$ 1.5)	4.1%	( $\pm$ 0.7)
<b>241. It is all right to beat up people if they start the fight.</b>				
	(n=568)		(n=4,033)	
a. NO!	34.2%	( $\pm$ 3.9)	26.8%	( $\pm$ 2.3)
b. no	31.0%	( $\pm$ 3.8)	26.9%	( $\pm$ 2.0)
c. yes	23.8%	( $\pm$ 3.5)	28.4%	( $\pm$ 1.8)
d. YES!	11.1%	( $\pm$ 2.6)	18.0%	( $\pm$ 1.8)
<b>242. It is important to be honest with your parents, even if they become upset or you get punished.</b>				
	(n=568)		(n=4,036)	
a. NO!	5.6%	( $\pm$ 1.9)	6.0%	( $\pm$ 0.9)
b. no	15.5%	( $\pm$ 3.0)	13.2%	( $\pm$ 1.1)
c. yes	49.8%	( $\pm$ 4.1)	46.2%	( $\pm$ 1.8)
d. YES!	29.0%	( $\pm$ 3.7)	34.6%	( $\pm$ 2.2)

### Prosocial Involvement (Questions 243-245)

[Questions 243-245 appear only on the elementary version of the survey.]

### Social Skills (Questions 246-248)

<b>246. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?</b>				
	(n=505)		(n=3,580)	
a. Ignore her	27.9%	( $\pm$ 3.9)	25.2%	( $\pm$ 2.1)
b. Grab a CD and leave the store	4.8%	( $\pm$ 1.9)	8.8%	( $\pm$ 1.0)
c. Tell her to put the CD back	35.8%	( $\pm$ 4.2)	36.3%	( $\pm$ 2.6)
d. Act like it's a joke and ask her to put the CD back	31.5%	( $\pm$ 4.1)	29.7%	( $\pm$ 1.8)
<b>247. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?</b>				
	(n=500)		(n=3,546)	
a. Push the person back	8.4%	( $\pm$ 2.4)	12.4%	( $\pm$ 1.7)
b. Say nothing and keep on walking	59.2%	( $\pm$ 4.3)	47.8%	( $\pm$ 2.1)
c. Say, "Watch where you're going," and keep on walking	20.2%	( $\pm$ 3.5)	27.9%	( $\pm$ 1.4)
d. Swear at the person and walk away	12.2%	( $\pm$ 2.9)	11.9%	( $\pm$ 1.4)

248. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	Your Students % (±CI) (n=497)		Statewide % (±CI) (n=3,515)	
a. Drink it	22.5%	(±3.7)	28.8%	(±2.3)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	40.2%	(±4.3)	34.5%	(±2.1)
c. Just say, "No, thanks," and walk away	27.0%	(±3.9)	26.1%	(±1.5)
d. Make up a good excuse, tell your friend you had something else to do, and leave	10.3%	(±2.7)	10.6%	(±1.2)

## Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

- Abuse 112-114
- Activities and Clubs 80, 160-162, 234
- Alcohol
  - Access 59, 148
  - Age at first use 208-209
  - Current use 28, 50-51
  - Drinking and driving 100, 102
  - Family influence 54, 170-171, 181
  - Intentions to use 232
  - Lifetime use 12
  - Perceived norms 55-56, 154, 156, 216, 220, 222, 248
  - Perceived risks 205
  - Prevention/intervention 52-53, 61, 131
  - Use at school 58, 132
- Arrest 213, 229
- Asthma 85-90
- Bullying/Harassment 126-130
- Demographics 1, 3-5, 7-8
- Disabilities 81-84
- Family
  - Food insecurity 64-65
  - Living situations 137, 142-144
  - Military service 145-146
  - Parent's education 7-8
- Fighting 107-109, 215, 241, 247
- Fitness
  - Physical activity 72-74, 78-79
  - Sedentary behavior 75-76
- Gambling 124-125
- Gangs 111
- HIV/STD/Pregnancy Prevention 133-135
- Honesty 9, 239-240, 242
- Marijuana
  - Access 150
  - Age at first use 206
  - Current use 29
  - Family influence 183
  - Intentions to use 233
  - Lifetime use 13
  - Perceived norms 153, 158, 218, 223
  - Perceived risks 57, 203-204
- Mental Health
  - Depression 115
  - Help with mental health 121-123
  - Suicide 116-118
- Nutrition
  - Breakfast 67
  - Food insecurity 64-65
  - Fruit/Vegetable servings 66
  - Soda and Sugar Drinks 68, 70-71
- Oral Health 92
- Other Drugs
  - Access 60, 151
  - Current use 30-33
  - Family influence 170
  - Lifetime use 14-18
  - Perceived norms 219, 224, 227, 235
  - Prevention/intervention 52, 61, 131
  - Use at school 58, 132
- Quality of Life 136-141
- School Climate
  - Absence 173, 192
  - Achievement 81-84, 184-185
  - After-school activities 80, 234
  - Bullying/harassment 126-130, 200
  - Engagement 186-199, 201, 230, 236, 238
  - Fighting at 108
  - Nutrition 66-68, 70-71
  - Physical activity 72-74, 78-79
  - Prevention/intervention 38, 52, 61, 131, 133-135
  - Safety at 129, 200
  - Substance use at 39-40, 58, 132
  - Suspension 212, 225
  - Weapons at 105
- Sexual Behaviors 93-6
- Substance Use Prevention 38-39, 48, 52-54, 61, 131-132, 170, 235
- Tobacco
  - Access 49, 149
  - Age at first use 37, 207
  - Current use 20-27
  - Family 45-46, 182
  - Intentions to use 34-36, 47, 231
  - Lifetime use 10-11
  - Perceived norms 155, 217, 221
  - Perceived risks 41, 202
  - Prevention/intervention 38, 48, 61, 131
  - Secondhand Smoke 41, 43- 46
  - Use at school 39-40
- Weapons 103, 105-106, 152, 157, 172, 214, 226
- Wearing Safety Gear 97, 99
- Weight and Weight Loss 62-63

## Core Questions

“Core” questions appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

### Activities

Participation in after school activities 80

### Alcohol

Age when first drank alcohol 208  
 Binge drinking 50  
 Current alcohol drinking (past 30 days) 28  
 Driven a car while drinking (past 30 days) 102  
 Drunk or high at school (past 12 months) 58  
 Levels of alcohol use 51  
 Lifetime alcohol use 12  
 Ridden in a car with drinking driver (past 30 days) 100  
 School provides counselor to discuss ATOD 131

### Bullying

Been bullied (past 30 days) 126

### Demographics

Age 1  
 Education status of father 8  
 Education status of mother 7  
 Gender 3  
 Language spoken in home 5  
 Race/Ethnicity 4

### Fighting

Physical fighting (past 12 months) 107

### Gangs

Gang involvement 111

### Honesty

Honesty in completing survey 9

### Marijuana

Age when first used marijuana 206  
 Current marijuana use (past 30 days) 29  
 Lifetime marijuana use 13

### Mental Health

Depression (past 12 months) 115  
 Seriously considered attempting suicide 116

### Other Drugs

Current drug use, including marijuana (past 30 days) 31  
 Current drug use, not including marijuana (past 30 days) 30  
 Current painkiller use (past 30 days) 32  
 Drunk or high at school (past 12 months) 58  
 School provides counselor to discuss ATOD 131

### School Climate

Been bullied (past 30 days) 126  
 Drunk or high at school (past 12 months) 58  
 Enjoyed being in school (past 12 months) 189  
 Feel safe at school 200  
 Grades in school (past 12 months) 184  
 Participation in after school activities 80  
 School provides counselor to discuss ATOD 131  
 Weapon carrying on school property (past 12 months) 105

### Tobacco

Current cigarette smoking (past 30 days) 20  
 Current smokeless tobacco use (past 30 days) 21  
 Intent to smoke if offered cigarette by a friend 35  
 Intent to smoke within the next year 36  
 Perceived wrongness of smoking 217  
 School provides counselor to discuss ATOD 131  
 Susceptibility to cigarette smoking 36

### Weapons

Weapon carrying on school property (past 12 months) 105

For more information on which survey forms each question was on,  
 see the Survey Crosswalk at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results - QxQ