

BIG SPRING SCHOOL DISTRICT
45 Mount Rock Road
Newville, PA 17241

INVITATION TO BID

Big Spring School District, Newville, Cumberland County, Pennsylvania is accepting bids to replace **Dishwasher Replacements at our Middle School and Oak Flat Elementary Cafeteria Kitchens**. Bids will be received until **Thursday, March 26, 2026, at 2:00 p.m.** prevailing time. Proposals received after the receipt deadline will not be accepted. Upon review of proposals and award of bid, proposals will become public knowledge to anyone who submits a request.

Bids shall be submitted in sealed envelopes marked **"Dishwasher Replacements – MS & OF"**.

The bids will be publicly opened and read on **Thursday, March 26, 2026, at 2:00 p.m.** in the Big Spring School District Administration Building, 45 Mount Rock Road, Newville, PA 17241.

Each bid must be accompanied by **bid security** in the form of a certified check, cashier's check, or bid bond of a surety company legally authorized to do business in the Commonwealth of Pennsylvania, in an amount **equal to ten (10%) of the bid**.

No bidder may withdraw their bid for a period of ninety (90) days after the date of the actual opening of bids.

Big Spring School District reserves the right to reject any or all bids, and to accept or reject any parts thereof, or items therein, and to waive any defects or irregularities in bids and bid securities, and to make the award that is determined to be in the best interest of the District.

Specifications and other bidding documents may be obtained from the Big Spring School District Food Service Department by emailing the following: skent@bigspring.k12.pa.us

Big Spring School District
By: Cristy Lentz
Business Manager

BIG SPRING SCHOOL DISTRICT
45 Mount Rock Road
Newville, PA 17241

GENERAL REQUIREMENTS

1. Submission of Bids – Bids are due at the Big Spring School District Administration Building, 45 Mount Rock Road, Newville, PA 17241 by March 26, 2026 on or before 2:00 p.m., prevailing time, bids will be publicly opened and read at the Big Spring School District Administration Building on March 26, 2026 at 2:00 p.m. Bids are to be submitted in a sealed envelope marked to the care of Mrs. Cristy Lentz. The envelope shall carry the bid identified as – “Dishwasher Replacements - MS & OF”.
2. Selection or Rejection of Proposals – The Big Spring School District reserves the right to reject any or all bids, and to accept or reject any parts thereof, or items therein, and to waive any informalities in connection therewith at it's discretion, and to make the award that is determined to be in the best interest of the District.
3. **Mandatory Pre-Bid Meeting** – **A mandatory pre-bid meeting will be held on site on March 13, 2026, at 1:30 p.m. beginning at Big Spring School District, Middle School, 43 Mount Rock Road, Newville, PA 17241 the traveling to Oak Flat Elementary School, 334 Centerville Road, Newville, PA 17241. The purpose of the meeting is to confirm the District’s expectations, job requirements, view facility/space configurations, electrical and plumbing hookups, etc., so that bidders can consider conditions that may affect their bids and equipment required. Bidders are required to attend the pre-bid meeting prior to the submission of a bid.** Any questions should be submitted in writing to Shelli Kent, skent@bigspring.k12.pa.us and Sara Bostic, sbostic@bigspring.k12.pa.us by 3:00 p.m. on March 16, 2026, in order for the District to provide responses to all interested bidders via email by 3:00 p.m. on March 19, 2026.
4. Billing - Bills shall be submitted in duplicate to the Big Spring School District, Food Service Department, 45 Mount Rock Road, Newville, PA 17241. No cash allowances for any purpose are included in the specifications of this project.
5. No vendor may withdraw their proposal for a period of ninety (90) days after the date set for the opening thereof.
6. No rights shall accrue to any person submitting a proposal until it has been accepted and the contract or purchase order awarded and such contract or purchase order is executed in writing.
7. The successful bidder shall not assign the performance of the contract, nor any portion thereof to others without the express consent, in writing, from the Big Spring School Board.
8. All applicable laws shall be deemed to be part of these specifications and the contract shall be read and enforced as though they were included.
9. Default - In the event any property or service to be furnished by the vendor under a contract or purchase order should for any reason not conform to the specifications contained therein and to the sample submitted by the vendor with the proposal, the Big Spring School Board may reject such property or service. In such event, upon receipt of specific instructions from the Business Manager, vendor shall immediately remove any rejected property without expense to the Big Spring School District and replace it with such property as conforms to the specifications and samples and/or provide additional or alternative property as conforms to the specifications and samples.

Should the vendor default in the performance of the foregoing paragraph, the School District may procure such property or services from other sources in any manner provided by law and shall have the absolute right to deduct from any monies due to the vendor, or that may thereafter come due to the vendor, the difference between the contract price and the actual cost of the property or services to be replaced or substituted. The price paid by the Big Spring School District in such event shall be the prevailing market price at the time the substitute purchase is made or in the event that it is necessary to seek bids for such property or service, the amount of the successful proposal.

10. Entries on the bid form must be typewritten or legibly handwritten in ink. Changes, alterations, or interlineations in the proposal are not permitted.
11. Proposal figures shall include all charges including but not limited to: any freight charges, removal of old equipment, and installation of new equipment called for in these General Requirements. They shall also include all discounts.
12. Contractor's Evidence of Responsibility – Contractors may be required to furnish evidence in writing that they maintain permanent places of business and have adequate equipment, finances and personnel to furnish the items offered satisfactorily and expeditiously and that they are authorized dealers and can provide necessary services and warranties for items they propose to furnish.
13. Compliance with Proposal Requirements - Any inability to comply with the conditions and specifications as outlined must be clearly stated in your proposal.
14. Award-Contract: The Request for Proposal, the Bidder's Proposal and Purchase Order or Contract and its attachments, either attached hereto or included by reference when received by the successful contractor shall constitute (1) a binding contract on the terms set forth therein and (2) the entire contract, and is to be interpreted, construed and given effect all respects according to the laws of the Commonwealth of Pennsylvania.
15. Rights and Remedies - The rights and remedies of the Big Spring School District provided above shall not be exclusive and are in addition to any other rights and remedies provided by law or under the contract.
16. Standard of Quality –The various materials and products specified in the specifications by name or description are given to establish a standard of quality and of cost for quotation purposes. It is not the intent to limit the acceptance to any one material or product specified but rather to name or describe a material or product as the absolute minimum standard that is desired and acceptable. A material or product of lesser quality would not be acceptable. Where proprietary names are used, whether or not followed by the words "or as approved equal", they shall be subject to equals only as approved by the District.
17. Job Experience and References – Vendors must have a minimum of three (3) years' experience in supplying K-12 kitchen equipment. Customer references are to be furnished upon with bid documents.
18. Considerations for Bid Award School District will consider all factors it deems appropriate to make an award that provides the best value to the district. Such factors may include but are not limited to the following criteria:
 - a. Future dealer/manufacturer warranties and costs.
 - b. Manufacturers guides and standards estimating operating costs.
 - c. Repair parts and service schedules.
 - d. Rated life expectancy of the equipment.
 - e. Productivity ratings.

All bidders should include the above information with their bid submission along with any other factors they feel may be appropriate.

19. Work Schedule – After execution of the contract documents and receipt of all required bonds and insurance policies, work will be performed evenings, weekends, and/or non-student school days during the calendar school year. Work must be completed by no later than August 7, 2026.

20. All contractors are advised that the school district will require employee background checks in accordance with Act 34 of 1985. If the decision not to award this bid to you is based, in whole or in part, on your criminal history record information, you will be so notified.

Pursuant to the Public School Code Act 24, 2011, prospective employees of public and private schools, intermediate units and area vocational technical schools, including independent contractors and their employees, except employees and independent contractors and their employees who have no direct contact with children, are required, prior to employment, to furnish certain information, as set forth on this form. ALL EMPLOYEES ON THE PROJECT SITE MUST HAVE BACKGROUND CHECKS PRIOR TO ENTERING THE SITE.

You must submit a report of criminal history information from the Pennsylvania State Police or a statement from the State Police that the State Police central repository contains no such information relating to you. The report or statement must be no more than one year old. To obtain this document, contact the State Police Barracks nearest to your home. If awarded this bid, you must submit the original before commencing the project.

If you are not a resident of Pennsylvania, you must submit a report of Federal Criminal History from the Federal Bureau of Investigation. The report must be not more than one year old. To obtain such a report, contact the FBI Field Office nearest to you.

21. Domestic Relations Title 23, Chapter 63, 23 Pa. C.C. §6301 et seq. requires that prospective employees of public and private schools, intermediate units and area vocational technical schools, including independent contractors and their employees, except employees and independent contractors and their employees who have no direct contact with children, are required, prior to employment, to furnish certain information, as set forth on the Pennsylvania Child Abuse History Clearance Form. ALL EMPLOYEES ON THE PROJECT SITE MUST HAVE CLEARANCE PRIOR TO ENTERING THE SITE.

Each applicant is required to submit an official clearance statement obtained from the Department of Public Welfare within the immediately preceding year as to whether the applicant is named as the perpetrator of an indicated or a founded report or is named as the individual responsible for injury or abuse in an indicated report for school employee or a founded report for school employee. To obtain this document, contact the Department of Public Welfare. If awarded this bid, you must submit the original before commencing the project.

22. Employment Verification Act

The Pennsylvania Public Works Employment Verification Act (43 P.S. §§ 167.1-167.11) requires Contractors and Subcontractors performing work on “public works projects” to comply with federal employment eligibility requirements, including verification through the U.S. Department of Homeland Security’s E-Verify program which compares I-9 employment verification data to data from the Department of Homeland Security and Social Security Administration records, in order to confirm that employees are authorized to work in the United States.

All Contractors shall submit a “Public Works Employment Verification Form” to the Owner through the Architect at the same time when performance and payments bonds are submitted. Submission of this form is a precondition of the Contract being awarded and executed. These requirements apply to all employees hired by the Contractor or Subcontractor regardless of whether the employee will be working onsite or offsite.

Subcontracts between the Contractor and its Subcontractors or between any Subcontractor and its Subcontractors are required to contain notification of applicability of the Act, the requirement to provide a “Public Works Employment Verification Form” as stated below, and reference to the Department of General Services website as stated in last paragraph below.

All Subcontractors shall submit a "Public Works Employment Verification Form" to the Contractor, who shall submit the form to the Owner through the Architect prior to the Subcontractor beginning either onsite or offsite work. Submission of this form shall be a precondition of the Subcontract remaining in force, and the Contractor shall terminate the Subcontract if the Subcontractor does not comply. These requirements apply to all employees hired by the Subcontractor regardless of whether the employee will be working onsite or offsite. "Subcontractor" includes any entity that performs work on the project other than the prime Contractor and other than an individual. The term does not include an entity that is solely a material supplier for the project.

The Contractor or Subcontractor shall be responsible for any penalties imposed for failure to comply with this Act.

Contractors and Subcontractors may access the form at www.dgs.state.pa.us. The Chapter 66 Guidelines may be located at <http://www.pabulletin.com/secure/data/vol42/42-52/index.html>.

BIG SPRING SCHOOL DISTRICT

45 Mount Rock Road

Newville, PA 17241

INSTRUCTIONS TO BIDDERS

1. **Bidding Documents**

A. Bidders shall promptly notify the School District of any ambiguities, inconsistencies, discrepancies, errors or omissions in the Plans and Specifications. Such notification must be made in writing no later than seven (7) days prior to the last day for receipt of bids. Any interpretation, correction, or change of the plans, specifications, or other bidding documents will be made only by the School District by written addendum to all bidders. Interpretations, corrections, or changes made in any other form shall not be binding.

2. **Bidding Procedure and Form of Bids**

A. Proposals must be submitted on the Bid Forms included with the bidding documents. All blanks on the Bid Form shall be filled in for each item or group of items on which a bid is submitted. Changes, alterations, or interlineations in the bid are not permitted. Oral, telegraphic, or telephonic proposals or modifications will not be considered.

B. Proposals shall be for a stipulated base sum covering the furnishing of all materials and labor as called for in the Plans and Specifications, with an hourly rate for additional work beyond that covered by the base sum, as described in the Plans and Specifications, if applicable.

C. The Bid Form shall include the legal name of the bidder and a statement specifying whether the bidder is a sole proprietor, a partnership, a corporation, or some other legal entity. Each copy shall be signed by the person or persons legally authorized to bind the bidder to a contract. A bid by a corporation shall give the state of incorporation and have the corporate seal affixed. A bid submitted by an agent shall have a current power of attorney attached certifying the agent's authority to bind the bidder.

D. Proposals shall be delivered, sealed in an opaque envelope, to the Big Spring School District, Administration Building, 45 Mount Rock Road, Newville, PA 17241 at or before 2:00 p.m., prevailing time, March 26, 2026. The envelope shall be marked "**Dishwasher Replacements – MS & OF**" and include the name and address of the bidder. If the proposal is sent by mail, the sealed envelope shall be enclosed in a separate mailing envelope marked that a sealed bid is enclosed. The bidder assumes full responsibility for timely delivery of the proposal. Bids received after the time and date specified for receipt of bids will be returned unopened.

E. No bid may be withdrawn for a period of ninety (90) days after the date of the actual bid opening.

3. **Bid Security**

A. Each bid shall be accompanied by bid security in the form of a certified check, cashier's check, or bid bond of a surety company legally authorized to do business in the Commonwealth of Pennsylvania, in an amount equal to ten (10%) percent of the bid. Should the bidder fail or refuse to enter into a contract with the School District on the terms stated in its bid, or fail to furnish such payment and performance bonds as may be required, then the bid security shall be forfeited to the School District as liquidated damages, and not as a penalty. In such case the bid will be considered rejected.

B. The School District will have the right to retain the bid security until either (1) the required bonds have been furnished by the bidder to be awarded the contract, and the School District has accepted the bid as hereinafter provided; or (2) the bid has been rejected.

4. Acceptance or Rejection of Bids

A. The School District reserves the right, in its discretion, to reject any or all bids and to accept or reject any part of any bid and to waive any defects or irregularities in the bids.

B. The contract shall be awarded within approximately sixty (60) days of the actual bid opening, except as otherwise provided by law. The School District shall notify the successful bidder of its intent to award. Upon receipt of such Notice of Intent to Award, the successful bidder shall have fifteen (15) days to furnish the School District with acceptable performance and payment bonds and insurance certificates (where applicable).

C. The School District shall execute an acceptance of the successful bidder's proposal and an award of the contract as hereinafter provided, if the successful bidder has met the bond and insurance requirements herein specified.

5. Performance and Payment Bonds

A. Any successful bidder, upon receipt of a Notice of Intent to Award from the School District, shall furnish within fifteen (15) days therefrom a performance bond of a surety company authorized to do business in the Commonwealth of Pennsylvania, in an amount equal to one hundred (100%) percent of the bid amount to be accepted.

B. In the event that the amount of the bid to be accepted exceeds \$5,000 and involves construction alteration, or repair of a building, public work, or public improvement, or affixing things to a building, any such successful bidder shall furnish within fifteen (15) days from receipt of a Notice of Intent to Award, a payment bond of a surety company authorized to do business in the Commonwealth of Pennsylvania, in an amount equal to one hundred (100%) percent of the bid amount to be accepted. Such bond shall be conditioned for the prompt payment of all material furnished and labor supplied or performed in the prosecution of the work. The School District, in its sole discretion, shall determine whether a payment bond is required for the type of work to be performed, and if so, shall specify this requirement in the Special Conditions.

C. All bonds shall be executed using American Institute of Architects forms (AIA Documents A311 and A312), if applicable. The bidder shall require the attorney-in-fact who executes and seals the bonds on behalf of the surety to affix thereto a certified and current copy of a power of attorney.

6. Insurance

A. The successful bidder will be required to acquire and maintain during the life of this contract adequate Worker's compensation Insurance and Public Liability and Property Damage Insurance as follows:

Worker's compensation Insurance coverage shall be statutory as regulated by Pennsylvania Law.

Employer's Liability minimum limits of coverage shall be:

\$100,000 for each accident (bodily injury)

\$500,000 policy limit (bodily injury by disease)

\$100,000 each employee (bodily injury by disease)

All other insurance coverage shall either meet or exceed the following limits:

General Liability: General Aggregate \$2,000,000

Products - Comp/OP. Agg \$1,000,000

Bodily Injury - \$1,000,000

Property Damage - \$1,000,000

Automobile Liability: Combined Single Limit - \$1,000,000

Excess Liability - \$2,000,000

B. The Owner will provide builder's risk insurance to successful bidder, if applicable.

7. Form of Agreement

A. Contracts shall be accepted and awarded only after approval by the School Board, by execution of a Standard Form of Agreement signed by a representative of the School District and the successful bidder, upon furnishing of the required bonds (and insurance certificates, where required) by the successful bidder in satisfactory form as specified herein. Any prior notification of Intent to Award a contract shall not operate as an acceptance. The Contract shall be comprised of the Invitation to Bid, the Plans and Specifications, the Instructions to Bidders, the completed Bid Form, and the Standard Form of Agreement between the School District and Bidder.

8. Standard of Quality

A. The various materials and products specified in the specifications by name or description are given to establish a standard of quality and of cost for bid purposes. It is not the intent to limit the bidder, the bid or the evaluation of the bid to any one material or product specified but rather to describe the minimum standard. When proprietary names are used, they shall be followed by the words "or alternatives of the quality necessary to meet the specifications". A bid containing an alternative that does not meet the specifications may be declared non-responsive. A bid containing an alternative may be accepted but, if an award is made to that bidder, the bidder will be required to replace any alternatives that do not meet the specifications.

9. Sales Tax

All of the items that constitute building, machinery and equipment and sales activities should be bid on a cost basis that is "Tax Exempt." All taxable items of "construction activities" should be bid on a cost basis that is "Taxable."

The awarded Contractor and all Subcontractors shall agree:

- (a) to execute an "Assignment of Refund Rights," if requested by the Owner or its Agents, under which the right to file any and all sales tax refund petitions for materials purchased in connection with this project is assigned to the Owner;
- (b) to execute any and all sales tax refund petitions prepared by the Owner and/or its Agents;
- (c) that it will not file a claim for refund for any sales or use tax which is the subject of this assignment;
- (d) to include all of the above provisions in any and all agreements with Subcontractors;
- (e) further, to preserve all such records relating to sales tax payments for a period of three (3) years, or for such longer period as may be required by law, after the final payment.

10. Material Safety Data Sheets

The Pennsylvania "Worker and Community Right to Know Act" requires employers to have available Material Safety Data Sheets (MSDS's) for all substances and mixtures that are found in the work place. Therefore, the School District, as a condition of doing business, requires MSDS's to accompany all incoming products or supplies that are subject to the referred act (Act 159), including bid samples. Failure to properly label each individual product and the carton, container, or package in which the product is shipped shall result in the rejection of the shipment.

11. Damages

Any damage caused by the execution of this contract shall be paid for by the bidder. Any cleaning required or repairs made necessary by such damage shall be determined by the School District and corrected according to the applicable regulations. Necessary clean up will be at the School District's discretion and will be undertaken by the District. Any and all costs will be billed to and paid for by the bidder.

12. Compliance

In compliance with the Act of Assembly, the bidder further covenants, and agrees to accept, insofar as the work covered by this contract in Pennsylvania is concerned, the provisions of the Worker's Compensation Act of 1951, and any supplements thereto, which may have been or may hereafter be passed. Further, the bidder will comply with the Pennsylvania School Code, including Act 24, Act 34, Criminal History Background Check; Act 151, Child Abuse Clearance; and Act 159, the Employee Right to Know Law.

GENERAL BID REQUIREMENTS

APPENDIX A

1. PERFORMANCE AND LABOR AND MATERIAL PAYMENT BONDS:

- A. The contractor shall provide a performance bond and a labor and material payment bond, each in the amount of 100% of the contract price, before the award of the contract. (Section 756 and 757 of the Public School Code of 1949, as amended, and Public Works Contractors Bond Law of 1967).
- B. The following bonds shall become binding upon awarding of the contract to the Contractor:
 1. A Performance Bond at 100% of the contract amount, conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions of the Agreement. Such bond shall be solely for the protection of the School District.
 2. A Labor and Material Payment Bond at 100% of the contract amount. Such bond shall be solely for the protection of claimants supplying labor or materials to the Contractor or to any of his subcontractors, in the prosecution of the work provided for in this Agreement and shall be conditioned for the prompt payment of all such material furnished or labor supplied or performed in the prosecution of the work. "Labor or Materials" shall include public utility services and reasonable rentals of equipment, but only for periods when the equipment rented is actually used at the site.

The above-required bonds shall be executed by one or more surety companies legally authorized to do business in the Commonwealth of Pennsylvania on forms provided by the school district. The bonds shall be payable to the school district, and shall be filed with the school district.

2. DISCRIMINATION PROHIBITED:

According to 62 Pa.C.S.A.^d 3701, the contractor agrees that:

- A. In the hiring of employees for the performance of work under the contract or any subcontract, no contractor, subcontractor or any person acting on behalf of the contractor or subcontractor shall by reason of gender, race, creed or color discriminate against any citizen of this Commonwealth who is qualified and available to perform the work to which the employment relates.
- B. No contractor or subcontractor or any person on their behalf shall in any manner discriminate against or intimidate any employee hired for the performance of work under the contract on account of gender, race, creed or color.
- C. The contract may be canceled or terminated by the government agency, and all money due or to become due under the contract may be forfeited for a violation of the terms or conditions of that portion of the contract.

3. HUMAN RELATIONS ACT:

- A. The provisions of the Pennsylvania Human Relations Act, Act 222 of October 27, 1955 (P.L. 744) (43 P.S. Section 951, et. seq.) of the Commonwealth of Pennsylvania prohibit discrimination because of race, color, religious creed, ancestry, age, sex, national origin, handicap or disability, by employers, employment agencies, labor organizations, contractors and others. The contractor shall agree to comply with the provisions of this Act, as amended, that are made part of this specification. Your attention is directed to the language of the Commonwealth's non-discrimination clause in 16 PA. Code 49.101.

4. CONTRACTS TO REQUIRE COMPETENT WORKMEN:

- A. According to Section 752 of the Public School Code of 1949, no person shall be employed to do work under such contract except competent and first-class workmen and mechanics. No workmen shall be regarded as competent first-class, within the meaning of this Act, except those who are duly skilled in their respective branches of labor, and who shall be paid not less than such rates of wages and for such hours work as shall be established and current rates of wages paid for such hours by employers of organized labor in doing of similar work in the district where this work is being done.

5. WORKMEN'S COMPENSATION ACT:

- A. The Contractor shall accept, insofar as the work covered by the Agreement is concerned, the provisions of the Pennsylvania Workmen's Compensation Act of 1915, and any supplements or amendments thereof, including any which may hereafter be passed, and shall insure his liability there under, or file with the Owner a certificate of exemption from insurance from the Bureau of Workmen's Compensation of the Department of Labor and Industry.
- B. The Contractor Shall at all times indemnify and save harmless the Owner of and from all claims for Workmen's Compensation which may be made by any of the employees of the Contractor of any Subcontractor to whom the Contractor may have let the performance of any part of the work embraced in the Agreement and the Contractor will appear for and defend the Owner against any and all such claims.

6. PROHIBITION ON CASH ALLOWANCES:

- A. Cash allowances are prohibited.

7. STANDARD OF QUALITY:

- A. The various materials and products specified in the specifications by name or description are given to establish a standard of quality and of cost for bid purposes. It is not the intent to limit the bidder, the bid or the evaluation of the bid to any one material or product specified but rather to describe the minimum standard. When proprietary names are used, they shall be followed by the words "or alternatives of the quality necessary to meet the specifications". A bid containing an alternative, which does not meet the specifications, may be declared non-responsive. A bid containing an alternative may be accepted but if an award is made to that bidder the bidder will be required to replace any alternatives, which do not meet the specifications.

8. PROVISION FOR THE USE OF STEEL AND STEEL PRODUCTS MADE IN THE U.S.:

- A. In accordance with Act 3 of the 1978 General Assembly of the Commonwealth of Pennsylvania, if any steel or steel products are to be used or supplied in the performance of the contract, only those produced in the United States as defined therein shall be used or supplied in the performance of the contract or any subcontracts thereunder. In accordance with Act 161 of 1982, cast iron products shall also be included and produced in the United States. Act 141 of 1984 further defines "steel products" to include machinery and equipment. The act also provides clarifications and penalties.

9. PENNSYLVANIA PREVAILING WAGE RATES AND REQUIREMENTS:

- A. This regulation and the general Pennsylvania prevailing minimum wage rates, (Act 442 of 1961, P.L. 987, amended), as determined by the Secretary of Labor and Industry, which shall be paid for each craft or classification of all workers needed to perform the contract during the anticipated term therefore in the locality in which public work is performed, are made part of this specification, if applicable.

10. APPENDIX II TO PART 200-CONTRACT PROVISIONS FOR NON-FEDERAL ENTITY CONTRACTS UNDER FEDERAL AWARDS/FUNDING:

In addition to other provisions required by the Federal agency or non-Federal entity, all contracts made by the non-Federal entity under the Federal award must contain provisions covering the following, as applicable.

- A. Contracts for more than the simplified acquisition threshold, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate.
- B. All contracts in excess of \$10,000 must address termination for cause and for convenience by the non-Federal entity including the manner by which it will be effected and the basis for settlement.
- C. Equal Employment Opportunity. Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."
- D. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). When required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.
- E. Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the

basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

- F. Rights to Inventions Made Under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR § 401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.
- G. Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended—Contracts and subgrants of amounts in excess of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).
- H. Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the governmentwide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.
- I. Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.
- J. See § 200.323.
- K. See § 200.216.

NON-COLLUSION AFFIDAVIT

State of _____ : Contract/Bid No. _____

County of _____ :s.s

I state that I am _____ of _____
(Title) (Firm)

and that I am authorized to make this affidavit on behalf of my firm, and its owners, directors, and officers. I am the person responsible in my firm for the price(s) and the amount of this bid.

- (1) The price(s) and amount of this bid have been arrived at independently and without consultation, communication or agreement with any other contractor, bidder or potential bidder.
- (2) Neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor approximate amount of this bid, have been disclosed to any other firm or person who is a bidder or potential bidder, and they will not be disclosed before bid opening.
- (3) No attempt has been made or will be made to induce any firm or person to refrain from bidding on this contract, or to submit a bid higher than this bid, or to submit any intentional high or non competitive bid or other form of complementary bid.
- (4) The bid of my firm is made in good faith and not pursuant to any agreement or discussion with, or inducement from any firm or person to submit a complementary or other noncompetitive bid.
- (5) _____, its affiliates, subsidiaries, officers, directors
(Name of my firm)
and employees are not currently under investigation by any governmental agency and have not in the past four (4) years been convicted or found liable for any act prohibited by State or Federal law in any jurisdiction, involving conspiracy or collusion with respect to bidding on any public contract, except as follows:

I state that _____ understands and acknowledges that the
(Name of my firm)

above representations are material and important, and will be relied on by BIG SPRING SCHOOL DISTRICT in awarding the contract(s) for which this bid is submitted. I understand and my firm understands that any misstatement in this affidavit is and shall be treated as fraudulent concealment from BIG SPRING SCHOOL DISTRICT of the true facts relating to the submission of bids for this contract.

Sworn to and subscribed before me
this _____ day of _____,
in the year _____.

(Name and Company Position)

(Notary Public)

My Commission Expires:

INSTRUCTIONS FOR NON-COLLUSION AFFIDAVIT

1. This Non-Collusion Affidavit is material to any contract awarded pursuant to this bid. According to the Pennsylvania Anti Bid Rigging Act, 73 P.S. 1611 et. seq., governmental agencies may require Non-Collusion Affidavits to be submitted together with bids.
2. This Non-Collusion Affidavit must be executed by the member, officer, or employee of the bidder who makes the final decision on the prices and the amount quoted in the bid.
3. Bid-rigging and other efforts to restrain competition, and the making of false sworn statements in connection with the submission of bids, are unlawful and may be subject to criminal prosecution. The person who signs the Affidavit should examine it carefully before signing and assure himself or herself that each statement is true and accurate, making diligent inquiry, as necessary, of all other persons employed by or associated with the bidder with responsibilities for the preparation, approval, or submission of the bid.
4. In the case of a bid submitted by a joint venture, each party to the venture must be identified in the bid documents, and an Affidavit must be submitted separately on behalf of each party.
5. The term “complimentary bid” as used in the Affidavit has the meaning commonly associated with that term in the bidding process, and includes the knowing submission of bids higher than the bid of another firm, any intentionally high or noncompetitive bid, and any other form of bid submitted for the purpose of giving a false appearance of competition.
6. Failure to file an Affidavit in compliance with these instructions will result in disqualification of the bid.

BID FORM

Big Spring School District
Administration Building
45 Mount Rock Road
Newville, PA 17241

Dishwasher Replacement for the Middle School and Oak Flat Elementary Kitchens at Big Spring School District.

<u>Building</u>	<u>Base Bid</u>
Middle School	\$
Oak Flat Elementary	\$

Signed (Name and Title)

Company Name

Address

Telephone Number

Fax Number

Date

An authorized official of the Bidder's Company must sign this Bid Form. Deliver this in a **sealed** envelope marked:

"Sealed Bid for Dishwasher Replacements – MS & OF"

Bids should be addressed to Cristy Lentz, Business Manager, Big Spring School District, Administration Building, 45 Mount Rock Road, Newville, PA 17241.

Specifications for Dishwasher Replacements for

Big Spring School District

45 Mount Rock Road, Newville, PA 17241

1. Scope of work

- a. Supply two commercial/industrial dishwashers, one for our Middle School Kitchen and one for Oak Flat Elementary School Kitchen
- b. Remove and dispose of two existing dishwashers.
- c. Deliver, uncrate, assemble, set in place in existing location on the ground level, and installation with start-up for two dishwashers and booster heater at an agreed upon date and time with the District's Food Service Manager at the following locations:
 - i. One at Big Spring Middle School, 43 Mount Rock Road, Newville, PA 17241
 - ii. One at our Oak Flat Elementary School, 334 Centerville Road, Newville, PA 17241
- d. Installation for dishwasher at Middle School includes, if necessary, modifications on site to the existing soil table to shorten the table, new stainless steel pantleg dishwasher exhaust ductwork from top of new dishwasher to adjoin existing duct at top of ceiling, remove existing stainless steel wall cabinet located to the left of the current machine, and any other identified reasonable modifications during the installation process.
- e. Installation for dishwasher at Oak Flat Elementary School includes, if necessary, modifications on site to the existing soil table beyond the previous weld seam and install a new L-shaped dish table section approximately 7'x30", new L shaped table will accommodate new dishwasher with side loader. Custom stainless work to provide new stainless pantleg dishwasher exhaust ductwork from top of new dishwasher to adjoin existing exhaust duct at the ceiling, any other identified reasonable modifications during the installation process.
- f. Provide new stainless steel wall flashing for existing clean side dish table, and
- g. District will contact chemical company to have lines and equipment rerun to the new machine.

2. Specifications

a. Dishwasher CONVEYOR TYPE- Middle School

- i. Hobart Model No. NS_10348230
Conveyor Dishwasher, single tank with power scrapper; (202) racks/hour, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, pumped

- rinse, insulated hinged doors, cULus, NSF, ENERGY STAR®, Factory Startup - Free for installations.
- ii. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
 - iii. Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA.
 - iv. 480v/60/3-ph
Single point connection standard (field convertible to dual point)
 - v. Standard Height 19.5"H x 22" W opening, fits full-sized sheet pan, horizontal.
 - vi. Electric tank heat 15kW
 - vii. With 18 kW Booster (default)
 - viii. Right to Left Operation
 - ix. NOTE: For water of 3-grains of hardness or more, suggests adding a water softener.
 - x. Drain water tempering kit for CL models.
 - xi. Installation of DWT kit only (NET)
 - xii. NS_HOBVNTHDEADJ E-series vent hood domestic (adjustable)
 - xiii. Table limit switch for CL & CLEN series
 - xiv. Standard Feet
 - xv. Stainless steel construction
 - xvi. 90 gallons per hour pumped final rinse.
 - xvii. 202 racks per hour
 - xviii. 22" power scraper
 - xix. ENERGY STAR® Certified
 - xx. Complete Delime™ with Delime Notification, Auto Dispensing and Booster Guard™
 - xxi. Internal atmospheric stainless steel, pre-wired and pre-plumbed 18kW booster heater for 110-degree incoming water (field convertible to 12kW for 140-degree incoming water).
 - xxii. — Single point electrical connection standard
 - xxiii. Capless, anti-clogging arms
 - xxiv. Large double door opening for ease of cleaning. Double-wall insulated hinged doors.
 - xxv. 19.5" chamber height opening (accepts sheet pans)
Doors are insulated & hinged with door interlock switches.
 - xxvi. User-friendly smart touchscreen controls with diagnostics & troubleshooting.
 - xxvii. Machine to include 22" prewash chamber with a 2 HP prewash pump motor with inherent overload protection and manual reset located on the motor.
 - xxviii. Factory-installed Drain Water Tempering kit will be provided.

- xxix. Equipped with anti-jam protection, including an electronic sensor to monitor the conveyor drive output RPM. In case of RPM change, the machine should shut off automatically.
- xxx. Dual side pawl conveyor driven by a 1/6 HP motor to ensure simultaneous and even rack movement.
- xxxii. Dish Racks
- xxxiii. Wi-Fi connectivity
- xxxiv. SmartConnect app and cloud with machine status, temperature logs, error code reporting, cost, consumption, and usage analysis
- xxxv. Energy saver mode (programmable auto-shut down)
- xxxvi. NSF rated configurable pot and pan cycle.
- xxxvii. Self-aligning wash manifolds
- xxxviii. Stainless steel self-draining pump and impeller
- xxxix. Sloping scrap screens and deep scrap baskets
 - xl. Rapid return conveyor drive mechanism
 - xli. Service diagnostics
 - xlii. Door actuated drain closure
 - xliii. Vent fan control.
 - xliv. Warranty – Warrantied to the original purchaser to be free from defects in material or workmanship, under normal use for 1 year from date of purchase. Additional one-year on parts & labor for a total of two years.

b. Dishwasher – Oak Flat Elementary – CONVEYOR TYPE

- i. HOBART Model No. NS_10347479
Conveyor Dishwasher, single tank, (202) racks/hour, insulated. hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Factory Startup - Free for installation.
- ii. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. Consult factory.
- iii. Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA.
- iv. 4 80v/60/3-ph
Single point connection standard (field convertible to dual point)
- v. Standard Height 19.5"H x 22" W opening, fits full-sized sheet pan, horizontal.
- vi. Electric tank heat 15kW
- vii. Water Softening System.

- viii. NS_HOBVNTHDEADJ E-series vent hood domestic (adjustable)
- ix. E-series extended hood (adjustable)
- x. NS_10283100 Rack, 6 sheet pans
- xi. Standard Feet
- xii. Tank and chamber construction of #16-gauge stainless steel.
- xiii. Warranty – Warrantied to the original purchaser to be free from defects in material or workmanship, under normal use for 1 year from date of purchase. Additional one-year on parts & labor for a total of two years.
- xiv. Internal, atmospheric stainless steel, pre-wired and pre-plumbed 18kW booster heater for 110-degree incoming water. (field convertible to 12kW for 140-degree incoming water.
- xv. Left to right operation
- xvi. Double-wall insulated hinged doors.
- xvii. Factory-installed Drian Water Tempering kit will be provided.
- xviii. Equipped with anti-jam protection, including an electronic sensor to monitor the conveyor drive output RPM. In case of RPM change, the machine should shut off automatically.
- xix. Dual side pawl conveyor driven by a 1/6 HP motor to ensure simultaneous and even rack movement.
- xx. 2 HP wash pump motor with inherent overload protection and manual reset.
- xxi. Dish Racks.

Please note, the clean table filler piece with sink will need to be provided and manage the installation

- xxii. The vendor must supply and install custom metal work designed to integrate a pre-rinse sink into the dishwasher system layout. This custom fabrication must be constructed of durable, commercial-grade stainless steel suitable for high-volume food service operations and compliant with all applicable health department and sanitation standards.
- xxiii. The custom metal work must include a properly sized sink basin positioned to allow staff to efficiently pre-rinse dishes, trays, and utensils prior to entering the dishwasher. The sink must be seamlessly integrated with the dish table and dishwasher workflow to ensure smooth operation and to prevent water pooling or debris buildup.
- xxiv. The vendor must also provide and install a commercial-grade faucet equipped with a high-pressure pre-rinse sprayer suitable for removing food debris from dishes before they enter the dishwasher. The sprayer assembly must include a flexible hose, wall or deck

mounting hardware, and a hold-down ring or hook to secure the sprayer when not in use. Water supply connections must be compatible with existing plumbing infrastructure or include any necessary adapters. All fabrication, installation, and connections must be completed by qualified professionals. The vendor is responsible for ensuring the installation meets all local plumbing codes, health department requirements, and manufacturer specifications. The finished installation must provide a safe, efficient, and easy-to-clean workspace for dish room staff.

- xxv. Any additional hardware, mounting components, brackets, or fittings required to complete the installation must be included in the vendor's bid. The vendor must ensure that the final configuration integrates properly with the dishwasher system and existing dish room layout to support efficient dishwashing operations.

STANDARD FEATURES

- *90 gallons per hour pumped final rinse.
- *202 racks per hour
- *ENERGY STARR Certified
- *Complete Delime™ with Delime Notification, Auto Dispensing and Booster Guard™
- *Internal stainless-steel pressure-less 18 kW booster heater (70°F rise)
- *Single point electrical connection standard
- *Capless, anti-clogging wash arms
- *Self-aligning wash manifolds
- *Large double door opening for ease of cleaning.
- *19.5" chamber height opening (accepts sheet pans)
- *Doors are insulated & hinged with door interlock switches.
- *User-friendly smart touchscreen controls with diagnostics & troubleshooting
- *Wi-Fi connectivity
- *SmartConnect app with machine status, temperature logs, error code reporting, cost, consumption, and usage analysis
- *Energy saver mode (programmable auto-shut down)
- *NSF rated configurable pot and pan cycle.
- *Stainless steel self-draining pump and impeller
- *Single, sloping scrap screen and deep scrap basket.
- *Rapid return conveyor drive mechanism
- *Service diagnostics
- *Door actuated drain closure
- *Vent fan control.

SERVICES: INSTALLATION / TRAINING SERVICES

Statement of Work:

Supply and install vent transitions to accommodate smaller machines. All work is below ceiling height. Ability to field weld 20x20 sinks with rails in place but sink and table need to be provided by others to make up for shorter machine. Downsize the 60 amp service to a 50 amp fused disconnect.

Included:

New equipment must match the location's current specifications: electrical, gas lines, plumbing/drains, and venting

Installations completed during normal business hours. Monday – Friday;
8:00am – 5:00pm

Receipt of equipment at local installer's office or delivery to customer's facility at a pre-scheduled time

Final hookups (within 5 feet) to existing utilities

Validation equipment is working properly upon completion of installation

Specifications for Dishwasher Replacements for

Big Spring School District

45 Mount Rock Road, Newville, PA 17241

1. Scope of work

- a. Supply two commercial/industrial dishwashers, one for our Middle School Kitchen and one for Oak Flat Elementary School Kitchen
- b. Remove and dispose of two existing dishwashers.
- c. Deliver, uncrate, assemble, set in place in existing location on the ground level, and installation with start-up for two dishwashers and booster heater at an agreed upon date and time with the District's Food Service Manager at the following locations:
 - i. One at Big Spring Middle School, 43 Mount Rock Road, Newville, PA 17241
 - ii. One at our Oak Flat Elementary School, 334 Centerville Road, Newville, PA 17241
- d. Installation for dishwasher at Middle School includes, if necessary, modifications on site to the existing soil table to shorten the table, new stainless steel pantleg dishwasher exhaust ductwork from top of new dishwasher to adjoin existing duct at top of ceiling, remove existing stainless steel wall cabinet located to the left of the current machine, and any other identified reasonable modifications during the installation process.
- e. Installation for dishwasher at Oak Flat Elementary School includes, if necessary, modifications on site to the existing soil table beyond the previous weld seam and install a new L-shaped dish table section approximately 7'x30", new L shaped table will accommodate new dishwasher with side loader. Custom stainless work to provide new stainless pantleg dishwasher exhaust ductwork from top of new dishwasher to adjoin existing exhaust duct at the ceiling, any other identified reasonable modifications during the installation process.
- f. Provide new stainless steel wall flashing for existing clean side dish table, and
- g. District will contact chemical company to have lines and equipment rerun to the new machine.

2. Specifications

a. Dishwasher CONVEYOR TYPE- Middle School

- i. Hobart Model No. NS_10348230
Conveyor Dishwasher, single tank with power scrapper; (202) racks/hour, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, pumped

- rinse, insulated hinged doors, cULus, NSF, ENERGY STAR®, Factory Startup - Free for installations.
- ii. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
 - iii. Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA.
 - iv. 480v/60/3-ph
Single point connection standard (field convertible to dual point)
 - v. Standard Height 19.5"H x 22" W opening, fits full-sized sheet pan, horizontal.
 - vi. Electric tank heat 15kW
 - vii. With 18 kW Booster (default)
 - viii. Right to Left Operation
 - ix. NOTE: For water of 3-grains of hardness or more, suggests adding a water softener.
 - x. Drain water tempering kit for CL models.
 - xi. Installation of DWT kit only (NET)
 - xii. NS_HOBVNTHDEADJ E-series vent hood domestic (adjustable)
 - xiii. Table limit switch for CL & CLEN series
 - xiv. Standard Feet
 - xv. Stainless steel construction
 - xvi. 90 gallons per hour pumped final rinse.
 - xvii. 202 racks per hour
 - xviii. 22" power scraper
 - xix. ENERGY STAR® Certified
 - xx. Complete Delime™ with Delime Notification, Auto Dispensing and Booster Guard™
 - xxi. Internal atmospheric stainless steel, pre-wired and pre-plumbed 18kW booster heater for 110-degree incoming water (field convertible to 12kW for 140-degree incoming water).
 - xxii. — Single point electrical connection standard
 - xxiii. Capless, anti-clogging arms
 - xxiv. Large double door opening for ease of cleaning. Double-wall insulated hinged doors.
 - xxv. 19.5" chamber height opening (accepts sheet pans)
Doors are insulated & hinged with door interlock switches.
 - xxvi. User-friendly smart touchscreen controls with diagnostics & troubleshooting.
 - xxvii. Machine to include 22" prewash chamber with a 2 HP prewash pump motor with inherent overload protection and manual reset located on the motor.
 - xxviii. Factory-installed Drain Water Tempering kit will be provided.

- xxix. Equipped with anti-jam protection, including an electronic sensor to monitor the conveyor drive output RPM. In case of RPM change, the machine should shut off automatically.
- xxx. Dual side pawl conveyor driven by a 1/6 HP motor to ensure simultaneous and even rack movement.
- xxxii. Dish Racks
- xxxiii. Wi-Fi connectivity
- xxxiv. SmartConnect app and cloud with machine status, temperature logs, error code reporting, cost, consumption, and usage analysis
- xxxv. Energy saver mode (programmable auto-shut down)
- xxxvi. NSF rated configurable pot and pan cycle.
- xxxvii. Self-aligning wash manifolds
- xxxviii. Stainless steel self-draining pump and impeller
- xxxix. Sloping scrap screens and deep scrap baskets
 - xl. Rapid return conveyor drive mechanism
 - xli. Service diagnostics
 - xlii. Door actuated drain closure
 - xliii. Vent fan control.
 - xliv. Warranty – Warrantied to the original purchaser to be free from defects in material or workmanship, under normal use for 1 year from date of purchase. Additional one-year on parts & labor for a total of two years.

b. Dishwasher – Oak Flat Elementary – CONVEYOR TYPE

- i. HOBART Model No. NS_10347479
Conveyor Dishwasher, single tank, (202) racks/hour, insulated. hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Factory Startup - Free for installation.
- ii. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. Consult factory.
- iii. Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA.
- iv. 4 80v/60/3-ph
Single point connection standard (field convertible to dual point)
- v. Standard Height 19.5"H x 22" W opening, fits full-sized sheet pan, horizontal.
- vi. Electric tank heat 15kW
- vii. Water Softening System.

- viii. NS_HOBVNTHDEADJ E-series vent hood domestic (adjustable)
- ix. E-series extended hood (adjustable)
- x. NS_10283100 Rack, 6 sheet pans
- xi. Standard Feet
- xii. Tank and chamber construction of #16-gauge stainless steel.
- xiii. Warranty – Warrantied to the original purchaser to be free from defects in material or workmanship, under normal use for 1 year from date of purchase. Additional one-year on parts & labor for a total of two years.
- xiv. Internal, atmospheric stainless steel, pre-wired and pre-plumbed 18kW booster heater for 110-degree incoming water. (field convertible to 12kW for 140-degree incoming water.
- xv. Left to right operation
- xvi. Double-wall insulated hinged doors.
- xvii. Factory-installed Drian Water Tempering kit will be provided.
- xxviii. Equipped with anti-jam protection, including an electronic sensor to monitor the conveyor drive output RPM. In case of RPM change, the machine should shut off automatically.
- xix. Dual side pawl conveyor driven by a 1/6 HP motor to ensure simultaneous and even rack movement.
- xx. 2 HP wash pump motor with inherent overload protection and manual reset.
- xxi. Dish Racks.

Please note, the clean table filler piece with sink will need to be provided and manage the installation

- xxii. The vendor must supply and install custom metal work designed to integrate a pre-rinse sink into the dishwasher system layout. This custom fabrication must be constructed of durable, commercial-grade stainless steel suitable for high-volume food service operations and compliant with all applicable health department and sanitation standards.
- xxiii. The custom metal work must include a properly sized sink basin positioned to allow staff to efficiently pre-rinse dishes, trays, and utensils prior to entering the dishwasher. The sink must be seamlessly integrated with the dish table and dishwasher workflow to ensure smooth operation and to prevent water pooling or debris buildup.
- xxiv. The vendor must also provide and install a commercial-grade faucet equipped with a high-pressure pre-rinse sprayer suitable for removing food debris from dishes before they enter the dishwasher. The sprayer assembly must include a flexible hose, wall or deck

mounting hardware, and a hold-down ring or hook to secure the sprayer when not in use. Water supply connections must be compatible with existing plumbing infrastructure or include any necessary adapters. All fabrication, installation, and connections must be completed by qualified professionals. The vendor is responsible for ensuring the installation meets all local plumbing codes, health department requirements, and manufacturer specifications. The finished installation must provide a safe, efficient, and easy-to-clean workspace for dish room staff.

- xxv. Any additional hardware, mounting components, brackets, or fittings required to complete the installation must be included in the vendor's bid. The vendor must ensure that the final configuration integrates properly with the dishwasher system and existing dish room layout to support efficient dishwashing operations.

STANDARD FEATURES

- *90 gallons per hour pumped final rinse.
- *202 racks per hour
- *ENERGY STARR Certified
- *Complete Delime™ with Delime Notification, Auto Dispensing and Booster Guard™
- *Internal stainless-steel pressure-less 18 kW booster heater (70°F rise)
- *Single point electrical connection standard
- *Capless, anti-clogging wash arms
- *Self-aligning wash manifolds
- *Large double door opening for ease of cleaning.
- *19.5" chamber height opening (accepts sheet pans)
- *Doors are insulated & hinged with door interlock switches.
- *User-friendly smart touchscreen controls with diagnostics & troubleshooting
- *Wi-Fi connectivity
- *SmartConnect app with machine status, temperature logs, error code reporting, cost, consumption, and usage analysis
- *Energy saver mode (programmable auto-shut down)
- *NSF rated configurable pot and pan cycle.
- *Stainless steel self-draining pump and impeller
- *Single, sloping scrap screen and deep scrap basket.
- *Rapid return conveyor drive mechanism
- *Service diagnostics
- *Door actuated drain closure
- *Vent fan control.

SERVICES: INSTALLATION / TRAINING SERVICES

Statement of Work:

Supply and install vent transitions to accommodate smaller machines. All work is below ceiling height. Ability to field weld 20x20 sinks with rails in place but sink and table need to be provided by others to make up for shorter machine. Downsize the 60 amp service to a 50 amp fused disconnect.

Included:

New equipment must match the location's current specifications: electrical, gas lines, plumbing/drains, and venting

Installations completed during normal business hours. Monday – Friday;
8:00am – 5:00pm

Receipt of equipment at local installer's office or delivery to customer's facility at a pre-scheduled time

Final hookups (within 5 feet) to existing utilities

Validation equipment is working properly upon completion of installation