

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

REQUEST FOR BID REQUEST FOR BID

Edwardsville CUSD No. 7 will receive sealed bids for **SY 25-26 EQUIPMENT BID FOR SCHOOL NUTRITION SERVICES** until 10:00 A.M., Monday, April 13, 2026. Bids will be publicly opened at the Hadley House-708 St. Louis Street, Edwardsville, IL at that time.

Bid documents for the above referenced items are available online at <https://www.ecusd7.org/district/public-documents> . Interested parties may also contact the Nutrition Office at 618-655-6050.

No submitted bids may be withdrawn for a period of sixty (60) days after the scheduled closing time of the receipt of bids. All bids shall be signed, sealed and addressed to Breanna Gordon, Director of Nutrition, Edwardsville CUSD No.7, 708 St. Louis Street-P.O. Box 250, Edwardsville, IL 62025 and marked on the outside of the envelope as "**SY 25-26 EQUIPMENT BID FOR SCHOOL NUTRITION SERVICES**".

The Board of Education reserves the right to accept or reject any or all bids, parts of bids, or waive any informality in the bidding process.

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

REQUEST FOR BID

THIS FORM MUST BE COMPLETED AND SIGNED FOR YOUR BID TO BE CONSIDERED VALID.

Address to: Breanna Gordon
Director of Nutrition
Edwardsville CUSD No.7
708 St. Louis Street-P.O. Box 250
Edwardsville, IL 62025
Phone (618) 656-1182

Date Issued: 03/30/2026

This sealed bid in the original copy, subject to the terms and conditions on the attachment, will be received until 10:00 A.M., Monday, April 13, 2026. at which time it will be publicly opened at the Hadley House, 708 St. Louis Street, Edwardsville, IL.

IN THE LOWER LEFT CORNER OF YOUR ENVELOPE ADDRESSED TO ABOVE, MARK YOUR ENVELOPE " **SY 25-26 EQUIPMENT BID FOR SCHOOL NUTRITION SERVICES** " AND DATE OF THE BID OPENING.

READ TERMS AND CONDITIONS BEFORE COMPLETING THIS FORM

Item	Quantity	Description	Unit Price	Total Price
PROVIDE PRICING ON THE ATTACHED FORM FOR ALL EQUIPMENT ITEMS. COMPLETE AND SIGN THIS FORM AS WELL AS ALL "BID FORMS" ATTACHED.				

In compliance with this Request for Bid and subject to all conditions thereof, the undersigned agrees, if this bid is accepted within 60 days from the date of the opening, to furnish all of the material/service upon which prices are quoted, delivered at the designated point(s) within the time specified.

- (A) Terms: Net 30 Days
(B) Delivery/Job completion within 45 days after notification.
(C) Specification/Letter of explanation enclosed: YES () NO ()

Handwritten Signature of Authorized Representative, Title

Name of Firm

Date

THIS FORM MUST BE SIGNED TO BE CONSIDERED COMPLETE

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

BID PREPARATION

All bids shall be in accordance with the instructions to bidders and specifications as attached. Specifications are intended to be open and non-restrictive. All appropriate areas of the bid document must be completed in ink or typewritten.

Should a bidder find discrepancies or omissions from the bidding document or be in doubt as to their meaning, they shall submit requests for clarification or questions to Breanna Gordon, Director of Nutrition, by Monday, April 13, 2026. via email (bgordon@ecusd7.org). All clarifications and answers will be in the form of an addendum and posted online by Wednesday, April 8, 2026.

It shall be the sole responsibility of the bidder to make certain that all bids in proper form are submitted prior to the bid opening deadline shown above to the Edwardsville CUSD No. 7. Item cost must include delivery to schools, installation, and removal of old equipment as described in the attached specifications.

The bid documents must be filled out and signed where appropriate. All original forms must be signed by a person with authority to bind the bid. The Bid must be sealed in an envelope that is labeled according to the directions stated below. Mark bid as follows:

BID: SY 25-26 EQUIPMENT BID FOR SCHOOL NUTRITION SERVICES

ATTENTION: Breanna Gordon – Director of Nutrition
Edwardsville CUSD No.7

The bid must then be mailed or delivered to the following address:

708 St. Louis Street-P.O. Box 250
Edwardsville, IL 62025

DELIVERY: Delivery and installation to be per the attached specifications.

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

TERMS AND CONDITIONS

1. Bids must be submitted on this form only and bear the handwritten signature of an authorized representative of the firm to be considered valid. Each bid will be placed in a separate envelope. Be sure the envelope is completely and properly identified and sealed. No telephone bid(s) will be accepted. No email bid(s) will be accepted. Unless otherwise stated, no bidder may withdraw their bid within a period of sixty (60) days after the date set for the reply date.
2. If prices are quoted FOB Edwardsville IL., delivery to Edwardsville CUSD No. 7 locations shall be without additional charge.
3. Failure to examine any drawings, specifications, and instructions will be a bidder's risk. If bidder is in doubt as to the true meaning of any part of the drawings, specifications and instructions or other documents, they should submit a written request for an interpretation to the Chief Financial Officer. An interpretation of the documents will be made only by addendum issued by Chief Financial Officer to each firm to whom a request for bid was forwarded. Edwardsville CUSD No. 7 will not be responsible for explanations or interpretations of the bid document except as issued in accordance herewith.
4. Where a brand or trade name appears in the specifications, it is understood that the brand or trade name referred to, or its equivalent, shall be furnished. If no mention is made of any exceptions, it is assumed that bidder is bidding on the article mentioned and not an equivalent.
5. The bidder is requested to attach brochure-type information on the supplies furnished. All guarantees and warranties should be clearly stated.
6. Edwardsville CUSD No. 7 is exempted from Federal excise taxes and state and local sales taxes and bidders must quote prices which do not include such taxes. An exemption certificate will be furnished upon request.
7. Bids and modifications or corrections thereof received after the closing time specified will not be considered. Edwardsville CUSD No. 7 is not responsible for delays in delivery by mail, courier, etc.
8. Any exceptions to these terms and conditions or deviations from written specifications will be shown in writing and attached to the bid form.
9. Any alteration, erasure, addition to or omission of requested information or change of the specifications and bidding schedule is made at the risk of the bidder and may result in the rejection of the bid, unless such changes are authorized by the specifications.
10. In the event cash discounts are offered by the bidder, the discount date shall begin with the date of the invoice or the date of receipt of all material covered by the order/contract, whichever is the later date.
11. Charges for boxing or cartage will not be allowed unless previously agreed upon.
12. Default in promised delivery and failure to comply with specifications authorizes Edwardsville CUSD No. 7 to purchase supplies elsewhere and charge the difference to defaulting Vendor.
13. In case of error or discrepancy in the mathematics of the bid price, the unit prices shall prevail.
14. Contracts and purchases will be made or entered into with the lowest, responsible, compliant bidder meeting specifications for the particular grade or class of material, work or service desired in the best interest of Edwardsville CUSD No. 7. Responsible bidder is defined as a bidder whose reputation, past performance, and business and financial capabilities are such that they would be judged to be capable of satisfying the needs for a specific contract or purchase order.

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

Terms and Conditions (page 2)

15. Edwardsville CUSD No. 7 reserves the right to determine the low bidder either on the basis of the individual items or on the basis of all items included in its REQUEST FOR BID, unless otherwise expressly provided in the REQUEST FOR BID. Edwardsville CUSD No. 7 reserves the right to accept any item or group of items of any kind and to modify or cancel in whole or in part, its REQUEST FOR BID.

16. Edwardsville CUSD No. 7, in accordance with its governing directives, reserves the right to reject any and all bids, to waive any informality or irregularities in bids and unless otherwise specified by the bidder, to accept any item.

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid Specifications

BRAND NAMES: Bids are requested on brands specified or equivalent. Unit price bids are requested on products that are equal to or exceed the quality and performance of the brands and model numbers listed. References to the brand names, trade names, model numbers, or other descriptions peculiar to specific brand products are made to establish a required level of quality and functional capabilities, and are not intended to exclude other products of that level. Comparable products of other manufacturers will be considered if proof of comparability is sent with the bid. It is the responsibility of the bidders to furnish specifications, catalog pages, brochures, spreadsheet comparisons and other data that will provide an adequate basis for determining the quality and functional capabilities of the product offered.

REMOVAL OF EXISTING EQUIPMENT:

The Food Service Contractor shall be required to disconnect and remove existing equipment.

INSTALLATION

All pricing to include delivery, uncrating, setting in place and installation with all crating materials removed. New units are to be cleaned and ready for use. Installation does include all final hook ups. This is a "Turn Key" installation.

All equipment must be ready for use (including any and all accessories in place) **July 1, 2026.**

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

Goshen Elementary
101 District Drive
Edwardsville, Il. 62025

ITEM 1A - COMBI OVEN, ELECTRIC (2 REQ'D)

Alto-Shaam Model 7-20E PRO Dimensions: 37.81(h) x 43.75(w) x 46.19(d)

Prodigi™ Pro Combi Oven/Steamer, electric, boiler-free, countertop, capacity (7) 18" x 26" full size sheet or (16) 12" x 20" full size hotel pan (GN 1/1), Wi-Fi enabled control with steam/convection/combi cooking modes, removable "T" style temperature probe, (2) power levels, programmable cool-down, SafeVent™ steam venting, (5) cleaning levels, triple-pane door, high efficiency LED lighting, (2) side racks with (8) non-tilt support rails, (4) shelves, door hinged right, stainless steel construction, adjustable stainless steel legs, EcoSmart®, cULus, UL EPH Classified, CE, IPX5, EAC, city-wide COA for New York City, ENERGY STAR®

- 2 ea NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section
- 2 ea 12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)
- 2 ea Alto-Shaam Certified Chef provides complimentary support and training on all Alto-Shaam combi ovens
- 2 ea It is the sole responsibility of the owner/operator/purchaser of this equipment to verify that the incoming water supply is comprehensively tested and, if required, provide a means of water treatment that would meet the compliance requirements with the manufacturers water quality standards published on the product spec sheet. Non-compliance with these minimum standards will potentially damage this equipment and/or components and VOID the original equipment manufacturers warranty
- 2 ea ECO
- 2 ea 208-240v/50/60/3-ph/45.7-52.7 amps, 16.4-21.9 kW, No cord or plug
- 2 kt Model 5021527 Installation Kit, for electric combi ovens, CPVC, rated up to 80.0 amps, per oven ((NET) NO FURTHER DISCOUNTS APPLY)
- 2 ea Note: Please refer to Installation Program brochure for kit contents
- 2 ea Wifi, standard
- 2 ea Stacked
- 2 ea Model 5037376 QT11+CR + FT-48710 Water Filter System for stacked combi or Converge ovens, (1) CTO-Q10 activated carbon cartridge, reduces chlorine & sediment, (1) CTOS-QCR catalytic carbon cartridge, reduces chloramine; (1) 3/4" fitting for additional oven FT-48710; outlet pressure gauge, water-shut off valve, bypass valve; 3/4" inlet, 3/4" outlet; NOTE: hardware for mounting to a wall and connection hoses are not included; ((NET) NO FURTHER DISCOUNTS APPLY)
- 2 ea NOTE: Factory Authorized Installation Program (above) MUST be selected for water filtration field install option to become available
- 2 ea Removable "T" style temperature probe, standard
- 2 ea Model CE-46991 Alto-Shaam, Concentrated Oven Cleaner, Quantity 50 tablets per container (75 gram tablet size). (Replaces CTP/CTC cleaner, CE-36354)
- 2 ea Model CE-27889 Scale Free™ deliming product, 4 lb. bottle, citrus-based, non-corrosive
- 2 ea 3 Additional shelves (SH-22584, for 6 total)
- 2 ea 3 Fry baskets for frying or steaming (BS-26730)
- 1 ea Model BS-26730 Fry Basket, 12" x 20"
- 1 ea Model 5016710 Stacking Hardware, 7-20E or 7-20G over 7-20E (non ventless hood application)
- 1 ea Model 5017391 Mobile Stacking Base, for 7-20 or 10-20 model ovens

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

ITEM 1B - DISHWASHER, CONVEYOR TYPE (1 REQ'D)

**Hobart Model CL44-BAS+BUILDUP Dimensions: 68.5(h) x 44.75(w) x 31.25(d)
Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack,
Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting,
and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®,
Factory Startup - Free for installations within 100 miles (accessible by public roadway) of a Hobart
Service Office during normal business hours with appropriate notice; Installation beyond 100
miles or those not accessible by public roadway will be quoted by Service.**

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.**
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA**
- 1 ea Model CL44BAS-ELE0CD 480v/60/3-ph**
- 1 ea Single point connection standard (field convertible to dual point)**
- 1 ea Model CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal**
- 1 ea Model CL44BAS-HTE15K Electric tank heat 15kW**
- 1 ea Model CL44BAS-ERH18K With 18 kW Booster (default)**
- 1 ea Model CL44BAS-DIR0RL Right to left operation**
- 1 ea Model CL-BDR0NO Without Blower Dryer**
- 1 ea Model WS80-NOINSTALL Water softening system 4,818 grains/lb capacity, 14 gallons regeneration volume, salt alarm, holds 2 bags of salt, pricing DOES NOT include installation. INSTALLATION BY AUTHORIZED HOBART SERVICE OFFICE IS RECOMMENDED (NET)**
- 1 ea Model DWT-CL Drain water tempering kit for CL models**
- 1 ea Model ACC-INSTALL-HOB Accessory Installation - For installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles locations in Alaska, Hawaii or New York City or those not accessible by public roadway will be quoted by Service. Includes installation of this item only, final electrical or plumbing connections by others. Recommendation: coordinate accessory installation with machine assembly/ installation (NET)**
- 2 ea Model VNTHD/E-ADJ E-series vent hood domestic (adjustable)**
- 1 ea Model CL44EN-BASFETSTD Standard feet**
- 2 ea Cambro Model OETR314151 Camrack® Open End Tray Rack, 19-3/4" x 19-3/4" x 4", used for trays 15" x 20" or larger, 3-1/4" max. height, soft gray, NSF, Made in USA**

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

ITEM 1ZZZ - INSTALLATION (1 REQ'D)

GOSHEN ELEMENTARY - Table Modifications

Kaemmerlen to: Cut table to receive new table extension.
Furnish and install (fully weld) table extension to close gap per new machine length.
Furnish and install (1) duct offset to tie into existing drop. Only one needed, other to remain.
No work included regarding existing dish machine removal or new machine install.
Normal working hours.

CASSENS ELEMENTARY SCHOOL
1014 GLEN CROSSING RD
GLEN CARBON, IL. 62034

ITEM 2A - COMBI OVEN, ELECTRIC (2 REQ'D)

Alto-Shaam Model 7-20E PRO Dimensions: 37.81(h) x 43.75(w) x 46.19(d)
Prodigi™ Pro Combi Oven/Steamer, electric, boiler-free, countertop, capacity (7) 18" x 26" full size sheet or (16) 12" x 20" full size hotel pan (GN 1/1), Wi-Fi enabled control with steam/convection/combi cooking modes, removable "T" style temperature probe, (2) power levels, programmable cool-down, SafeVent™ steam venting, (5) cleaning levels, triple-pane door, high efficiency LED lighting, (2) side racks with (8) non-tilt support rails, (4) shelves, door hinged right, stainless steel construction, adjustable stainless steel legs, EcoSmart®, cULus, UL EPH Classified, CE, IPX5, EAC, city-wide COA for New York City, ENERGY STAR®

- 2 ea NOTE: Subject to Manufacturer's Terms & Conditions. See Documents Section
- 2 ea 12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)
- 2 ea Alto-Shaam Certified Chef provides complimentary support and training on all Alto-Shaam combi ovens
- 2 ea It is the sole responsibility of the owner/operator/purchaser of this equipment to verify that the incoming water supply is comprehensively tested and, if required, provide a means of water treatment that would meet the compliance requirements with the manufacturers water quality standards published on the product spec sheet. Non-compliance with these minimum standards will potentially damage this equipment and/or components and VOID the original equipment manufacturers warranty
- 2 ea ECO
- 2 ea 208-240v/50/60/3-ph/45.7-52.7 amps, 16.4-21.9 kW, No cord or plug
- 2 kt Model 5021527 Installation Kit, for electric combi ovens, CPVC, rated up to 80.0 amps, per oven ((NET) NO FURTHER DISCOUNTS APPLY)
- 2 ea Note: Please refer to Installation Program brochure for kit contents
- 2 ea Wifi, standard
- 2 ea Stacked
- 2 ea Model 5037376 QT11+CR + FT-48710 Water Filter System for stacked combi or Converge ovens, (1) CTO-Q10 activated carbon cartridge, reduces chlorine & sediment, (1) CTOS-QCR catalytic carbon cartridge, reduces chloramine; (1) 3/4" fitting for additional oven FT-48710; outlet pressure gauge, water-shut off valve, bypass valve; 3/4" inlet, 3/4" outlet; NOTE: hardware for mounting to a wall and connection hoses are not included; ((NET) NO FURTHER DISCOUNTS APPLY)
- 2 ea NOTE: Factory Authorized Installation Program (above) MUST be selected for

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

- water filtration field install option to become available
- 2 ea Removable "T" style temperature probe, standard
 - 2 ea Model CE-46991 Alto-Shaam, Concentrated Oven Cleaner, Quantity 50 tablets per container (75 gram tablet size). (Replaces CTP/CTC cleaner, CE-36354)
 - 2 ea Model CE-27889 Scale Free™ deliming product, 4 lb. bottle, citrus-based, non-corrosive
 - 2 ea 3 Additional shelves (SH-22584, for 6 total)
 - 2 ea 3 Fry baskets for frying or steaming (BS-26730)
 - 1 ea Model BS-26730 Fry Basket, 12" x 20"
 - 1 ea Model 5016710 Stacking Hardware, 7-20E or 7-20G over 7-20E (non ventless hood application)
 - 1 ea Model 5017391 Mobile Stacking Base, for 7-20 or 10-20 model ovens

ITEM 2B - DISHWASHER, CONVEYOR TYPE (1 REQ'D)

Hobart Model CL44-BAS+BUILDUP Dimensions: 68.5(h) x 44.75(w) x 31.25(d)
Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .45 gallon/rack, Complete Delime with Booster Guard, Touch Screen Controls with diagnostics, troubleshooting, and SmartConnect App, capless wash arms, NSF Pot & Pan mode, cULus, NSF, ENERGY STAR®, Factory Startup - Free for installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles or those not accessible by public roadway will be quoted by Service.

- 1 ea Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height. If delivery is to a facility without a standard height dock, additional shipping charges will apply depending on the service requested. consult Factory.
- 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA
- 1 ea Model CL44BAS-ELE0CD 480v/60/3-ph
Single point connection standard (field convertible to dual point)
- 1 ea Model CL44BAS-HGTSTD Standard Height 19.5"H x 22"W opening, fits full-sized sheet pan, horizontal
- 1 ea Model CL44BAS-HTE15K Electric tank heat 15kW
- 1 ea Model CL44BAS-ERH18K With 18 kW Booster (default)
- 1 ea Model CL44BAS-DIR0RL Right to left operation
- 1 ea Model CL-BDR0NO Without Blower Dryer
- 1 ea Model WS80-NOINSTALL Water softening system 4,818 grains/lb capacity, 14 gallons regeneration volume, salt alarm, holds 2 bags of salt, pricing DOES NOT include installation. INSTALLATION BY AUTHORIZED HOBART SERVICE OFFICE IS RECOMMENDED (NET)
- 1 ea Model DWT-CL Drain water tempering kit for CL models
- 1 ea Model ACC-INSTALL-HOB Accessory Installation - For installations within 100 miles (accessible by public roadway) of a Hobart Service Office during normal business hours with appropriate notice; Installation beyond 100 miles locations in Alaska, Hawaii or New York City or those not accessible by public roadway will be quoted by Service. Includes installation of this item only, final electrical or plumbing connections by others. Recommendation: coordinate accessory installation with machine assembly/ installation (NET)
- 2 ea Model VNTHD/E-ADJ E-series vent hood domestic (adjustable)
- 1 ea Model CL44EN-BASFETSTD Standard feet
- 2 ea Cambro Model OETR314151 Camrack® Open End Tray Rack, 19-3/4" x 19-3/4" x 4", used for trays 15" x 20" or larger, 3-1/4" max. height, soft gray, NSF, Made in USA

1 ea Hobart Water Softener - WS40 or WS80

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

ITEM 2ZZZ - INSTALLATION (1 REQ'D)

CASSENS ELEMENTARY - Table Modifications

Kaemmerlen to:

Cut table to receive new table extension.

Furnish and install (fully weld) table extension to close gap per new machine length.

Furnish and install (1) duct offset to tie into existing drop. Only one needed, other to remain.

No work included regarding existing dish machine removal or new machine install.

Normal working hours.

**END OF SPECIFICATIONS
BID FORM**

Item #	Description	Location	Instructions	Qty	Price Each	Extended Price
1	Dish Machine	Goshen Elementary	Remove existing, furnish and install bid item	1		
2	Combi Oven	Goshen Elementary	Remove existing, furnish and install bid item	2		
3	Installation	Goshen Elementary	Remove existing, furnish and install bid item	1		
4	Dish Machine	Cassens Elementary	Remove existing, furnish and install bid item	1		
5	Combi Oven	Cassens Elementary	Remove existing, furnish and install bid item	2		
6	Installation	Cassens Elementary	Remove existing, furnish and install bid item	1		

Optional Items:

Item #	Description	Location	Quantity	Price Each	Extended Price

SIGNATURE OF AUTHORIZED REPRESENTATIVE

PRINT NAME AND TITLE OF AUTHORIZED REPRESENTATIVE

EMAIL ADDRESS

COMPANY NAME

TELEPHONE NUMBER

MAILING ADDRESS, CITY, STATE, ZIP CODE

Edwardsville CUSD No. 7 School Nutrition Services Equipment Bid

BID CERTIFICATION

We have carefully examined and fully understand the General Bid Conditions in furnishing Edwardsville CUSD No. 7 prices for the items requested.

In compliance with the bid awards, and subject to all terms and conditions listed on the General Bid Conditions, the undersigned offers and agrees to sell to Edwardsville CUSD No. 7 School Nutrition Services on all items as quoted. It is understood that all prices quoted include any and all delivery charges and are not subject to finance charges.

We guarantee the items to be as specified, delivered to schools or warehouse and that unloading will be done in the presence of the warehouse supervisor, SNS manager or designated person so that quantities, brands, and condition of product may be verified. We further agree to provide invoices in duplicate at time of delivery where weight, count, and specification will be verified before the warehouse supervisor or manager or designated person affixes a signature. We also agree that any item quoted by us that does not meet specification or is damaged or unlabeled will be returned at our expense.

SIGNATURE OF AUTHORIZED REPRESENTATIVE

PRINT NAME AND TITLE OF AUTHORIZED REPRESENTATIVE

EMAIL ADDRESS

COMPANY NAME

TELEPHONE NUMBER

MAILING ADDRESS, CITY, STATE, ZIP CODE

FAX NUMBER

DATE