

**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax: 856-786-5974
emsl.com

EMSL Order ID: 062652339**LIMS Reference ID:** EE52339**EMSL Customer ID:** NOMO22**Attention:** Ian Dirk

Ninyo & Moore [NOMO22]
2020 Challenger Drive Suite 103
Alameda, CA 94501
(510) 753-0011
ian.dirk@socotec.us

Project Name: HUSD - Bret Harte MS / 405047001**Customer PO:****EMSL Sales Rep:** Randy Cavadini**Received:** 04/24/2026 10:43**Reported:** 04/24/2026 15:55**Analytical Results**

Analyte	Results	RL	Weight	Prep Date & Tech	Prep Method	Analysis Date & Analyst	Analytical Method	Q	DF
Client Sample ID: PB01/Roof - Trim on Wood Red						Date Sampled: 04/23/26			
Matrix: Chips						LIMS Reference ID: EE52339-01			
Lead	1.5 % wt	0.061 % wt	0.264 g	04/24/26 BP	SW-846 3050B	04/24/26 KT1	SW 846-7000B	D	10
Client Sample ID: PB02/Roof - Flashing on Metal Red						Date Sampled: 04/23/26			
Matrix: Chips						LIMS Reference ID: EE52339-02			
Lead	<0.0064 % wt	0.0064 % wt	0.2737 g	04/24/26 BP	SW-846 3050B	04/24/26 KT1	SW 846-7000B		1
Client Sample ID: PB03/Roof - HVAC - Exhaust on Metal White						Date Sampled: 04/23/26			
Matrix: Chips						LIMS Reference ID: EE52339-03			
Lead	<0.0064 % wt	0.0064 % wt	0.2556 g	04/24/26 BP	SW-846 3050B	04/24/26 KT1	SW 846-7000B		1

**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax: 856-786-5974
emsl.com

EMSL Order ID: 062652339

LIMS Reference ID: EE52339

EMSL Customer ID: NOMO22

Attention: Ian Dirk
Ninyo & Moore [NOMO22]
2020 Challenger Drive Suite 103
Alameda, CA 94501
(510) 753-0011
ian.dirk@socotec.us

Project Name: HUSD - Bret Harte MS / 405047001

Customer PO:
EMSL Sales Rep: Randy Cavadini
Received: 04/24/2026 10:43
Reported: 04/24/2026 15:55

Certified Analyses included in this Report

Analyte	Certifications
SW 846-7000B in Chips	
Lead	06-AIHA LAP, 06-NYSELAP, 06-California ELAP

List of Certifications

Code	Description	Number	Expires
06-AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC) - ELLAP	102344	08/01/2026
06-NYSDOH	New York State Department of Health	11469	04/01/2027
06-NYSELAP	NY NYS ELAP	11469	04/01/2027
06-California ELAP	California Water Boards	2339	05/01/2026
06-CTDPH	Connecticut Department of Public Health	PH-0249	03/31/2027
06-NYSELAP	NY NYS ELAP	11469	04/01/2027
06-AIHA LAP	EMSL Analytical, Inc. Carle Place, NY AIHA-LAP, LLC-ELLAP Accredited	102344	08/01/2026
06-California ELAP	California Water Boards	2339	04/01/2027

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

Notes and Definitions

Item	Definition
D	Analyte was reported from a dilution run.
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the reporting limit, or the mdl if provided.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax: 856-786-5974
emsl.com

EMSL Order ID: 062652339**LIMS Reference ID:** EE52339**EMSL Customer ID:** NOMO22**Attention:** Ian Dirk

Ninyo & Moore [NOMO22]
2020 Challenger Drive Suite 103
Alameda, CA 94501
(510) 753-0011
ian.dirk@socotec.us

Project Name: HUSD - Bret Harte MS / 405047001**Customer PO:****EMSL Sales Rep:** Randy Cavadini**Received:** 04/24/2026 10:43**Reported:** 04/24/2026 15:55

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. QC sample results are within quality control criteria and met method specifications unless otherwise noted. All results for soil samples are reported on a dry weight basis, unless otherwise noted.

Analysis following EMSL SOP for the Determination of Environmental Lead by FLAA. The laboratory has a reporting limit of 0.0064% by wt., based upon a minimum sample weight of 0.25g submitted to the lab, and is not responsible for any result or reporting limit provided in mg/cm² since it is dependent upon an area value provided by non-lab personnel. A "<" (less than) result signifies that the analyte was not detected at or above the reporting limit. Measurement of uncertainty and definitions of modifications are available upon request. Results in this report are not blank corrected unless specified.



EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

Lead Chain of Custody

EMSL Order Number / Lab Use Only

200 Route 130 North
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

EE52339

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

Customer Information	Customer ID:	Billing ID:
	Company Name: <i>Ningo & Moore</i>	Company Name: RECEIVED
	Contact Name: <i>Ian Dink</i>	Billing Contact: EMSL ANALYTICAL, INC.
	Street Address: <i>1301 Marina Village Parkway #110</i>	Street Address: <i>Carle Place, NY</i>
	City, State, Zip: <i>Alameda CA 94501</i> Country: <i>USA</i>	City, State, Zip: <i>Carle Place, NY</i> Country: <i>USA</i>
	Phone: <i>1 (510) 753-0011</i>	Phone: <i>APR 24 26 AM 10:43</i>
Email(s) for Report: <i>IAN.DINK@SOCOSEC.US</i>	Email(s) for Invoice:	

Project Information	
Project Name/No: <i>HUSD - BRE T HARTE MS / 405047001</i>	Purchase Order:
EMSL LIMS Project ID: (If applicable, EMSL will provide)	US State where samples collected: ☐ Connecticut (CT) must select project location:
Sampled By Name:	☐ Commercial (Taxable) ☐ Residential (Non-Taxable)
Sampled By Signature:	No. of Samples in Shipment:

Turn-Around-Time (TAT)	
☐ 3 Hour ☐ 6 Hour ☐ 24 Hour ☐ 32 Hour ☐ 48 Hour ☒ 72 Hour ☐ 96 Hour ☐ 1 Week ☐ 2 Week	Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS ☐ % by wt. ☐ ppm (mg/kg) ☐ mg/cm ² *Chips reporting Limit based on a minimum 0.25g sample weight. Not appropriate for Ceramic Tiles - XRF is recommended.	SW 846-7000B	Flame Atomic Absorption	*Please select reporting on left - 0.0064% - 64 ppm - mg/cm ² - RL is Variable	☒
	SW 846-6010D	ICP-OES	*Please select reporting on left - 0.0004% - 4 ppm - mg/cm ² - RL is Variable	☐
AIR	NIOSH 7082	Flame Atomic Absorption	3.2 µg/filter	☐
	NIOSH 7303M	ICP-OES	1.0µ g/filter	☐
	NIOSH 7303M	ICP-MS	0.05 µg/filter	☐
WIPE ☐ ASTM ☐ NON-ASTM *If no box is checked, non-ASTM Wipe is assumed	SW 846-7000B*	Flame Atomic Absorption	8 µg/wipe	☐
	SW 846-6010D*	ICP-OES	1.0 µg/wipe	☐
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.32 mg/L (ppm)	☐
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.32 mg/L (ppm)	☐
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	32 mg/kg (ppm)	☐
	22 CCR App. II, SW 846-6010D*	ICP-OES	2 mg/kg (ppm)	☐
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.32 mg/L (ppm)	☐
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
Soil	SW 846-7000B	Flame Atomic Absorption	32 mg/kg (ppm)	☐
	SW 846-6010D*	ICP-OES	2 mg/kg (ppm)	☐
Wastewater	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.32 mg/L (ppm)	☐
Unpreserved ☐	EPA 200.7 / 6010D	ICP-OES	0.020 mg/L (ppm)	☐
Preserved with HNO ₃ ☐ PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	☐
Drinking Water	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	☐
Unpreserved ☐	40 CFR Part 50	ICP-OES	12 µg/filter	☐
Preserved with HNO ₃ ☐ PH<2		ICP-MS	0.6 µg/filter	☐
TSP/SPM Filter				☐
Other:				☐

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
<i>Pb02</i>	<i>Roof - Trim on Wood</i>	<i>Red</i>	
<i>Pb02</i>	<i>↓ - Flashing on Metal</i>	<i>Red</i>	
<i>Pb03</i>	<i>↓ - HVAC - Exhaust on Metal</i>	<i>White</i>	

Method of Shipment: <i>Drop OFF</i>		Sample Condition Upon Receipt:	
Relinquished by: <i>[Signature]</i>	Date/Time: <i>04/23/26 -0935</i>	Received by: <i>[Signature]</i> <i>W/I</i>	Date/Time: <i>4/23/26 9:30am</i>
Relinquished by: <i>[Signature]</i> <i>FX</i>	Date/Time: <i>4/23/26 4:00pm</i>	Received by: <i>James Han</i>	Date/Time: <i>4/24/26</i>

Controlled Document: COC-25 Lead R22 03/28/2025

*6010C Available Upon Request

☐ AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

Page 4 of 4