

11-18-2022 Update

- Changed references of Futura Regular to Futura PT Medium
- Updated installation location of Evacuation Maps in Classrooms

# Signage Design Standards Manual



**PORTLAND PUBLIC SCHOOLS**

# Portland Public Schools

## Signage Design Standards Manual

### Table of Contents

|      |                              |                                                            |                                                                    |
|------|------------------------------|------------------------------------------------------------|--------------------------------------------------------------------|
| 0.01 | Table of Contents            | <b>1 :: Interior Signs</b>                                 | <b>2 :: Exterior Signs</b>                                         |
| 0.02 | General Notes                | 1.01 Boys + Girls Restroom - One Line                      | 2.01 Accessible Entrance                                           |
| 0.03 | Type Style                   | 1.02 Boys + Girls Restroom - Two Lines                     | 2.02 Accessible Entrance Mounting Height + Location                |
| 0.04 | Symbols                      | 1.03 Girls + Boys Locker Room                              | 2.03 Vehicular Color Palettes                                      |
| 0.05 | Interior Sign Color Palettes | 1.04 Shower/ Restroom                                      | 2.04 PPS Base Signage                                              |
|      |                              | 1.05 <i>Not Used</i>                                       | 2.05 Service Vehicles Only                                         |
|      |                              | 1.06 Restroom                                              | 2.06 Service Vehicles w/ Time                                      |
|      |                              | 1.07 Restroom Door                                         | 2.07 Health Clinic + Car/Vanpool                                   |
|      |                              | 1.08 Restroom Flag, Lactation Room                         | 2.08 Truck Loading                                                 |
|      |                              | 1.09 Restroom Elevation from Corridor                      | 2.09 Honored Student + Principal                                   |
|      |                              | 1.10 Restroom Cluster Elevation                            | 2.10 Low Emitting and Fuel Efficient Vehicles + Emergency Vehicles |
|      |                              | 1.11 Room ID                                               | 2.11 PPS Staff Parking [with Alternate]                            |
|      |                              | 1.12 Room ID Mounting Height + Location                    | 2.12 Visitor Parking                                               |
|      |                              | 1.13 Room Number w/ Insert                                 | 2.13 Reserved Parking ADA + Van Accessible                         |
|      |                              | 1.14 Evacuation Map                                        | 2.14 No Parking - Passenger Loading                                |
|      |                              | 1.15 Room Number w/ Insert Mounting Height + Location      | 2.15 No Parking - Fire Lane                                        |
|      |                              | 1.16 Chemical Storage                                      | 2.16 No Idling                                                     |
|      |                              | 1.17 Miscellaneous Directional                             | 2.17 No Parking - Events                                           |
|      |                              | 1.18 Range Hood Cooking Instructions                       | 2.18 No Parking - Wall Sign                                        |
|      |                              | 1.19 Non-potable Water                                     | 2.19 Permit Parking Only                                           |
|      |                              | 1.20 Occupancy + Loads                                     | 2.20 Keep Right                                                    |
|      |                              | 1.21 Evacuation Chair                                      | 2.21 Welcome to PPS Grounds: Rules + Hours                         |
|      |                              | 1.22 Evacuation Chair Flag Mounting Height + Location      | 2.22 Welcome to PPS Grounds: Rules + Hours                         |
|      |                              | 1.23 Elevator + Egress                                     | 2.23 Campus Rules                                                  |
|      |                              | 1.24 Elevator Machine Room Mounting Height + Location      | 2.24 Welcome to PPS Grounds Field Use                              |
|      |                              | 1.25 Elevator, Egress + Loads Mounting Height + Location   | 2.25 PPS Synthetic Fields                                          |
|      |                              | 1.26 Accessible Exit                                       | 2.26 Leash Pets: Full + Half Size                                  |
|      |                              | 1.27 Exit + Stair Egress                                   | 2.27 Tobacco Use Free Zones                                        |
|      |                              | 1.28 Exit + Stair Egress                                   | 2.28 Biking + Skateboarding, Path Sign                             |
|      |                              | 1.29 Exit + Stair Egress Mounting Height + Location        |                                                                    |
|      |                              | 1.30 Fire + AED                                            |                                                                    |
|      |                              | 1.31 Fire Sprinkler Riser Room                             |                                                                    |
|      |                              | 1.32 Fire + AED Mounting Height + Location                 |                                                                    |
|      |                              | 1.33 Eyewash Station + Emergency Shower                    |                                                                    |
|      |                              | 1.34 Assistive Listening Device Mounting Height + Location |                                                                    |
|      |                              | 1.35 Wayfinding Directory                                  |                                                                    |
|      |                              | 1.36 Wayfinding Directory Mounting Height + Location       |                                                                    |
|      |                              | 1.37 Area ID (Assembly Spaces)                             |                                                                    |
|      |                              | 1.38 Campus/Building Directory + Floor Directory           |                                                                    |
|      |                              | 1.39 Floor Directory Mounting Height + Location            |                                                                    |
|      |                              | 1.40 Door Identifier                                       |                                                                    |
|      |                              | 1.41 Visitor Check-In                                      |                                                                    |
|      |                              | 1.42 Visitor Check-in Mounting Height + Location           |                                                                    |
|      |                              | 1.43 Security Camera In Use Mounting Height                |                                                                    |



# Overview

This Signage Design Standards Manual has been created to ensure:

- Consistent and appropriate programming
- Consistent use of typography and messages
- Consistent use of wayfinding for ease of navigation
- Adherence to sign code requirements

Please note: as code references become outdated, the design professional and/or consultant is required to adjust signage according to applicable current code references; Inform PPS project manager or other District staff of errors, conflicts or discrepancies between this document and current code requirements and/or best professional practice.

There may be instances where the guidelines cannot be followed due to site and/or architectural constraints. In these instances use your “best judgment” regarding sign placement and design, taking into account the sightlines, access, and age of user and request approval from PPS.

There are two signage designations in this manual:

1. **Code-required Signage:** Signs required to gain building occupancy. Code-required signs are marked with a **CR** designation on the page.
2. **Wayfinding Signage:** Signs are required and are considered helpful in providing directional assistance, enhancing user experience and providing a greater sense of safety. These signs aid navigation through the building, identify rooms and areas, and provide identity. Wayfinding required signs are marked with a **WF** designation on the page.

Portland Public Schools Facilities & Asset Management is charged with maintaining this manual. For questions or assistance with a project, please contact the appropriate PPS Project Manager.

The design team’s scope of work for new construction, modernization and addition projects to include:

- Evacuation Map Inserts for all areas
- Load Capacity Signs
- Signage Schedule as part of the drawing set

mahlum



Futura PT Medium: Most Interior and Exterior Signs.  
Futura PT Bold: Select Emergency and Parking Signs.

A B C D E F G H I J K L M N O P Q R  
S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v  
w x y z

0 1 2 3 4 5 6 7 8 9

**A B C D E F G H I J K L M N O P  
Q R S T U V W X Y Z**

**a b c d e f g h i j k l m n o p q r s  
t u v w x y z**

**0 1 2 3 4 5 6 7 8 9**

mahlum



Type Style  
0.03

# Project Symbols: Celebrate Inclusivity and Accessibility



## Tactile Messaging

Tactile messages refer to signs fabricated with Raised Characters and corresponding Braille, designed to be read by touch. Where required, tactile messages must be fabricated in accordance with ADA Standards for Accessible Design, Chapter 7, Section 703.

### Raised Characters

Raised characters shall be raised 1/32 inch minimum above their background. Characters shall be uppercase and the approved typeface is FUTURA PT MEDIUM. This selected font complies with the required character proportions and stroke thickness. Character height is based on the height of the uppercase letter "I" in the approved font. Characters shall be a minimum of 5/8 inch high and a maximum of 2 inches high.

Character spacing shall be measured between the two closest points of adjacent raised characters within a message, excluding word spaces. Spacing between individual raised characters shall be 1/8 inch minimum and 4 times the raised character stroke width maximum. This character spacing applies unless noted otherwise on the individual sign.

Spacing between lines of raised text shall be 3/8 inch.

### Braille

Braille shall be contracted (Grade 2). Braille dots shall have a domed or rounded shape. The indication of an uppercase letter shall only be used before the first word of sentences, proper nouns and names, individual letters of the alphabet, initials and acronyms.

Braille shall be located below the last line of raised text. Spacing between lines of raised text and Braille shall be 3/8 inch.

Some restroom signs will have different copy for Braille where some words are omitted from the raised text when combined with symbols. These signs will indicate copy for Braille.

mahlum



Symbols +  
Tactile Messaging

0.04

Color Palettes: Original Warm, New Warm, Cool, Black & White.

All options have at least a 50% brightness differential between their background and text colors to ensure proper color contrast and promote sign visibility.



Original Warm (DO NOT USE)



Top Sign: Matthews MP 20161 "Art Deco Bronze Metallic"  
Text: Matthews MP 06966 "Wooster White"  
Bottom Sign: Optix 95 Acrylic  
Brightness Differential: 47%

New Warm



Top Sign: Matthews MP 20191 "Minoan Bronze Metallic"  
Text: Matthews MP 6888 "Crema"  
Bottom Sign: Optix 95 Acrylic  
Brightness Differential: 51%

Cool



Top Sign: Matthews MP 18213 "Wrought Iron Metallic"  
Text: Matthews MP 32071 "White Wonder"  
Bottom Sign: Optix 95 Acrylic  
Brightness Differential: 57%

Black & White



Top Sign: PPG PPG1001-7 "Black Magic"  
Text: Matthews MP 31645 "Designer White"  
Bottom Sign: Optix 95 Acrylic  
Brightness Differential: 69%



**MATERIALS**

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

**COLORS**

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

**INSTALLATION TYPE**  
VHB MOUNT

**BRAILLE COPY**  
SIGN 1: "BOYS RESTROOM"  
SIGN 2: "GIRLS RESTROOM"

Boys + Girls Restroom


1.01

CR

SIGN 1  
BOYS - ONE LINE

SIGN 2  
GIRLS - ONE LINE

SIGN 1 + 2  
PROFILE



**TEXT  
SPECS**

**SIGN 1 + 2**

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Position: Center aligned

**BRAILLE  
SPECS**

**SIGN 1 + 2**

Braille Height: .25"  
Position: Center aligned

**ICON  
SPECS**

**SIGN 1 + 2**

Height: 3.5"  
Width: 6.5"  
Position: Center aligned



MATERIALS

- A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D CLEAR BRAILLE BEADS

COLORS

- 1 MATTHEWS MP32156 BLACK
- 2 ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

BRAILLE COPY

SIGN 1: "BOYS RESTROOM 210"  
SIGN 2: "GIRLS RESTROOM 210"

Boys + Girls Restroom


1.02

CR

SIGN 1  
BOYS - TWO LINE

SIGN 2  
GIRLS - TWO LINE

SIGN 1 + 2  
PROFILE



TEXT  
SPECS

SIGN 1 + 2

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Center aligned

BRAILLE  
SPECS

SIGN 1 + 2

Braille Height: .25"  
Position: Center aligned

ICON  
SPECS

SIGN 1 + 2

Height: 3.5"  
Width: 6.5"  
Position: Center aligned



**MATERIALS**

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

**COLORS**

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

**INSTALLATION TYPE**  
VHB MOUNT

Girls + Boys Locker Room


1.03

CR

SIGN 1  
GIRLS LOCKER ROOM

SIGN 2  
BOYS LOCKER ROOM

SIGN 1 + 2  
PROFILE



**TEXT  
SPECS**

**SIGN 1 + 2**

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Left aligned

**BRAILLE  
SPECS**

**SIGN 1 + 2**

Braille Height: .25"  
Position: Left aligned

**ICON  
SPECS**

**SIGN 1 + 2**

Height: 3"  
Width: 8.5"  
Position: Left aligned



MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

COLORS

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Shower / Restroom

1.04

CR

SIGN 1  
SHOWER/RESTROOM

SIGN  
PROFILE



TEXT  
SPECIFICATIONS

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Left aligned

BRAILLE  
SPECIFICATIONS

Braille Height: .25"  
Position: Left aligned

ICON  
SPECIFICATIONS

Height: 2.875"  
Width: 8"  
Position: Center aligned





- MATERIALS
- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
  - B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
  - C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
  - D** CLEAR BRAILLE BEADS
- COLORS
- 1** MATTHEWS MP32156 BLACK
  - 2** ROWMARK 311-204 BRIGHT WHITE
- INSTALLATION TYPE
- VHB MOUNT

Restroom

1.06

CR



**TEXT  
SPECS**

**SIGN 1 + 2**

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Center aligned

**BRAILLE  
SPECS**

**SIGN 1 + 2**

Braille Height: .25"  
Position: Center aligned

**ICON  
SPECS**

**SIGN 1**

Height: 4.5"  
Width: 4.5"  
Position: Center aligned


**SIGN 2**

Height: 3.5"  
Width: 6.5"  
Position: Center aligned



- MATERIALS
- A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156
- COLORS
- 1 MATTHEWS MP32156 BLACK
  - 2 WHITE
- INSTALLATION TYPE
- VHB MOUNT

SIGN 1  
STALL DOOR



SIGN 2  
STALL DOOR - ACCESSIBLE



SIGN 1+ 2  
PROFILE



TEXT  
SPECS

SIGN 1+ 2

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Center aligned

ICON  
SPECS

SIGN 1

Height: 5.25"  
Width: 4.5"  
Position: Center aligned

SIGN 2

Height: 3.5"  
Width: 6.5"  
Position: Center aligned



MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS
- E** 1/4" ACRYLIC PANEL PAINTED FIRST SURFACE ALL SIDES
- F** DIE-CUT VINYL GRAPHICS

COLORS

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE
- 3** 3M 220-10 WHITE


INSTALLATION TYPE

FLAG MOUNT: SIGN 1  
VHB MOUNT: SIGN 2

Restroom Flag +  
Lactation Room


1.08

SIGN 1  
RESTROOM - FLAG



Installation Type:  
[Flag] 1" x 1" x 1/8" aluminum structural angle custom bracket; edges to be blasted satin; attach w/ stainless steel #8 screws and appropriate wall anchors

SIGN 2  
LACTATION ROOM



TEXT  
SPECS

SIGN 2

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Center aligned

BRAILLE  
SPECS

SIGN 2

Braille Height: .25"  
Position: Center aligned

ICON  
SPECS

SIGN 1


Height: 4"  
Width: 4"  
Position: [See dimensions]

SIGN 2

Height: 4"  
Width: 3"  
Position: Center aligned



RESTROOM ELEVATION  
FROM CORRIDOR




Restroom Elevation  
From Corridor


1.09



RESTROOM CLUSTER  
ELEVATION



Note:  
Option 1 is the preferred sign and location for the accessible restroom.  
However, when wall space is not available, use Signage Option 2 and location outlined above.





- MATERIALS
- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
  - B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
  - C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
  - D** CLEAR BRAILLE BEADS
- COLORS
- 1** MATTHEWS MP32156 BLACK
  - 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Room ID  
(Name + Number)


1.11

CR


SIGN 1  
ROOM ID - ONE LINE



SIGN 3  
ROOM ID - THREE LINES



SIGN 2  
ROOM ID - TWO LINES



TEXT  
SPECS

SIGN 1-3

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Left aligned

BRAILLE  
SPECS

SIGN 1-3

Braille Height: .25"  
Position: Left aligned


PPS Required and/or Code Required Rooms:

- Electrical
- Mechanical
- Telecom
- Fire Riser
- Sprinkler Riser
- Elevator machine

Note: Elevator machine room to have additional "authorized personnel only" posted on door [in following pages].






ROOM ID  
TWO LINE - ELEVATION



Note: This is an example elevation  
and mounting height [will vary on  
project by project basis]



## SIGN 1.1 EXPLODED VIEWS (NTS)



### MATERIALS

- A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B 1/4" OPTIX 95 CLEAR ACRYLIC WITH 3/4" DIA. THUMBNOTCHES, SATIN ROUTED EDGES
- C 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D CLEAR BRAILLE BEADS
- E 1/16" CLEAR ACRYLIC SPACER TO FIT 8.5" X 5.5" PAPER INSERT
- F VINYL BACKER
- G EVACUATION MAP SIGN

### COLORS

- 1 MATTHEWS MP32156 BLACK
- 2 ROWMARK 311-204 BRIGHT WHITE
- 3 BLACK

INSTALLATION TYPE  
VHB MOUNT


Room Number w/ Insert

1.13



**SIGN 1**  
**EVACUATION MAP SIGN**  
**FOR 8.5" X 6.25" PAPER INSERT**

**SIGN**  
**PROFILE**



**MATERIALS**

- A** 1/8" NON-GLARE ACRYLIC WITH SUBSURFACE 3/8" BORDER PAINTED MP32156
- B** 1/16" CLEAR ACRYLIC SPACERS TO FIT 8.5" X 6.25" PAPER INSERT
- C** 1/8" ACRYLIC BACKER WITH 3/4" DIA. THUMBNOTCHES PAINTED MP32156

**COLORS**

- 1** MATTHEWS MP32156 BLACK

**INSTALLATION TYPE**  
VHB MOUNT


Evacuation Map

1.14



CR



## ROOM NUMBER WITH INSERT ELEVATION



## EVACUATION MAP SIGN ELEVATION



### Note:

Evacuation map sign to be mounted inside classrooms on wall adjacent to the door, or if there is no adjacent wall, on the door. Do not mount on glass. (This is a change from the original Signage Manual. Illustration does not reflect this change.)


When mounted singularly in corridors, sign to be mounted at same 3'-8" height AFF.

Room Number w/ Insert  
Mounting Height + Location


1.15




## CHEMICAL STORAGE SIGNS + ELEVATION



### SIGN 1 - CHEMICAL STORAGE ROOM ID SIGN



### SIGN 2 - CHEMICAL STORAGE LIST USING EVACUATION MAP INSERT



**Note:** When evacuation map insert is used for holding chemical storage list, sign to be center mounted below room id sign with 1" space between signs



MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

COLORS



- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Miscellaneous Directional

1.17

MISCELLANEOUS DIRECTIONAL  
SIGN + ELEVATION



Note: Example text only.  
Dashed line shows available text area.



**MATERIALS**  
**A** 1/16" STAINLESS STEEL, #4  
HORIZONTAL FINISH, ETCHED & FILLED  
BLACK  
FONT: FUTURA PT MEDIUM

**COLORS**  
**1** BLACK

**INSTALLATION TYPE**  
VHB MOUNT

Range Hood Cooking  
Instructions

1.18

CR

RANGE HOOD COOKING INSTRUCTIONS  
SIGN + ELEVATION




Typeface: Futura PT  
Font: Medium  
Size: 38pt  
Leading: 42pt  
Position: Center aligned

Note: Code requires instructions be mounted to range hood. In order to be visible to persons in wheelchairs, additional sign to be mounted to ADA switch location: backsplash, casework, etc.



SIGN 1  
NON-POTABLE WATER



Note that signs are to be used at:

- Science classrooms
- Aerators / laminar flow faucets

TEXT  
SPECIFICATIONS

Typeface: Futura PT  
Font: Medium  
Size: 38pt  
Leading: 42pt  
Position: Center aligned

mahlum



MATERIALS  
A 1/16" STAINLESS STEEL, #4  
HORIZONTAL FINISH, ETCHED & FILLED  
BLACK  
FONT: FUTURA PT MEDIUM

COLORS  
1 BLACK

INSTALLATION TYPE  
VHB MOUNT

Non-Potable Water

1.19

CR



MATERIALS  
**A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156

**B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES

COLORS  
**1** MATTHEWS MP32156 BLACK  
**2** WHITE


INSTALLATION TYPE  
VHB MOUNT

Occupancy + Loads

1.20

CR

SIGN 1  
MAXIMUM OCCUPANCY



SIGN 2  
MAXIMUM FLOOR LOAD



[Follow same layout instructions as Sign 1]

TEXT  
SPECIFICATIONS


SIGN 1-3

Typeface: Futura PT  
Font: Medium  
Size: 40pt  
Leading: 42pt  
Position: Left aligned

SIGN 4


Typeface: Futura PT  
Font: Medium  
Size: 32pt  
Leading: 30pt  
Position: Left aligned

SIGN 3  
MAXIMUM ELEVATOR LOAD



[Follow same layout instructions as Sign 1]

SIGN 4  
WHEN BLEACHERS DEPLOYED





MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS
- E** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156

COLORS

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE


- SIGN 1: VHB MOUNT
- SIGN 2: BRACKET MOUNT

Evacuation Chair

1.21


CR

SIGN 1  
EVACUATION CHAIR



Evacuation chair sign to be mounted on wall  
3" above and centered on chair box.

SIGN 2  
EVACUATION CHAIR FLAG



TEXT  
SPECIFICATIONS

SIGN 1

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 69pt  
Position: Center aligned

BRAILLE  
SPECIFICATIONS

SIGN 1

Braille Height: .25"  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 1


Height: 3.9"  
Width: 4.5"  
Position: Center aligned

SIGN 2


Height: 4"  
Width: 4.5"  
Position: Center aligned



## EVACUATION CHAIR FLAG ELEVATION



③ Example Evacuation Chair area - size and mounting instructions vary depending on manufacturer



Evacuation Chair Flag  
Mounting Height + Location

1.22



MATERIALS

- 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156

COLORS

- MATTHEWS MP32156 BLACK
- ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE


- SIGN 1: BRACKET MOUNT
- SIGN 2: VHB MOUNT

Elevator + Egress


1.23

CR

SIGN 1  
ELEVATOR FLAG



SIGN 2  
FIRE EMERGENCY



TEXT  
SPECIFICATIONS

SIGN 2

Typeface: Futura PT  
Font: Medium  
Size: 30pt  
Leading: 32pt  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 1

Height: 4"  
Width: 2.9"  
Position: Center aligned

SIGN 2

Height: 2.375"  
Width: 2"  
Position: Center aligned



MATERIALS

**E** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156

COLORS

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE


INSTALLATION TYPE  
VHB MOUNT

Elevator Machine Room  
Mounting Height + Location


1.24

CR

ELEVATOR MACHINE ROOM  
SIGN + ELEVATION




Note: Also an example for all "Authorized Personnel Only" signage.






## ELEVATOR, EGRESS + LOADS ELEVATION



①



②



③



Elevator, Egress + Loads  
Mounting Height + Location

1.25



MATERIALS

- A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D CLEAR BRAILLE BEADS

COLORS

- 1 MATTHEWS MP32156 BLACK
- 2 ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Accessible Exit

1.26

SIGN 1  
EXIT



SIGN 2  
EXIT + ARROW



TEXT  
SPECIFICATIONS

| SIGN 1                 | SIGN 2                   |
|------------------------|--------------------------|
| Typeface: Futura PT    | Typeface: Futura PT      |
| Font: Medium           | Font: Medium             |
| Size: 70pt             | Size: 70pt               |
| Position: Left aligned | Position: Center aligned |

BRAILLE  
SPECIFICATIONS

| SIGN 1                 | SIGN 2                   |
|------------------------|--------------------------|
| Braille Height: .25"   | Braille Height: .25"     |
| Position: Left aligned | Position: Center aligned |

ICON  
SPECIFICATIONS

| SIGN 1                  | SIGN 2                  |
|-------------------------|-------------------------|
| DYNAMIC WHEELCHAIR      | DYNAMIC WHEELCHAIR      |
| Height: 1.4"            | Height: 2.14"           |
| Width: 1.1"             | Width: 1.67"            |
| Position: Right aligned | Position: Left aligned  |
|                         | ARROW                   |
|                         | Height: 0.83"           |
|                         | Width: 2.2"             |
|                         | Position: Right aligned |



MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

COLORS

- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE


INSTALLATION TYPE  
VHB MOUNT

Exit + Stair Egress


1.27

CR

SIGN 1  
EXIT



SIGN 2  
STAIR



TEXT  
SPECIFICATIONS

SIGN 1

Typeface: Futura PT  
Font: Medium  
Size: 70pt  
Position: Left aligned

SIGN 2

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Position: Center aligned

BRAILLE  
SPECIFICATIONS

SIGN 1

Braille Height: .25"  
Position: Left aligned

SIGN 2

Braille Height: .25"  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 2

Height: .5"  
Width: 2"  
Position: Center aligned




- MATERIALS
- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
  - B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
  - C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
  - D** CLEAR BRAILLE BEADS
- COLORS
- 1** MATTHEWS MP32156 BLACK
  - 2** ROWMARK 311-204 BRIGHT WHITE
- INSTALLATION TYPE  
VHB MOUNT

Exit + Stair Egress

1.28

CR

SIGN 1  
EXIT STAIR



SIGN 2  
ROOF ACCESS



[Follow same layout instructions]

TEXT  
SPECIFICATIONS

SIGN 1+ 2

Typeface: Futura PT  
Font: Medium  
Size: 58pt  
Leading: 67pt  
Position: Center aligned

BRAILLE  
SPECIFICATIONS

SIGN 1+ 2

Braille Height: .25"  
Position: Center aligned



ICON  
SPECIFICATIONS

SIGN 1+ 2

Height: 2.6"  
Width: 5.3"  
Position: Center aligned



EXIT + STAIR EGRESS  
ELEVATION



Exit + Stair Egress  
Mounting Height + Location

1.29



MATERIALS  
A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED AND BACKPAINTED MP00239

- COLORS
- 1 MATTHEWS MP00239 RED
  - 2 WHITE


INSTALLATION TYPE  
VHB MOUNT

Fire + AED

1.30

CR


SIGN 1  
AUTOMATED EXTERNAL  
DEFIBRILLATOR



SIGN 3  
FIRE ACCESS CONTROL PANEL



SIGN 2  
FIRE EXTINGUISHER



TEXT  
SPECIFICATIONS

SIGN 1

Typeface: Futura PT  
Font: Medium  
Size: 100pt  
Position: Center aligned

SIGN 3

Typeface: Futura PT  
Font: Medium  
Size: 207pt  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 1

Height: 3"  
Width: 3.16"  
Position: Center aligned

SIGN 2

Height: 4.5"  
Width: 2.75"  
Position: Center aligned



**MATERIALS**  
**A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED AND BACKPAINTED MP00239

**COLORS**  
**1** MATTHEWS MP00239 RED  
**2** WHITE

**INSTALLATION TYPE**  
VHB MOUNT

SIGN 1  
FIRE SPRINKLER RISER ROOM




**TEXT  
SPECS**  
Typeface: Futura PT  
Font: Medium  
Size: 128pt  
Leading: 110pt  
Position: Center aligned

**Note:**  
This is an example of signage copy and actual copy may vary based on project requirements.

- Fire sprinkler riser room
- Fire sprinkler control valve




## FIRE + AED ELEVATION



① FACP

② FIRE SPRINKLER  
RISER ROOM



### Note:

For Fire and AED signs, use a 2" space between the sign and top of cabinets. Center sign above each cabinet.

Example elevation only as these conditions are not are not typically next to one another


Fire + AED  
Mounting Height + Location

1.32

## SIGN 1 EYEWASH STATION



## SIGN 2 EMERGENCY SHOWER



## TEXT SPECIFICATIONS

### SIGN 1+ 2

Typeface: Futura PT  
Font: Bold  
Size: 60pt  
Leading: 50pt  
Tacking: 10  
Position: Center aligned

## BRAILLE SPECIFICATIONS

### SIGN 1+ 2

Braille Height: .25"  
Position: Center aligned

## ICON SPECIFICATIONS

### SIGN 1

Height: 2.75"  
Width: 2.29"  
Position: Center aligned

### SIGN 2

Height: .5"  
Width: 2"  
Position: Center aligned

mahlum



**MATERIALS**  
A 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED AND BACKPAINTED MP00239

**COLORS**  
1 MINT  
PANTONE: PMS 329  
CMYK: 100, 31, 60, 27  
RGB: 0, 104, 97  
HEX: #006861

2 WHITE

INSTALLATION TYPE  
VHB MOUNT

Eyewash Station +  
Emergency Shower

1.33

CR





- MATERIALS**
- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
  - B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
  - C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
  - D** CLEAR BRAILLE BEADS
- COLORS**
- 1** MATTHEWS MP32156 BLACK
  - 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Assistive Listening Device  
Mounting Height + Location

1.34

ASSISTIVE LISTENING  
SIGN + ELEVATION





- MATERIALS  
A 1/8" THICK FLAT-CUT ACRYLIC
- COLORS  
1 MATTHEWS MP32156 BLACK
- INSTALLATION TYPE  
VHB MOUNT

SIGN 1  
WAYFINDING DIRECTORY




Typeface size: 200pt  
Tracking: 20  
Horizontal Scale: 106%



- A MATERIALS  
1/8" THICK FLAT-CUT ACRYLIC
  - 1 COLORS  
MATTHEWS MP32156 BLACK
- INSTALLATION TYPE  
VHB MOUNT

Wayfinding Directory  
Mounting Height + Location

1.36





MATERIALS

- A 1/8" THICK FLAT-CUT ACRYLIC
- B 3M VINYL RELITE BACKER FOR GLASS MOUNTED LOCATIONS
- C 1/2" THICK POWDER COATED FLAT-CUT ALUMINUM

COLORS

- 1 MATTHEWS MP32156 BLACK
- 2 3M 220-12 BLACK
- 3 RAL 9004

INSTALLATION TYPE  
ACRYLIC SIGN  
VHB MOUNT

ALUMINUM SIGN  
STUD MOUNT WITH 1/4" SPACER

Area ID (Assembly Spaces)

1.37

SIGN 1  
4-INCH LETTER SIGN - INTERIOR LOCATIONS

GYMNASIUM. A 1 B 2

Typeface: Futura PT  
Font: Medium  
Size: 390pt  
Tracking: 70  
Horizontal Scale: 106%  
Kerning: Optical

SIGN 2  
6-INCH LETTER SIGN - EXTERIOR LOCATIONS

GYMNASIUM. C 3

Typeface: Futura PT  
Font: Medium  
Size: 560pt  
Tracking: 90  
Horizontal Scale: 106%  
Kerning: Optical



SIGN 1  
CAMPUS/BUILDING DIRECTORY

SIGN 2  
LEVEL DIRECTORY

TEXT  
SPECS

SIGN 1 + 2

"GRANT HIGH..."  
and "LEVEL 1..."  
Typeface: Futura PT  
Font: Medium  
Size: 90pt  
Position: Center aligned

SIGN 1

"DIRECTORY"  
Typeface: Futura PT  
Font: Medium  
Size: 60pt  
Position: Center aligned

MATERIALS

**A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE SCREENPRINTED TEXT + GRAPHICS AND BACKPAINTED MP32156

**B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES

COLORS

**1** MATTHEWS MP32156 BLACK

**2** WHITE

INSTALLATION TYPE



VHB MOUNT

Note:

This directory is an example. But please follow the following parameters:

- Plan view (no isometrics)
- Stacked with lowest level on bottom
- Maintain at least 1" space between floors and centered aligned
- Simple and easy to read
- Toilets, elevator, fire extinguisher, evacuation chair and AED identified
- "You are here" indicator on Level Directory

Sign dimensions and/or layout may need to be adjusted per school. Please confirm layout with PPS project manager.




Campus/Building Directory  
+ Floor Directory

1.38

CR



LEVEL DIRECTORY  
ELEVATION



Floor Directory  
Mounting Height + Location


1.39



- A MATERIALS  
DIE-CUT VINYL
- 1 COLORS  
WHITE
- INSTALLATION TYPE  
SELF-ADHESIVE


Door Identifier  
1.40

SIGN 1.2  
4-INCH NUMBER SIGN  
INTERIOR




Typeface: Futura PT  
Font: Medium  
Size: 397pt

SIGN 1.2  
8-INCH NUMBER SIGN  
EXTERIOR




Typeface: Futura PT  
Font: Medium  
Size: 800pt

EXTERIOR ELEVATION



INTERIOR ELEVATION






- A** MATERIALS  
DIE-CUT VINYL
- 1** COLORS  
WHITE
- INSTALLATION TYPE  
SELF-ADHESIVE SECOND SURFACE

Visitor Check-In

1.41

CR

SIGN 1  
VISITOR CHECK-IN SIGN




TEXT SPECIFICATIONS

SIGN 1 + 2


Typeface: Futura PT  
Font: Medium  
Size: 43pt  
Leading: 45pt  
Position: Left aligned

SIGN 2  
CAMPUS/BUILDING ENTRY  
VISITOR CHECK-IN SIGN





## VISITOR CHECK-IN ELEVATION



Note: Visitor Check-in sign to be mounted on second surface of door viewable from exterior.

Visitor Check-in  
Mounting Height + Location

1.42



MATERIALS

- A** 1/8" NON-GLARE ACRYLIC, SATIN-ROUTED EDGES, SLIGHT BEVEL, SUBSURFACE PAINTED MP32156
- B** 1/4" OPTIX 95 CLEAR ACRYLIC, SATIN ROUTED EDGES
- C** 1/32" RAISED TEXT + GRAPHICS FONT: FUTURA PT MEDIUM
- D** CLEAR BRAILLE BEADS

COLORS



- 1** MATTHEWS MP32156 BLACK
- 2** ROWMARK 311-204 BRIGHT WHITE

INSTALLATION TYPE  
VHB MOUNT

Security Camera In Use  
Signage

1.43

SECURITY CAMERA IN USE  
SIGNAGE ELEVATION





**SIGN 1**  
**ACCESSIBLE ENTRANCE**



**SIGN 2**  
**RIGHT ARROW**



**SIGN 3**  
**LEFT ARROW**



[Follow same layout instructions  
as Sign 2]

**TEXT  
SPECS**

**SIGN 1-3**

Typeface: Futura PT  
Font: Bold  
Size: 100pt  
Leading: 105pt  
Position: Center aligned

**ARROW  
SPECS**

**SIGN 1-3**

Width: 7.1"  
Height: 2.2"  
Position: Center aligned

**ICON  
SPECS**

**SIGN 1-3**

Width: 7.4"  
Height: 9.5"  
Position: Center aligned

**A** MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

**COLORS**  
**1** PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

**2** WHITE

INSTALLATION TYPE  
POST OR EXTERIOR WALL MOUNTED


Accessible Entrance

2.01

CR



ACCESSIBLE ENTRANCE  
EXTERIOR ELEVATION



Accessible Entrance  
Mounting Height + Location

2.02



## Exterior Sign Color Palettes: Red, Blueberry, Mint, Slate.

PPS colors may be used where signage color is not specified by code. Blueberry and mint are preferred for their bespoke, friendly gestalts and high levels of contrast. Red may be used in locations for emphasis. Slate may be used when emphasis and contrast are secondary priorities.

**MATERIALS**  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

**COLORS**  
RED

WHITE

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

PPS MINT (GREEN)  
CMYK: 100, 31, 60, 27


PPS SLATE (GRAY)  
CMYK: 53, 29, 25, 0

Vehicular Color Palettes

# 2.03



PPS SIGNAGE  
BASE FRAME



See dimension specifications on associated page for each sign type variation

TEXT  
SPECIFICATIONS

Typeface: Futura PT  
Font: Bold  
Size: 69pt  
Position: Center aligned with icon at bottom of sign

ICON  
SPECIFICATIONS

PPS CIRCLE ICON  
Width: .85"  
Height: .85"  
Position: Left of text and center aligned with text at bottom of sign

BANNER  
SPECIFICATIONS

TOP BANNER BACKGROUND  
See height and color specifications on page associated with each sign type variation

SKYLINE BANNER  
Keep skyline height at ~37% of total banner height. See height and color specifications on page associated with each sign type variation



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED


WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Service Vehicles Only


2.05

SIGN 1  
SERVICE VEHICLES



Note: Red sign example  
can be used for emphasis  
on any vehicular signs.

SIGN 2  
SERVICE VEHICLES



TEXT  
SPECIFICATIONS

SIGN 1+ 2

“RESERVED”  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

“SERVICE VEHICLES ONLY”  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM


COLORS  
RED

WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5


INSTALLATION TYPE  
POST MOUNT

Service Vehicles w/ Time  
**2.06**

SIGN 1  
SERVICE VEHICLES WITH  
ADDITIONAL TIME SIGN



SIGN 2  
SERVICE VEHICLES -  
GROUNDS



TEXT  
SPECIFICATIONS

SIGN 1+ 2

"RESERVED"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

"SERVICE VEHICLES..."  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

SIGN 1

"NO PARKING"  
Typeface: Futura PT  
Font: Medium  
Size: 105 pt  
Position: Center aligned

EXAMPLE TIMES  
Typeface: Futura PT  
Font: Medium  
Size: 75 pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED


WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT


Health Clinic  
+ Car/Vanpool

2.07

SIGN 1  
HEALTH CLINIC



SIGN 2  
CARPOOL + VANPOOL



TEXT  
SPECIFICATIONS

SIGN 1+ 2

“RESERVED”  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

“HEALTH CLINIC”  
and “CARPOOL...”  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

EXAMPLE TIMES  
Typeface: Futura PT  
Font: Bold  
Size: 60 pt  
Leading: 70pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM


COLORS  
RED

WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5


INSTALLATION TYPE  
POST MOUNT

Truck Loading  
2.08

SIGN 1  
TRUCK LOADING



SIGN 2  
TRUCK LOADING -  
ADDITIONAL NO PARKING SIGN



TEXT  
SPECIFICATIONS

SIGN 1+ 2

"RESERVED"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

"TRUCK LOADING"  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

SIGN 2

"NO PARKING"  
Typeface: Futura PT  
Font: Medium  
Size: 105 pt  
Position: Center aligned

EXAMPLE TIMES  
Typeface: Futura PT  
Font: Medium  
Size: 75 pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM


COLORS  
RED

WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5


INSTALLATION TYPE  
POST MOUNT

Honored Student + Principal  
**2.09**

SIGN 1  
HONORED STUDENT



SIGN 2  
PRINCIPAL



TEXT  
SPECIFICATIONS

SIGN 1+ 2

"RESERVED"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

"HONORED STUDENT"  
and "PRINCIPAL"  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

EXAMPLE TIMES  
Typeface: Futura PT  
Font: Bold  
Size: 60 pt  
Leading: 70pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED


WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT


Low Emitting and Fuel  
Efficient Vehicles  
+ Emergency Vehicles

2.10

SIGN 1  
LOW EMITTING AND  
FUEL EFFICIENT VEHICLES



SIGN 2  
EMERGENCY VEHICLES



TEXT  
SPECIFICATIONS

SIGN 1+ 2

"RESERVED"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

"LOW EMITTING..."  
and "EMERGENCY..."  
Typeface: Futura PT  
Font: Bold  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

SIGN 1

EXAMPLE TIMES  
Typeface: Futura PT  
Font: Medium  
Size: 60pt  
Leading: 70pt  
Position: Center aligned

"CARPOOL DROP-OFF"  
and EXAMPLE TIMES  
Typeface: Futura PT  
Font: Medium  
Size: 68 pt  
Size: 78 pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM


COLORS  
WHITE

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5


INSTALLATION TYPE  
POST MOUNT

PPS Staff Parking  
(with Alternate)

SIGN 1  
STAFF PARKING



SIGN 2  
STAFF & VISITOR PARKING



TEXT  
SPECIFICATIONS

SIGN 1+ 2

"PPS STAFF PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Leading: 180pt  
Position: Center aligned


EXAMPLE TIMES  
Typeface: Futura PT  
Font: Medium  
Size: 60pt  
Leading: 70pt  
Position: Center aligned

SIGN 2

"VISITOR PARKING  
ALLOWED..."  
Typeface: Futura PT  
Font: Medium  
Size: 60pt  
Leading: 70pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.

SIGN 1  
VISITOR PARKING



TEXT  
SPECIFICATIONS

SIGN 1

"PPS STAFF PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 155pt  
Position: Center aligned

"VISITOR PARKING"  
Typeface: Futura PT  
Font: Medium  
Size: 135pt  
Leading: 145pt  
Position: Center aligned

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED

WHITE  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Visitor Parking

2.12



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE  
  
PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Reserved Parking ADA +  
Van Accessible

SIGN 1  
PARKING - VAN ACCESSIBLE



SIGN 2  
PARKING - ACCESSIBLE



[Follow same layout instructions as Sign 1]

TEXT  
SPECIFICATIONS

SIGN 1 + 2

"RESERVED PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 153pt  
Leading: 175pt  
Position: Center aligned

"VAN ACCESSIBLE"  
Typeface: Futura PT  
Font: Medium  
Size: 85pt  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 1 + 2

Width: 6"  
Height: 6.75"  
Position: Center aligned



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED  
WHITE

INSTALLATION TYPE  
POST MOUNT

SIGN 1  
PASSENGER LOADING -  
DOUBLE ARROW



SIGN 2  
PASSENGER LOADING -  
RIGHT ARROW



[Follow same layout instructions as Sign 1  
and see arrow specs]

SIGN 3  
PASSENGER LOADING -  
LEFT ARROW



[Follow same layout instructions as Sign 1  
and see arrow specs]

TEXT  
SPECS

SIGN 1-3

"NO PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 153pt  
Leading: 175pt  
Position: Center aligned

"PASSENGER LOADING"  
Typeface: Futura PT  
Font: Bold  
Size: 105pt  
Leading: 125pt  
Position: Center aligned

ARROW  
SPECS

SIGN 1

Width: 9.25"  
Height: 3.5"  
Position: Center aligned

SIGN 2 + 3

Width: 7.75"  
Height: 3.5"  
Position: Center aligned



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED

WHITE

INSTALLATION TYPE  
POST MOUNT

SIGN 1  
FIRE LANE - DOUBLE ARROW



SIGN 2  
FIRE LANE - RIGHT ARROW



[Follow same layout instructions as Sign 1  
and see arrow specs]

SIGN 3  
FIRE LANE - LEFT ARROW



[Follow same layout instructions as Sign 1  
and see arrow specs]

TEXT  
SPECS

SIGN 1-3

"NO PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 153pt  
Leading: 175pt  
Position: Center aligned

"FIRE LANE"  
Typeface: Futura PT  
Font: Bold  
Size: 125pt  
Position: Center aligned

ARROW  
SPECS


SIGN 1

Width: 9.25"  
Height: 3.5"  
Position: Center aligned

SIGN 2 + 3

Width: 7.75"  
Height: 3.5"  
Position: Center aligned

SIGN 1  
NO IDLING



TEXT  
SPECIFICATIONS

SIGN 1

"NO IDLING"  
Typeface: Futura PT  
Font: Bold  
Size: 180pt  
Leading: 185pt  
Position: Center aligned

"TURN ENGINE OFF"  
Typeface: Futura PT  
Font: Bold  
Size: 80pt  
Position: Center aligned

ICON  
SPECIFICATIONS

SIGN 1

Width: 7.5"  
Height: 7.5"  
Position: Center aligned

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED

WHITE  
BLACK

INSTALLATION TYPE  
POST MOUNT

No Idling  
2.16



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED  
WHITE

INSTALLATION TYPE  
POST MOUNT

SIGN 1  
NO PARKING - ATHLETIC EVENTS

SIGN 2  
NO PARKING - BELOW GRANDSTANDS

TEXT  
SPECS

SIGN 1 + 2

"NO"  
Typeface: Futura PT  
Font: Bold  
Size: 300pt  
Leading: 300pt  
Position: Center aligned

"PARKING"  
Typeface: Futura PT  
Font: Bold  
Size: 265pt  
Leading: 300 pt  
Position: Center aligned

"DURING..." + "BELOW..."  
Typeface: Futura PT  
Font: Bold  
Size: 122pt  
Leading: 145 pt  
Position: Center aligned

SIGN 1

"VEHICLES WILL BE..."  
Typeface: Futura PT  
Font: Bold  
Size: 70pt  
Leading: 85 pt  
Position: Center aligned



SIGN 1  
NO PARKING - LARGE HORIZONTAL



TEXT  
SPECIFICATIONS

Typeface: Futura PT  
Font: Bold  
Size: 307pt  
Vertical Scale: 110%  
Position: Center aligned

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED

WHITE

INSTALLATION TYPE  
POST MOUNT

No Parking - Wall Sign

2.18

SIGN 1  
PERMIT PARKING ONLY



TEXT  
SPECIFICATIONS

"PERMIT PARKING ONLY"  
Typeface: Futura PT  
Font: Bold  
Size: 265pt  
Leading: 300pt  
Position: Center aligned

EXAMPLE HOURS  
Typeface: Futura PT  
Font: Bold  
Size: 122pt  
Leading: 145pt  
Position: Center aligned

Note:  
All days and times listed  
are example times and  
may vary.

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED


WHITE

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Permit Parking Only  
2.19

SIGN 1  
KEEP RIGHT



TEXT  
SPECIFICATIONS

"KEEP RIGHT"  
Typeface: Futura PT  
Font: Bold  
Size: 400pt  
Position: Center aligned

ARROW  
SPECIFICATIONS

Width: 13.3"  
Height: 5.1"  
Rotate: CCW 20-degrees  
Position: Center aligned

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
RED

WHITE

BLACK

INSTALLATION TYPE  
POST MOUNT

Keep Right

2.20



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE

BLACK


PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
WALL OR FENCE MOUNT

Welcome to PPS Grounds:  
Rules + Hours

2.21

SIGN 1  
PPS GROUNDS SIGN



TEXT  
SPECIFICATIONS

"WELCOME.."  
Typeface: Futura PT  
Font: Bold  
Size: 200pt  
Position: Center aligned

BLUE-COLORED TEXT  
+ ICONS HEADER  
Typeface: Futura PT  
Font: Medium  
Size: 65pt  
Leading: 78  
Tracking: 20  
Blue Text Position:  
Left aligned  
Icons Header Position:  
Center aligned

PARAGRAPHS 1 + 2  
Typeface: Futura PT  
Font: Medium  
Size: 52pt  
Leading: 56pt  
Position: Left aligned

ICON  
SPECIFICATIONS


Width: 2.85"  
Height: 2.85

QR CODE  
SPECIFICATIONS

Width: 2.85"  
Height: 2.76"

BULLETS  
Typeface: Futura PT  
Font: Medium  
Size: 47pt  
Leading: 56pt  
Tracking: -10  
Position: Left aligned  
Left indent: 0.25"  
Line spacing: 0.11"

CODE TEXT  
Typeface: Futura PT  
Font: Medium  
Size: 37pt  
Leading: 49pt  
Position: Left aligned




**Note:**  
All days and times listed are  
example times and may vary.

Welcome to PPS Grounds:  
Rules + Hours

2.22

## SIGN 1 CAMPUS RULES



ICON AREA  
Width: 15"  
Height: 2.13"  
Position: Center aligned

## TEXT SPECIFICATIONS

"Campus Rules"  
Typeface: Futura PT  
Font: Bold  
Size: 160pt  
Position: Center aligned

BULLETS  
Typeface: Futura PT  
Font: Medium  
Size: 47pt  
Leading: 56pt  
Tracking: -10  
Position: Left aligned  
Left indent: 0.25"  
Line spacing: 0.11"

BLUE-COLORED TEXT  
Typeface: Futura PT  
Font: Bold  
Size: 99pt  
Position: Left aligned

## ICON SPECIFICATIONS

Width: 2.13"  
Height: 2.13"

Note:  
All days and times listed  
are example times and  
may vary.

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE


BLACK

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Campus Rules  
**2.23**

SIGN 1  
WELCOME TO PPS GROUNDS



TEXT  
SPECIFICATIONS

"Welcome..."  
Typeface: Futura PT  
Font: Bold  
Size: 150pt  
Leading: 162pt  
Position: Left aligned

"This field is open..."  
Typeface: Futura PT  
Font: Medium  
Size: 75pt  
Leading: 90pt  
Tracking: -10  
Position: Left aligned

Paragraphs 2-4  
Typeface: Futura PT  
Font: Medium  
Size: 53pt  
Leading: 62pt  
Tracking: -30  
Space after paragraph: 0.4375  
Position: Left aligned

Note:  
All days and times listed  
are example times and  
may vary.

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE

BLACK

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Welcome to PPS Grounds  
Field Use

2.24

## SIGN 1 PPS SYNTHETIC FIELDS



ICON AREA  
Width: 15"  
Height: 5.66"  
Position: Center aligned

## TEXT SPECIFICATIONS

"Prohibited on all..."  
Typeface: Futura PT  
Font: Bold  
Size: 115pt  
Leading: 125pt  
Position: Left aligned

BULLETS  
Typeface: Futura PT  
Font: Medium  
Size: 47pt  
Leading: 56pt  
Tracking: -10  
Position: Left aligned  
Left indent: 0.25"  
Line spacing: 0.11"

BLUE-COLORED TEXT  
Typeface: Futura PT  
Font: Bold  
Size: 64pt  
Leading: 75pt  
Position: Left aligned

## ICON SPECIFICATIONS

Width: 2.68"  
Height: 2.68"

mahlum



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE

BLACK

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

PPS Synthetic Fields

2.25



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE

BLACK

PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT

Leash Pets: Full + Half Size

2.26

TEXT  
SPECS

SIGN 1

"Keep PPS Schoolyards..."  
Typeface: Futura PT  
Font: Bold  
Size: 101pt  
Leading: 116pt  
Position: Left aligned

BULLETS [large]  
Typeface: Futura PT  
Font: Bold  
Size: 95pt  
Leading: 115pt  
Position: Left aligned  
Left indent: 0.25"

"It's the law..."  
Size: 95pt  
Leading: 133pt

BULLETS [Small]  
Typeface: Futura PT  
Font: Medium  
Size: 47pt  
Leading: 56pt  
Tracking: -10  
Position: Left aligned  
Left indent: 0.25"  
Line spacing: 0.11"


SIGN 2

"Keep PPS Schoolyards..."  
Typeface: Futura PT  
Font: Bold  
Size: 90pt  
Leading: 108pt  
Position: Left aligned

BULLETS  
Size: 85pt  
Leading: 97pt  
Position: Left aligned  
Left indent: 0.25"

"It's the law..."  
Size: 85pt  
Leading: 113pt

SIGN 2  
LEASH PETS HALF-SIZE



SIGN 1  
LEASH PETS FULL-SIZE



**SIGN 1**  
**CAMPUS - TOBACCO FREE**



**TEXT**  
**SPECIFICATIONS**

“Welcome”  
 Typeface: Futura PT  
 Font: Bold  
 Size: 185pt  
 Position: Center aligned

“All Portland School...”  
 Typeface: Futura PT  
 Font: Medium  
 Size: 100pt  
 Leading: 120pt  
 Position: Center aligned

“TOBACCO USE...”  
 Typeface: Futura PT  
 Font: Bold  
 Size: 85pt  
 Leading: 100pt  
 Vertical Scale: 103%  
 Position: Center aligned

REGULATION TEXT  
 Typeface: Futura PT  
 Font: Medium  
 Size: 26pt  
 Leading: 15pt  
 Tracking: -10  
 Position: Center aligned

**ICON**  
**SPECIFICATIONS**

Width: 6.5”  
 Height: 6.5”  
 Position: Center aligned

mahlum



MATERIALS  
 DIRECT PRINT ON .080” ALUMINUM  
 PANEL FACED WITH ENGINEERING  
 GRADE RETROREFLECTIVE LAMINATE  
 FILM

COLORS  
 WHITE

BLACK

PPS BLUEBERRY (BLUE)  
 CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
 POST MOUNT

Tobacco Use Free Zones

2.27



MATERIALS  
DIRECT PRINT ON .080" ALUMINUM  
PANEL FACED WITH ENGINEERING  
GRADE RETROREFLECTIVE LAMINATE  
FILM

COLORS  
WHITE

RED

GREEN

BLACK


PPS BLUEBERRY (BLUE)  
CMYK: 100, 72, 20, 5

INSTALLATION TYPE  
POST MOUNT


Biking + Skateboarding  
Path Sign

2.28

SIGN 1  
BIKING & SKATEBOARDING



SIGN 2  
BICYCLES KEEP LEFT/  
PEDESTRIANS KEEP RIGHT



"LEFT" + "RIGHT"  
Position: Center align  
above each respective  
icon.

TEXT  
SPECIFICATIONS

SIGN 2

"KEEP"  
Typeface: Futura PT  
Font: Bold  
Size: 250pt  
Position: Center aligned

"LEFT" + "RIGHT"  
Typeface: Futura PT  
Font: Bold  
Size: 90pt

ICON  
SPECIFICATIONS

SIGN 1

Width: 9.8"  
Height: 9.8"  
Position: Center aligned

SIGN 2

ROAD  
Width: 8.6"  
Height: 4.75"  
Position: Center aligned

BIKE  
Width: 3.8"  
Height: 2.2"

PERSON  
Width: 1.4"  
Height: 2.4"