



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

May 12, 2026

John Harding
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX (541) 830-6375

RE: Upper Table Rock Lead Testing

Order No.: 26041284

Dear John Harding:

Neilson Research Corporation received 86 sample(s) on 4/29/2026 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. Testing was completed in accordance with the laboratory's established quality system and standard operating procedures. For the current scope of NELAP-accredited analytes and certifications, please refer to the Certifications section at www.nrclabs.com. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Director of Project Management
245 S Grape St
Medford, OR 97501





Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Case Narrative

WO#: 26041284
Date: 5/12/2026

CLIENT: Eagle Point School District #9
Project: Upper Table Rock Lead Testing

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-01 Client Sample ID: 090BF
 Collection Date: 4/29/2026 4:43:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 090BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-02 Client Sample ID: 089BF
 Collection Date: 4/29/2026 4:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 089BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-03 Client Sample ID: 091KF
 Collection Date: 4/29/2026 4:57:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 091KF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.57		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-04 Client Sample ID: 092KF
 Collection Date: 4/29/2026 4:58:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 092KF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	11.1	1	0.515	ppb	1	5/1/2026	15.0	A	

Lab ID: 26041284-05 Client Sample ID: 093KF
 Collection Date: 4/29/2026 4:59:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 093KF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A	

Lab ID: 26041284-06 Client Sample ID: 094KF
 Collection Date: 4/29/2026 5:00:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 094KF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	7.22		0.515	ppb	1	5/1/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-07 Client Sample ID: 095WB
 Collection Date: 4/29/2026 5:03:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 095WB

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-08 Client Sample ID: 096DW
 Collection Date: 4/29/2026 5:04:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 096DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-09 Client Sample ID: 088CF
 Collection Date: 4/29/2026 5:06:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 088CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-10 Client Sample ID: 139CF
 Collection Date: 4/29/2026 5:09:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 139CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-11 Client Sample ID: 123CF
 Collection Date: 4/29/2026 5:07:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 123CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-12 Client Sample ID: 124DW
 Collection Date: 4/29/2026 5:08:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 124DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-13 Client Sample ID: 126DW
 Collection Date: 4/29/2026 5:10:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 126DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-14 Client Sample ID: 125CF
 Collection Date: 4/29/2026 5:12:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 125CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-15 Client Sample ID: 131CF
 Collection Date: 4/29/2026 5:15:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 131CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-16 Client Sample ID: 132DW
 Collection Date: 4/29/2026 5:17:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 132DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-17 Client Sample ID: 130DW
 Collection Date: 4/29/2026 5:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 130DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-18 Client Sample ID: 129CF
 Collection Date: 4/29/2026 5:22:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 129CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-19 Client Sample ID: 134DW
 Collection Date: 4/29/2026 5:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 134DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-20 Client Sample ID: 133CF
 Collection Date: 4/29/2026 5:27:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 133CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-21 Client Sample ID: 140DW
 Collection Date: 4/29/2026 5:11:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 140DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.856		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-22 Client Sample ID: 159DW
 Collection Date: 4/29/2026 5:12:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 159DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-23 Client Sample ID: 160WB
 Collection Date: 4/29/2026 5:13:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 160WB

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-24 Client Sample ID: 161DW
 Collection Date: 4/29/2026 5:14:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 161DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-25 Client Sample ID: 150BF
 Collection Date: 4/29/2026 5:16:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 150BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-26 Client Sample ID: 149BF
 Collection Date: 4/29/2026 5:18:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 149BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-27 Client Sample ID: 151BF
 Collection Date: 4/29/2026 5:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 151BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-28 Client Sample ID: 152BF
 Collection Date: 4/29/2026 5:22:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 152BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-29 Client Sample ID: 153BF
 Collection Date: 4/29/2026 5:23:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 153BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-30 Client Sample ID: 154BF
 Collection Date: 4/29/2026 5:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 154BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-31 Client Sample ID: 167BF
 Collection Date: 4/29/2026 6:16:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 167BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-32 Client Sample ID: 168BF
 Collection Date: 4/29/2026 6:17:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 168BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-33 Client Sample ID: 169BF
 Collection Date: 4/29/2026 6:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 169BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-34 Client Sample ID: 170BF
 Collection Date: 4/29/2026 6:21:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 170BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-35 Client Sample ID: 171BF
 Collection Date: 4/29/2026 6:22:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 171BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-36 Client Sample ID: 172BF
 Collection Date: 4/29/2026 6:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 172BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-37 Client Sample ID: 173BF
 Collection Date: 4/29/2026 6:28:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 173BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-38 Client Sample ID: 174BF
 Collection Date: 4/29/2026 6:30:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 174BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-39 Client Sample ID: 100CF
 Collection Date: 4/29/2026 6:37:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 100CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-40 Client Sample ID: 103BF
 Collection Date: 4/29/2026 6:40:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 103BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/1/2026	15.0	A

Lab ID: 26041284-41 Client Sample ID: 157BF
 Collection Date: 4/29/2026 5:52:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 157BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; CSB
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

Lab ID: 26041284-42 Client Sample ID: 158BF
 Collection Date: 4/29/2026 5:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 158BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; CSB
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-43 Client Sample ID: 137CF
 Collection Date: 4/29/2026 5:56:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 137CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

Lab ID: 26041284-44 Client Sample ID: 138DW
 Collection Date: 4/29/2026 5:57:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 138DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

Lab ID: 26041284-45 Client Sample ID: 098BF
 Collection Date: 4/29/2026 6:02:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 098BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-46 Client Sample ID: 097BF
 Collection Date: 4/29/2026 6:04:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 097BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-47 Client Sample ID: 163BF
 Collection Date: 4/29/2026 6:10:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 163BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-48 Client Sample ID: 164BF
 Collection Date: 4/29/2026 6:11:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 164BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-49 Client Sample ID: 165BF
 Collection Date: 4/29/2026 6:12:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 165BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-50 Client Sample ID: 166BF
 Collection Date: 4/29/2026 6:15:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 166BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-51 Client Sample ID: 143CF
 Collection Date: 4/29/2026 5:28:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 143CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-52 Client Sample ID: 144DW
 Collection Date: 4/29/2026 5:29:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 144DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-53 Client Sample ID: 147CF
 Collection Date: 4/29/2026 5:40:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 147CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-54 Client Sample ID: 148DW
 Collection Date: 4/29/2026 5:41:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 148DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-55 Client Sample ID: 145CF
 Collection Date: 4/29/2026 5:43:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 145CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

Lab ID: 26041284-56 Client Sample ID: 146DW
 Collection Date: 4/29/2026 5:44:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 146DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

Lab ID: 26041284-57 Client Sample ID: 141CF
 Collection Date: 4/29/2026 5:45:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 141CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-58 Client Sample ID: 142DW
 Collection Date: 4/29/2026 5:47:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 142DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-59 Client Sample ID: 155BF
 Collection Date: 4/29/2026 5:48:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 155BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-60 Client Sample ID: 156BF
 Collection Date: 4/29/2026 5:49:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 156BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-61 Client Sample ID: 135CF
 Collection Date: 4/29/2026 5:28:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 135CF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CSB
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-62 Client Sample ID: 136DW
 Collection Date: 4/29/2026 5:32:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 136DW

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CSB
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-63 Client Sample ID: 127CF
 Collection Date: 4/29/2026 5:35:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 127CF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CSB
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.22		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-64 Client Sample ID: 128DW
 Collection Date: 4/29/2026 5:38:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 128DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.953		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-65 Client Sample ID: 121CF
 Collection Date: 4/29/2026 5:42:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 121CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-66 Client Sample ID: 122DW
 Collection Date: 4/29/2026 5:45:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 122DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.904		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-67 Client Sample ID: 106DW
 Collection Date: 4/29/2026 5:47:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 106DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.50		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-68 Client Sample ID: 105CF
 Collection Date: 4/29/2026 5:49:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 105CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-69 Client Sample ID: 107CF
 Collection Date: 4/29/2026 5:50:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 107CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-70 Client Sample ID: 108DW
 Collection Date: 4/29/2026 5:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 108DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.27		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-71 Client Sample ID: 110DW
 Collection Date: 4/29/2026 5:57:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 110DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.07		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-72 Client Sample ID: 109CF
 Collection Date: 4/29/2026 5:59:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 109CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-73 Client Sample ID: 111CF
 Collection Date: 4/29/2026 6:01:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 111CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-74 Client Sample ID: 112DW
 Collection Date: 4/29/2026 6:03:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 112DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-75 Client Sample ID: 116DW
 Collection Date: 4/29/2026 6:06:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 116DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-76 Client Sample ID: 115CF
 Collection Date: 4/29/2026 6:08:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 115CF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.10		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-77 Client Sample ID: 113CF
 Collection Date: 4/29/2026 6:12:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 113CF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-78 Client Sample ID: 114DW
 Collection Date: 4/29/2026 6:15:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 114DW

Trace Metals by EPA 200.8 ICP-MS							Analyst: CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/7/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-79 Client Sample ID: 118DW
 Collection Date: 4/29/2026 6:18:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 118DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.74		0.515	ppb	1	5/7/2026	15.0	A	

Lab ID: 26041284-80 Client Sample ID: 117CF
 Collection Date: 4/29/2026 6:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 117CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/8/2026	15.0	A	

Lab ID: 26041284-81 Client Sample ID: 120DW
 Collection Date: 4/29/2026 6:23:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 120DW

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	5/8/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-82 Client Sample ID: 119CF
 Collection Date: 4/29/2026 6:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 119CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.952		0.500	ppb	1	5/8/2026	15.0	A

Lab ID: 26041284-83 Client Sample ID: 101CF
 Collection Date: 4/29/2026 6:34:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 101CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.500	ppb	1	5/8/2026	15.0	A

Lab ID: 26041284-84 Client Sample ID: 099CF
 Collection Date: 4/29/2026 6:38:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 099CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.500	ppb	1	5/8/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26041284
 Date Reported: 5/12/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26041284
Received Date: 4/29/2026 9:30:00 AM
Reported Date: 5/12/2026 10:53:19 AM

Sample Information:

Lab ID: 26041284-85 Client Sample ID: 104BF
 Collection Date: 4/29/2026 6:40:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 104BF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	5/8/2026	15.0	A	

Lab ID: 26041284-86 Client Sample ID: 102CF
 Collection Date: 4/29/2026 7:08:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 102CF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	5/8/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26041284

13-May-26

Client: Eagle Point School District #9
Project: Upper Table Rock Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-36691	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: PBW	Batch ID: 36691	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144261						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-36691	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: LCSW	Batch ID: 36691	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144262						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 104 0.520 100 0 104 85 115

Sample ID: 26041284-42AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: 158BF	Batch ID: 36691	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144264						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 103 0.520 100 0.182 103 70 130

Sample ID: 26041284-42AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: 158BF	Batch ID: 36691	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144265						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.520 100 0.182 102 70 130 103 0.591 20

Qualifiers: CI Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26041284

13-May-26

Client: Eagle Point School District #9

Project: Upper Table Rock Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-36692	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: PBW	Batch ID: 36692	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144289						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-36692	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: LCSW	Batch ID: 36692	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144290						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.520 100 0 102 85 115

Sample ID: 26041284-61AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: 135CF	Batch ID: 36692	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144292						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.520 100 0.0958 102 70 130

Sample ID: 26041284-61AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: 135CF	Batch ID: 36692	TestNo: E200.8	E200.8	Analysis Date: 5/7/2026	SeqNo: 1144293						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.520 100 0.0958 101 70 130 102 0.401 20

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26041284

13-May-26

Client: Eagle Point School District #9

Project: Upper Table Rock Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-36693	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: PBW	Batch ID: 36693	TestNo: E200.8	E200.8	Analysis Date: 5/8/2026	SeqNo: 1144317						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.500

Sample ID: LCS-36693	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: LCSW	Batch ID: 36693	TestNo: E200.8	E200.8	Analysis Date: 5/8/2026	SeqNo: 1144318						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 105 0.500 100 0 105 85 115

Sample ID: 26050147-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: BatchQC	Batch ID: 36693	TestNo: E200.8	E200.8	Analysis Date: 5/8/2026	SeqNo: 1144326						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 105 0.500 100 0 105 70 130

Sample ID: 26050147-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/6/2026	RunNo: 69500						
Client ID: BatchQC	Batch ID: 36693	TestNo: E200.8	E200.8	Analysis Date: 5/8/2026	SeqNo: 1144327						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 103 0.500 100 0 103 70 130 105 2.38 20

Qualifiers: CI Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26041284

13-May-26

Client: Eagle Point School District #9
Project: Upper Table Rock Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-36643	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: PBW	Batch ID: 36643	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145268						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-36643	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: LCSW	Batch ID: 36643	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145269						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 103 0.520 100 0 103 85 115

Sample ID: 26041284-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: 090BF	Batch ID: 36643	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145271						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 100 0.520 100 0.255 100 70 130

Sample ID: 26041284-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: 090BF	Batch ID: 36643	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145272						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 99.9 0.520 100 0.255 99.7 70 130 100 0.410 20

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26041284

13-May-26

Client: Eagle Point School District #9
Project: Upper Table Rock Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-36644	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: PBW	Batch ID: 36644	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145298						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-36644	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: LCSW	Batch ID: 36644	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145299						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 103 0.520 100 0 103 85 115

Sample ID: 26041284-21AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: 140DW	Batch ID: 36644	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145301						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 101 0.520 100 0.856 99.9 70 130

Sample ID: 26041284-21AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/1/2026	RunNo: 69370						
Client ID: 140DW	Batch ID: 36644	TestNo: E200.8	E200.8	Analysis Date: 5/1/2026	SeqNo: 1145302						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 101 0.520 100 0.856 101 70 130 101 0.582 20

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Original




Sample Log-In Check List

Client Name: **EAGLEPTSCHOOL**

Work Order Number: **26041284**

RcptNo: **1**

Logged by:	Ashley Spiegelberg	4/29/2026 9:30:00 AM	
Completed By:	Dorie Evans	5/1/2026 10:44:47 AM	
Reviewed By:	Ashley Spiegelberg	5/12/2026 10:19:11 AM	

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
 2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA
 4. Shipping container/cooler in good condition? Yes No
 Custody seals intact on shipping container/cooler? Yes No Not Present NA
 No. Seal Date: Signed By:
 5. Was an attempt made to cool the samples? Yes No NA
 6. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
 7. Sample(s) in proper container(s)? Yes No
 8. Sufficient sample volume for indicated test(s)? Yes No
 9. Are samples (except VOA and ONG) properly preserved? Yes No
 10. Was preservative added to bottles? Yes No NA
 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes No No VOA Vials
 12. Were any sample containers received broken? Yes No
 13. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)
 14. Are matrices correctly identified on Chain of Custody? Yes No
 15. Is it clear what analyses were requested? Yes No
 16. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

Section A Required Client Information Company: <u>JCS D9</u> Address: Email: Phone: Fax: Collected By (Print): <u>Lani Oconnor</u> Collected By (Sign): <u>[Signature]</u> Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>	Section B Required Project Information Project Name: <u>upper Table Rock</u> Project Number: Report To: Copy To:	Section C Invoice Information Attention: <u>John Harding</u> Company Name: <u>JCS D9</u> Address: <u>P.O. Box 548</u> <u>Eagle Pt. 97524</u> P.O. #	Section D Rush Status (Subject to Scheduling) <input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00) Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
--	---	---	---

Section E Sample Information						Analysis Requested										NRC Workorder # (Lab Use Only) <u>26041284</u>											
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers											Remarks / Field Data	NRC Sample # Use Only	(Lab)									
9860	090BF		4/29/26	4:43	1	lead ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓																					
8402	080BF	089BF		4:53	1																						01
8415	091 KF	per Lani		4:57	1																						02
8434	092 KF	AS		4:58	1																						03
9807	693 KF	4/29		4:59	1																						04
8437	094 KF			5:00	1																						05
8428	095 WB			5:03	1																						06
8404	096 DW			5:04	1																						07
9789	088 CF			5:06	1																						08
9832	139 CF			5:09	1																						09

Section F Relinquish/Receive			
Relinquished By:	Sign	Print	Date
Relinquished By:	<u>[Signature]</u>	<u>Lani Oconnor</u>	<u>4/29/26</u>
Received By:			<u>9:30</u>
Relinquished By:			
Received By:			
Relinquished By:	<u>[Signature]</u>	<u>Ashley Spraggell</u>	<u>4/29/26</u>
Received By Laboratory:			<u>9:30</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID: <u>NA</u>
±6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	



Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: JESD9
 Address: _____
 Email: _____
 Phone: _____ Fax: _____
 Collected By (Print): Loni Oconnor
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: upper table Rock
 Project Number: _____
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: _____
 Address: _____
 P.O. # _____

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	Remarks / Field Data	NRC Sample # (Lab Use Only)
<u>8425</u>		<u>123 CF</u>	<u>4-29</u>	<u>5:07 AM</u>	<u>Lead</u>		<u>26041284</u>		
<u>8422</u>		<u>124 DW</u>	<u>4-29</u>	<u>5:08 AM</u>					<u>11</u>
<u>8433</u>		<u>126 DW</u>	<u>4-29</u>	<u>5:10 AM</u>					<u>12</u>
<u>8429</u>		<u>125 CF</u>	<u>4-29</u>	<u>5:12 AM</u>					<u>13</u>
<u>8419</u>		<u>131 CF</u>	<u>4-29-26</u>	<u>5:15 AM</u>					<u>14</u>
<u>8418</u>		<u>132 DW</u>	<u>4-29-26</u>	<u>5:17 AM</u>					<u>15</u>
<u>8427</u>		<u>130 DW</u>	<u>4-29-26</u>	<u>5:20 AM</u>					<u>16</u>
<u>8426</u>		<u>129 CF</u>	<u>4-29-26</u>	<u>5:22 AM</u>					<u>17</u>
<u>8406</u>		<u>134 DW</u>	<u>4-29-26</u>	<u>5:25</u>					<u>18</u>
<u>8423</u>		<u>133 CF</u>	<u>4-29-26</u>	<u>5:27</u>					<u>19</u>
									<u>20</u>

Section F

Relinquish/Receiver

Relinquished By:	Print	Date	Time
<u>[Signature]</u>	<u>Loni Oconnor</u>	<u>4/29/26</u>	<u>9:30</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory:	<u>Ashley Spieslberg</u>	<u>4/29/26</u>	<u>9:30</u>

Section G

Lab Use Only

Temp: Amb IR Therm ID: NA
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: _____
 pH Checked: _____
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No

Received Via UPS FedEX Other Hand

Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCS D9</u>		Project Name: <u>upper table Rock</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name: <u>JCS D9</u>		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print):							
Collected By (Sign):							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

Section E Sample Information					Analysis Requested												NRC Workorder # (Lab Use Only)												
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks / Field Data	NRC Sample # Use Only	(Lab)									
9812	167 BF		4/29/26	6:16	1	Lead																							
9798	168 BF			6:17																									
9780	169 BF			6:20																									
9852	170 BF			6:21																									
9830	171 BF			6:22																									
9840	172 BF			6:25																									
9831	173 BF			6:24																									
9962	174 BF			6:30																									
8413	100 CF			6:37																									
9775	103 BF			6:40																									

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By: <u>[Signature]</u>	Print: <u>Loni O'Connor</u>	Date: <u>4/29/26</u>	Time: <u>9:30</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	<u>Ashley Spiegelberg</u>	<u>4/29/26</u>	<u>9:30</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID: <u>NA</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	



Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCS09</u>		Project Name: <u>Upper Table Rock</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name:		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print): <u>Loni Oconnor</u>							
Collected By (Sign): <u>[Signature]</u>							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

Analysis Requested										
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	1	2	3	4	5
9810	143 CF		4/29/26	5:28	1	Lead				
9833	144 DW			5:29	1					
9777	147 CF			5:40	1					
8436	148 DW			5:41	1					
9821	145 CF			5:43	1					
9820	146 DW			5:44	1					
9811	141 CF			5:45	1					
9836	142 DW			5:47	1					
9866	155 BF			5:48	1					
9835	156 BF			5:49	1					

NRC Workorder # (Lab Use Only) <u>26041284</u>	
Remarks / Field Data	NRC Sample # (Lab Use Only)
	<u>51</u>
	<u>52</u>
	<u>53</u>
	<u>54</u>
	<u>55</u>
	<u>56</u>
	<u>57</u>
	<u>58</u>
	<u>59</u>
	<u>60</u>

Section E
Sample Information

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F
Relinquish/Receive

Relinquished By: <u>[Signature]</u>	Print: <u>Loni Oconnor</u>	Date: <u>4/29/26</u>	Time: <u>9:30</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	Print: <u>Ashley Spieselberg</u>	Date: <u>4/29/26</u>	Time: <u>9:30</u>

Section G
Lab Use Only

Temp: Amb IR Therm ID: NA

≤6°C: Yes No

Received on Ice: Yes No

Number of Bottles Received:

pH Checked:

COC Seals Intact: Yes No NA

Field Blank Included: Yes No

Received Via UPS FedEx Other Hand

Payment: Invoice Cash VISA, M/C Check # Amount

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information Company: <u>JCS9</u> Address: Email: Phone: Fax: Collected By (Print): <u>Loni Oconnor</u> Collected By (Sign): <u>[Signature]</u> Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>	Section B Required Project Information Project Name: <u>Upper Table Rock</u> Project Number: Report To: Copy To:	Section C Invoice Information Attention: <u>John Harding</u> Company Name: Address: P.O. #	Section D Rush Status (Subject to Scheduling) Standard: 10 Business Days Priority: 5 Business Days (List x 1.50) Express: 3 Business Days (List x 1.75) Rush: 2 Business Days (List x 2.00) Rush: 1 Business Day (List x 2.50) Rush: Same Day (List x 3.00) Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
---	--	--	--

Section E Sample Information					No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)		
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected												Remarks / Field Data	NRC Sample # Use Only	(Lab)
8409	135	CF	4-29-06	5:28 AM	Lead													
8405	136	DW	4-29-06	5:32 AM														
8454	127	CF	4-29-06	5:35 AM														
8416	129	DW	4-29-06	5:38 AM														
8400	121	CF	4-29-06	5:42 AM														
8447	122	DW	4-29-06	5:48 AM														
8410	106	DW	4-29-06	5:47 AM														
8398	105	CF	4-29-06	5:49 AM														
8420	107	CF	4-29-06	5:50 AM														
8455	108	DW	4-29-06	5:53 AM														

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive					
Relinquished By:	<u>[Signature]</u>	Print	<u>Loni Oconnor</u>	Date	Time
Received By:				<u>4/29/06</u>	<u>9:30</u>
Relinquished By:					
Received By:					
Relinquished By:					
Received By Laboratory:	<u>[Signature]</u>		<u>Ashley Spiegelberg</u>	<u>4/29/06</u>	<u>7:30</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID: <u>NA</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # <input type="checkbox"/> Amount <input type="checkbox"/>	



Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

849
Page 4 of 9
error AS 4/29

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCS09</u>		Project Name: <u>Upper Lake Res</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name: <u>JCS09</u>		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print): <u>Loni Oconnor</u>							
Collected By (Sign): <u>[Signature]</u>							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

Section E Sample Information					Analysis Requested										NRC Workorder # (Lab Use Only) <u>26041284</u>						
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks / Field Data	NRC Sample # Use Only	(Lab)	
8456		110 DW	4-29-06	5:57 AM	Lead																
8393		109 CF	4-29-06	5:59 AM																71	
8392		111 CF	4-29-06	6:01 AM																72	
8390		112 DW	4-29-06	6:03 AM																73	
8319		116 DW	4-29-06	6:06 AM																74	
8412		115 CF	4-29-06	6:08 AM																75	
8449		113 CF	4-29-06	6:12 AM																76	
8446		114 DW	4-29-06	6:15 AM																77	
8421		118 DW	4-29-06	6:18 AM																78	
8399		117 CF	4-29	6:20 AM																79	
																			80		

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By: <u>[Signature]</u>	Sign	Received By: <u>Loni Oconnor</u>	Date/Time: <u>4/29/06 9:30</u>
Relinquished By:		Received By:	
Relinquished By:		Received By:	
Relinquished By:		Received By:	
Received By Laboratory: <u>[Signature]</u>	Sign	Received By: <u>Ashley Spiegelberg</u>	Date/Time: <u>4/29/06 9:30</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID: <u>NA</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # <input type="checkbox"/> Amount	

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information Company: <u>JCS09</u> Address: Email: Phone: Fax: Collected By (Print): <u>Loni Oconnor</u> Collected By (Sign): <u>[Signature]</u> Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>	Section B Required Project Information Project Name: <u>upper table rock</u> Project Number: Report To: Copy To:	Section C Invoice Information Attention: <u>John Harding</u> Company Name: <u>JCS09</u> Address: P.O. #	Section D Rush Status (Subject to Scheduling) <input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00) Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
---	---	--	---

Section E Sample Information					Analysis Requested										NRC Workorder # (Lab Use Only)					
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks / Field Data	NRC Sample # Use Only	(Lab)
8407			4-29	6:23AM	Lead															
8408				6:25AM															81	
8435				6:34AM															82	
9823				6:38AM															83	
9770				6:40AM															84	
9768				7:08															85	
																		86		

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By: <u>[Signature]</u>	Print: <u>Loni Oconnor</u>	Date: <u>4/29/26</u>	Time: <u>9:30</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	Print: <u>Ashley Spiegelberg</u>	Date: <u>4/29/26</u>	Time: <u>9:30</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID: <u>NA</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	