

Commercial Tobacco Product Use Fact Sheet 2025


Issaquah School District, Grade 6

Students surveyed = 1,336

Introduction

- Commercial tobacco and vapes (e-cigarettes) are the leading cause of preventable death and disease in the US.
- E-cigarette use and frequency of use have increased among youth and adolescents. ¹ Among Washington youth, the rate of smoking is 2% but the rate of e-cigarette use is 8%. ²
- Youth and young adults aged 18 years and under are more likely to start using tobacco than adults; about 90% of adults who currently smoke started by age 18 years. ¹ Estimates show Washington has 650 new adolescent smokers per year. ²
- The minimum age to buy tobacco and vape products in the US is 21 years old, but youth can get these products from older friends.
- In 2016, Washington State passed a Vapor Products law, establishing a statewide licensing system and important protections to reduce illegal youth access to vapor products. This law applies to any vapor product, whether it contains nicotine.
- Preventing youth initiation of tobacco and e-cigarettes would have a meaningful impact on the rates of tobacco-related mortality and morbidity.


Current (past 30-day) Use Trends - 2014-2025, Grade 6



The trend plot above shows measures of Current (past 30-day) Use Trends between 2014 and 2025 for Grade 6. The measures and values are:

Measure	2014	2016	2018	2021	2023	2025
Cigarettes	0.3% ±0.3%	0.3% ±0.3%	0.5% ±0.3%	0.2% ±0.3%	0.2% ±0.3%	0% ±0%
Smokeless tobacco	0.4% ±0.3%	0.1% ±0.2%	0.5% ±0.3%	0.2% ±0.2%	3.1% ±0.9%	2.2% ±0.8%
Vape Products	not asked of grade	0.4% ±0.3%	1.1% ±0.5%	1% ±0.6%	0.5% ±0.4%	0.6% ±0.4%


Current (past 30-day) Vapor Product Use, All Grades, 2025



The bar chart above compares Issaquah School District (local results) to the state sample results for Current (past 30-day) Vapor Product Use for All Grades, 2025. The values are:

Grade	Local Results	State Results
6th grade	0.6% ±0.4%	1.9% ±0.4%
8th grade	1.0% ±0.6%	4.1% ±1.0%
10th grade	1.5% ±0.8%	6.2% ±1.4%
12th grade	suppressed	11.5% ±2.3%

Statewide Prevalence of Current (past 30-day) Cigarette, E-cigarette, and Use of Both
 Among Youth by Grade, 2025



Type	6th Grade	8th Grade	10th Grade	12th Grade
cigarette only	0.2% ±0.1%	0.3% ±0.1%	0.4% ±0.2%	0.7% ±0.3%
e-cigarette only	1.6% ±0.3%	3.3% ±0.8%	4.7% ±1.1%	8.5% ±1.8%
both cigarette and e-cigarette	0.3% ±0.1%	0.8% ±0.3%	1.1% ±0.3%	2.9% ±0.9%


There would have been a chart and table titled:
Reported Substance "Vaped" Among Current (30-day) Vapor Product Users
 The questions reported were not asked of this grade

There would have been a chart and table titled:

Source of Tobacco and Vapor Products Among Those Who Use Them

The questions reported were not asked of this grade

Statewide Relationship between Current (past 30-day) Vapor Product Use and Demographics, Grade 6, 2025



*Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

S - results are suppressed because less than 5 students answered this way

The bar chart above shows the statewide relationship between Current (past 30-day) Vapor Product Use and Demographics for Grade 6, 2025

- Results for race/ethnicity, gender identity, and sexual orientation are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.
- Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.
- Suppressed is displayed for results that are suppressed because less than 5 students answered this way.

The demographic categories and values are:

All Students Statewide	1.9% $\pm$ 0.4%
By Race/Ethnicity	
American Indian or Alaska Native	2.7% $\pm$ 1.6%
Asian or Asian American	1.2% $\pm$ 0.9%
Black or African-American	3.2% $\pm$ 1.3%
Hispanic/Latino/Latina/Spanish Origin	2.5% $\pm$ 0.8%
Middle Eastern or North African	13.3% $\pm$ 8.2%
Native Hawaiian or Other Pacific Islander	3.9% $\pm$ 1.8%
White	1.3% $\pm$ 0.5%
Other	1.8% $\pm$ 0.9%
By Sex Assigned at Birth	
Female	2.0% $\pm$ 0.5%
Male	1.7% $\pm$ 0.6%
By Gender Identity	
Boy	1.8% $\pm$ 1.0%
Girl	2.0% $\pm$ 0.8%
Something else	Suppressed
By Migratory Working Family	
Migratory working family	4.0% $\pm$ 1.5%
Non-migratory working family	1.7% $\pm$ 0.4%

For More Information

- Through key partnerships, the Commercial Tobacco Prevention Program addresses youth access to tobacco and the growth in the use of electronic cigarettes and vapor products in Washington State. Find out more here: <https://www.doh.wa.gov/YouandYourFamily/Tobacco>
- For help to quit smoking or vaping, teenagers aged 13-17 years old can text QUIT to 47848 and be connected to SmokefreeTXT, a program offered by Smokefree.gov.
- Additional support to help quit smoking or vaping can be found at teen.smokefree.gov or at <https://doh.wa.gov/quit>
- Call 1-800-QUIT-NOW to receive support from a Quit Coach. All services are free and confidential.

Data Notes

Prevalence on charts is displayed with 95% confidence intervals (as $\pm$ or black bar |)

▲ ▼ indicates a significant change from the previous year, $p < 0.05$. Color indicates a **positive** or **negative** difference

- Students were asked how many days, over the past 30 days, they smoked cigarettes, used smokeless tobacco products, and used electronic cigarettes or vaping products. Current users were students who responded they smoked a tobacco product between 1 and 30 days.
- Multi-select questions do not add to 100%.

Missing Codes:


- S = results suppressed due to insufficient reporting from students of school
- N/G = grade not available
- N/S = question was not surveyed this year
- N/A = question was not asked of this grade
- ns = no significant difference between groups in the Statewide relationship charts

Acknowledgements

The Healthy Youth Survey (HYS) is a collaborative effort of the Office of the Superintendent of Public Instruction, the Department of Health, the Health Care Authority - Division of Behavioral Health and Recovery, and the Liquor and Cannabis Board.

References

1. The American Heart Association. Youth and Tobacco: A New Crisis Infographic. 2024. Accessed November 2025. Available at:
https://www.heart.org/en/-/media/Files/Healthy-Living/tobacco-endgame-infographic-PDF.pdf?sc_lang=en
2. The Campaign for Tobacco-Free Kids. Key State-Specific Tobacco-Related Data and Rankings. 2025 Aug. Accessed November 2025. Available at: <https://assets.tobaccofreekids.org/factsheets/0176.pdf>



Commercial Tobacco Product Use Fact Sheet 2025


Issaquah School District, Grade 8

Students surveyed = 1,293

Introduction

- Commercial tobacco and vapes (e-cigarettes) are the leading cause of preventable death and disease in the US.
- E-cigarette use and frequency of use have increased among youth and adolescents. ¹ Among Washington youth, the rate of smoking is 2% but the rate of e-cigarette use is 8%. ²
- Youth and young adults aged 18 years and under are more likely to start using tobacco than adults; about 90% of adults who currently smoke started by age 18 years. ¹ Estimates show Washington has 650 new adolescent smokers per year. ²
- The minimum age to buy tobacco and vape products in the US is 21 years old, but youth can get these products from older friends.
- In 2016, Washington State passed a Vapor Products law, establishing a statewide licensing system and important protections to reduce illegal youth access to vapor products. This law applies to any vapor product, whether it contains nicotine.
- Preventing youth initiation of tobacco and e-cigarettes would have a meaningful impact on the rates of tobacco-related mortality and morbidity.


Current (past 30-day) Use Trends - 2014-2025, Grade 8



The trend plot above shows measures of Current (past 30-day) Use Trends between 2014 and 2025 for Grade 8. The measures and values are:

Measure	2014	2016	2018	2021	2023	2025
Cigarettes	1.1% ±0.6% ↓	1.3% ±0.6%	1.3% ±0.6%	0.3% ±0.3% ↓	0.8% ±0.5%	0.3% ±0.3%
Smokeless tobacco	0.8% ±0.7%	0.6% ±0.6%	0.3% ±0.4%	0.3% ±0.5%	0.7% ±0.7%	1.5% ±1%
Vape Products	3.8% ±1.5%	1.9% ±1% ↓	6.7% ±1.9% ↑	1% ±0.6% ↓	1.4% ±0.7%	1% ±0.6%


Current (past 30-day) Vapor Product Use, All Grades, 2025



The bar chart above compares Issaquah School District (local results) to the state sample results for Current (past 30-day) Vapor Product Use for All Grades, 2025. The values are:


Grade	Local Results	State Results
6th grade	0.6% ±0.4%	1.9% ±0.4%
8th grade	1.0% ±0.6%	4.1% ±1.0%
10th grade	1.5% ±0.8%	6.2% ±1.4%
12th grade	suppressed	11.5% ±2.3%

Statewide Prevalence of Current (past 30-day) Cigarette, E-cigarette, and Use of Both Among Youth by Grade, 2025



Type	6th Grade	8th Grade	10th Grade	12th Grade
cigarette only	0.2% ±0.1%	0.3% ±0.1%	0.4% ±0.2%	0.7% ±0.3%
e-cigarette only	1.6% ±0.3%	3.3% ±0.8%	4.7% ±1.1%	8.5% ±1.8%
both cigarette and e-cigarette	0.3% ±0.1%	0.8% ±0.3%	1.1% ±0.3%	2.9% ±0.9%

Reported Substance "Vaped" Among Current (30-day) Vapor Product Users - Grade 8, 2025




The bar chart above shows Reported Substance "Vaped" Among Current (30-day) Vapor Product Users for Grade 8, 2025. The measures and values are:


Measure	Value
Nicotine in it	60.0% ±36.9%
THC (marijuana) in it	20.0% ±30.2%
Both Nicotine and TCH in it	20.0% ±30.2%
Flavor only (no nicotine or THC)	10.0% ±22.6%
Substance not known	10.0% ±22.6%

Source of Tobacco and Vapor Products Among Those Who Use Them - Grade 8, 2025

% of Students



% of Students




The bar chart above shows Source of Tobacco and Vapor Products Among Those Who Use Them for Grade 8, 2025. The measures and values are:

Measure	Value
Bought it in a store	not asked of grade
Vending machine	not asked of grade
Stole it from a store	not asked of grade
From friends	not asked of grade
At a party	not asked of grade
From older sibling	not asked of grade
Someone older not related to me	not asked of grade

Measure	Value
Someone sold it to me	not asked of grade
I gave money to someone to get it for me	not asked of grade
At home with/without permission	not asked of grade
At home with permission	not asked of grade
Social media Internet	not asked of grade
Some other way	not asked of grade

Statewide Relationship between Current (past 30-day) Vapor Product Use and Demographics, Grade 8, 2025



*Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

**Sexually or gender diverse youth are defined as any student selecting “transgender”, “questioning/not sure”, “something else fits better”, or multiple options for gender identity, or any student selecting “gay or lesbian”, “bisexual”, “questioning/not sure”, “something else fits better”, or multiple response options for sexual orientation.

The bar chart above shows the statewide relationship between Current (past 30-day) Vapor Product Use and Demographics for Grade 8, 2025

- Results for race/ethnicity, gender identity, and sexual orientation are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.
- Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.
- Suppressed is displayed for results that are suppressed because less than 5 students answered this way.

The demographic categories and values are:

All Students Statewide 4.1% $\pm$ 1.0%

By Race/Ethnicity

American Indian or Alaska Native	7.9% $\pm$ 3.3%
Asian or Asian American	1.6% $\pm$ 1.0%
Black or African-American	6.1% $\pm$ 3.3%
Hispanic/Latino/Latina/Spanish Origin	6.0% $\pm$ 1.7%
Middle Eastern or North African	5.9% $\pm$ 4.6%
Native Hawaiian or Other Pacific Islander	8.2% $\pm$ 3.6%
White	4.3% $\pm$ 1.0%
Other	4.1% $\pm$ 1.6%

By Sex Assigned at Birth

Female	5.4% $\pm$ 1.4%
Male	2.8% $\pm$ 0.8%

By Gender Identity

Female	5.1% $\pm$ 1.3%
Male	3.1% $\pm$ 0.9%
Transgender	6.5% $\pm$ 3.8%
Questioning	7.5% $\pm$ 4.5%

By Sexual Orientation

Bisexual	10.6% $\pm$ 3.3%
----------	------------------

By Sexual Orientation

Gay or Lesbian	5.4% $\pm$ 3.9%
Heterosexual	3.6% $\pm$ 1.0%
Questioning	5.6% $\pm$ 2.6%
Something else	5.8% $\pm$ 3.4%

By Sexually or Gender Diverse

Sexually or Gender Diverse	7.5% $\pm$ 2.1%
Not Sexually or Gender Diverse	3.4% $\pm$ 1.0%

By Disability

Identifying as having a disability	6.7% $\pm$ 1.6%
No Disability	2.1% $\pm$ 0.7%

By Migratory Working Family

Migratory working family	8.8% $\pm$ 3.3%
Non-migratory working family	3.8% $\pm$ 0.9%
Non-migratory working family	3.8% $\pm$ 0.9%

For More Information

- Through key partnerships, the Commercial Tobacco Prevention Program addresses youth access to tobacco and the growth in the use of electronic cigarettes and vapor products in Washington State. Find out more here: <https://www.doh.wa.gov/YouandYourFamily/Tobacco>
- For help to quit smoking or vaping, teenagers aged 13-17 years old can text QUIT to 47848 and be connected to SmokefreeTXT, a program offered by Smokefree.gov.
- Additional support to help quit smoking or vaping can be found at teen.smokefree.gov or at <https://doh.wa.gov/quit>
- Call 1-800-QUIT-NOW to receive support from a Quit Coach. All services are free and confidential.

Data Notes

Prevalence on charts is displayed with 95% confidence intervals (as $\pm$ or black bar |)

▲ ▼ indicates a significant change from the previous year, $p < 0.05$. Color indicates a **positive** or **negative** difference

- Students were asked how many days, over the past 30 days, they smoked cigarettes, used smokeless tobacco products, and used electronic cigarettes or vaping products. Current users were students who responded they smoked a tobacco product between 1 and 30 days.
- Multi-select questions do not add to 100%.

Missing Codes:


- S = results suppressed due to insufficient reporting from students of school
- N/G = grade not available
- N/S = question was not surveyed this year
- N/A = question was not asked of this grade
- ns = no significant difference between groups in the Statewide relationship charts

Acknowledgements

The Healthy Youth Survey (HYS) is a collaborative effort of the Office of the Superintendent of Public Instruction, the Department of Health, the Health Care Authority - Division of Behavioral Health and Recovery, and the Liquor and Cannabis Board.

References

1. The American Heart Association. Youth and Tobacco: A New Crisis Infographic. 2024. Accessed November 2025. Available at:
https://www.heart.org/en/-/media/Files/Healthy-Living/tobacco-endgame-infographic-PDF.pdf?sc_lang=en
2. The Campaign for Tobacco-Free Kids. Key State-Specific Tobacco-Related Data and Rankings. 2025 Aug. Accessed November 2025. Available at: <https://assets.tobaccofreekids.org/factsheets/0176.pdf>



Commercial Tobacco Product Use Fact Sheet 2025


Issaquah School District, Grade 10

Students surveyed = 1,042

Introduction

- Commercial tobacco and vapes (e-cigarettes) are the leading cause of preventable death and disease in the US.
- E-cigarette use and frequency of use have increased among youth and adolescents. ¹ Among Washington youth, the rate of smoking is 2% but the rate of e-cigarette use is 8%. ²
- Youth and young adults aged 18 years and under are more likely to start using tobacco than adults; about 90% of adults who currently smoke started by age 18 years. ¹ Estimates show Washington has 650 new adolescent smokers per year. ²
- The minimum age to buy tobacco and vape products in the US is 21 years old, but youth can get these products from older friends.
- In 2016, Washington State passed a Vapor Products law, establishing a statewide licensing system and important protections to reduce illegal youth access to vapor products. This law applies to any vapor product, whether it contains nicotine.
- Preventing youth initiation of tobacco and e-cigarettes would have a meaningful impact on the rates of tobacco-related mortality and morbidity.


Current (past 30-day) Use Trends - 2014-2025, Grade 10



The trend plot above shows measures of Current (past 30-day) Use Trends between 2014 and 2025 for Grade 10. The measures and values are:

Measure	2014	2016	2018	2021	2023	2025
Cigarettes	5.8% ±1.4%	3% ±1.1% ↓	2.3% ±0.8%	0.5% ±0.4% ↓	0.5% ±0.4%	0.9% ±0.6%
Smokeless tobacco	1.8% ±1.2%	1.4% ±1%	1.9% ±1.1%	0% ±0%	0.4% ±0.6%	1.2% ±1%
Vape Products	10.7% ±2.7%	7.2% ±2.3% ↓	15.6% ±2.8% ↑	3.6% ±1.1% ↓	2.7% ±1%	1.5% ±0.8%


Current (past 30-day) Vapor Product Use, All Grades, 2025



The bar chart above compares Issaquah School District (local results) to the state sample results for Current (past 30-day) Vapor Product Use for All Grades, 2025. The values are:


Grade	Local Results	State Results
6th grade	0.6% ±0.4%	1.9% ±0.4%
8th grade	1.0% ±0.6%	4.1% ±1.0%
10th grade	1.5% ±0.8%	6.2% ±1.4%
12th grade	suppressed	11.5% ±2.3%

Statewide Prevalence of Current (past 30-day) Cigarette, E-cigarette, and Use of Both Among Youth by Grade, 2025



Type	6th Grade	8th Grade	10th Grade	12th Grade
cigarette only	0.2% $\pm$ 0.1%	0.3% $\pm$ 0.1%	0.4% $\pm$ 0.2%	0.7% $\pm$ 0.3%
e-cigarette only	1.6% $\pm$ 0.3%	3.3% $\pm$ 0.8%	4.7% $\pm$ 1.1%	8.5% $\pm$ 1.8%
both cigarette and e-cigarette	0.3% $\pm$ 0.1%	0.8% $\pm$ 0.3%	1.1% $\pm$ 0.3%	2.9% $\pm$ 0.9%

Reported Substance "Vaped" Among Current (30-day) Vapor Product Users - Grade 10, 2025




The bar chart above shows Reported Substance "Vaped" Among Current (30-day) Vapor Product Users for Grade 10, 2025. The measures and values are:


Measure	Value
Nicotine in it	83.3% $\pm$ 24.7%
THC (marijuana) in it	50.0% $\pm$ 33.2%
Both Nicotine and TCH in it	0.0% $\pm$ 0.0%
Flavor only (no nicotine or THC)	0.0% $\pm$ 0.0%
Substance not known	0.0% $\pm$ 0.0%

Source of Tobacco and Vapor Products Among Those Who Use Them - Grade 10, 2025

% of Students



% of Students




The bar chart above shows Source of Tobacco and Vapor Products Among Those Who Use Them for Grade 10, 2025. The measures and values are:

Measure	Value
Bought it in a store	0.0% ±0.0%
Vending machine	0.0% ±0.0%
Stole it from a store	0.0% ±0.0%
From friends	50.0% ±50.0%
At a party	25.0% ±75.0%
From older sibling	25.0% ±75.0%
Someone older not related to me	50.0% ±50.0%

Measure	Value
Someone sold it to me	50.0% ±50.0%
I gave money to someone to get it for me	0.0% ±0.0%
At home with/without permission	0.0% ±0.0%
At home with permission	0.0% ±0.0%
Social media Internet	0.0% ±0.0%
Some other way	0.0% ±0.0%

Statewide Relationship between Current (past 30-day) Vapor Product Use and Demographics, Grade 10, 2025



*Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

**Sexually or gender diverse youth are defined as any student selecting “transgender”, “questioning/not sure”, “something else fits better”, or multiple options for gender identity, or any student selecting “gay or lesbian”, “bisexual”, “questioning/not sure”, “something else fits better”, or multiple response options for sexual orientation.

The bar chart above shows the statewide relationship between Current (past 30-day) Vapor Product Use and Demographics for Grade 10, 2025

- Results for race/ethnicity, gender identity, and sexual orientation are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.
- Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.
- Suppressed is displayed for results that are suppressed because less than 5 students answered this way.

The demographic categories and values are:

All Students Statewide 6.2% $\pm$ 1.4%

By Race/Ethnicity

American Indian or Alaska Native	17.1% $\pm$ 4.9%
Asian or Asian American	2.9% $\pm$ 1.7%
Black or African-American	9.1% $\pm$ 3.0%
Hispanic/Latino/Latina/Spanish Origin	5.8% $\pm$ 1.4%
Middle Eastern or North African	6.7% $\pm$ 5.0%
Native Hawaiian or Other Pacific Islander	6.2% $\pm$ 3.2%
White	6.9% $\pm$ 1.9%
Other	9.4% $\pm$ 3.7%

By Sex Assigned at Birth

Female	6.7% $\pm$ 1.8%
Male	5.6% $\pm$ 1.5%

By Gender Identity

Female	6.6% $\pm$ 1.8%
Male	5.9% $\pm$ 1.5%
Transgender	7.7% $\pm$ 4.4%
Questioning	7.2% $\pm$ 4.0%

By Sexual Orientation

Bisexual	11.1% $\pm$ 3.7%
----------	------------------

By Sexual Orientation

Gay or Lesbian	9.7% $\pm$ 3.5%
Heterosexual	5.3% $\pm$ 1.3%
Questioning	8.5% $\pm$ 3.3%
Something else	7.6% $\pm$ 4.0%

By Sexually or Gender Diverse

Sexually or Gender Diverse	9.9% $\pm$ 2.6%
Not Sexually or Gender Diverse	5.0% $\pm$ 1.3%

By Disability

Identifying as having a disability	10.5% $\pm$ 2.6%
No Disability	3.1% $\pm$ 0.8%

By Migratory Working Family

Migratory working family	9.3% $\pm$ 3.7%
Non-migratory working family	6.0% $\pm$ 1.4%
Non-migratory working family	6.0% $\pm$ 1.4%

For More Information

- Through key partnerships, the Commercial Tobacco Prevention Program addresses youth access to tobacco and the growth in the use of electronic cigarettes and vapor products in Washington State. Find out more here: <https://www.doh.wa.gov/YouandYourFamily/Tobacco>
- For help to quit smoking or vaping, teenagers aged 13-17 years old can text QUIT to 47848 and be connected to SmokefreeTXT, a program offered by Smokefree.gov.
- Additional support to help quit smoking or vaping can be found at teen.smokefree.gov or at <https://doh.wa.gov/quit>
- Call 1-800-QUIT-NOW to receive support from a Quit Coach. All services are free and confidential.

Data Notes

Prevalence on charts is displayed with 95% confidence intervals (as $\pm$ or black bar |)

▲ ▼ indicates a significant change from the previous year, $p < 0.05$. Color indicates a **positive** or **negative** difference

- Students were asked how many days, over the past 30 days, they smoked cigarettes, used smokeless tobacco products, and used electronic cigarettes or vaping products. Current users were students who responded they smoked a tobacco product between 1 and 30 days.
- Multi-select questions do not add to 100%.

Missing Codes:

- S = results suppressed due to insufficient reporting from students of school
- N/G = grade not available
- N/S = question was not surveyed this year
- N/A = question was not asked of this grade
- ns = no significant difference between groups in the Statewide relationship charts

Acknowledgements

The Healthy Youth Survey (HYS) is a collaborative effort of the Office of the Superintendent of Public Instruction, the Department of Health, the Health Care Authority - Division of Behavioral Health and Recovery, and the Liquor and Cannabis Board.

References

1. The American Heart Association. Youth and Tobacco: A New Crisis Infographic. 2024. Accessed November 2025. Available at: https://www.heart.org/en/-/media/Files/Healthy-Living/tobacco-endgame-infographic-PDF.pdf?sc_lang=en
2. The Campaign for Tobacco-Free Kids. Key State-Specific Tobacco-Related Data and Rankings. 2025 Aug. Accessed November 2025. Available at: <https://assets.tobaccofreekids.org/factsheets/0176.pdf>