Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

December 19, 2025

Mikayla Higgins
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

RE: Project: Round Hill Elementary School
Pace Project No.: 70395125

Dear Mikayla Higgins:

Enclosed are the analytical results for sample(s) received by the laboratory on December 05, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Felicia Morgan-Nichols
felicia.morgan-nichols@pacelabs.com
(845)562-0890
Project Manager

Enclosures

cc: Ashley Kimiecik, Orange-Ulster BOCES
Juliana Lennon, Orange-Ulster BOCES
Halina Redner, Orange-Ulster BOCES

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

CERTIFICATIONS

Project: Round Hill Elementary School
Pace Project No.: 70395125

Pace Analytical Services, LLC- Newburgh, NY
315 Fullerton Avenue, Newburgh, NY 12550
New York Certification #: 10142 Primary Accrediting Body
New Jersey Certification #: NY015
Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

PROJECT NARRATIVE

Project: Round Hill Elementary School
Pace Project No.: 70395125

Method: **EPA 200.8, Rev. 5.4**
Description: NB 200.8 ICPMS DW No Prep
Client: Orange-Ulster BOCES
Date: December 19, 2025

General Information:
12 samples were analyzed for EPA 200.8, Rev. 5.4 by Pace Analytical Services Newburgh. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:
All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

ANALYTICAL RESULTS

Project: Round Hill Elementary School
Pace Project No.: 70395125

Sample: Kitchen - Food Prep Sink **Lab ID: 70395125001** Collected: 12/05/25 05:11 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	**4.2**	ug/L	1.0	1		12/18/25 17:43	7439-92-1	

Sample: Kitchen Kettle **Lab ID: 70395125002** Collected: 12/05/25 05:12 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	**10.5**	ug/L	1.0	1		12/18/25 17:46	7439-92-1	

Sample: Kitchen - Island sink **Lab ID: 70395125003** Collected: 12/05/25 05:12 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	**1.4**	ug/L	1.0	1		12/18/25 17:58	7439-92-1	

Sample: 200 Wing CU BF **Lab ID: 70395125004** Collected: 12/05/25 05:17 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:08	7439-92-1	

Sample: 200 Wing CU DF **Lab ID: 70395125005** Collected: 12/05/25 05:17 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

ANALYTICAL RESULTS

Project: Round Hill Elementary School
Pace Project No.: 70395125

Sample: Kindergarten wing CU BF **Lab ID: 70395125006** Collected: 12/05/25 05:22 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:13	7439-92-1	

Sample: Kindergarten wing CU DF **Lab ID: 70395125007** Collected: 12/05/25 05:22 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:15	7439-92-1	

Sample: Kindergarten DF Low **Lab ID: 70395125008** Collected: 12/05/25 05:21 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:23	7439-92-1	

Sample: Main Lobby CU/DF **Lab ID: 70395125009** Collected: 12/05/25 05:10 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:25	7439-92-1	

Sample: Main Lobby CU/BF **Lab ID: 70395125010** Collected: 12/05/25 05:10 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

ANALYTICAL RESULTS

Project: Round Hill Elementary School
Pace Project No.: 70395125

Sample: CU/DF across from 303 **Lab ID: 70395125011** Collected: 12/05/25 05:14 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:30	7439-92-1	

Sample: CU/BF across from 303 **Lab ID: 70395125012** Collected: 12/05/25 05:14 Received: 12/05/25 09:45 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep	Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/18/25 18:32	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

QUALITY CONTROL DATA

Project: Round Hill Elementary School
Pace Project No.: 70395125

QC Batch: 433119
QC Batch Method: EPA 200.8, Rev. 5.4
Analysis Method: EPA 200.8, Rev. 5.4
Analysis Description: NB 200.8 ICPMS DW No Prep
Laboratory: Pace Analytical Services - Newburgh
Associated Lab Samples: 70395125001, 70395125002

METHOD BLANK: 2322035 Matrix: Water
Associated Lab Samples: 70395125001, 70395125002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	12/18/25 16:34	

LABORATORY CONTROL SAMPLE: 2322036

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.6	95	85-115	

MATRIX SPIKE SAMPLE: 2322038

Parameter	Units	70395102002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	49.3	99	70-130	

MATRIX SPIKE SAMPLE: 2322040

Parameter	Units	70395102012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	50.1	99	70-130	

SAMPLE DUPLICATE: 2322037

Parameter	Units	70395102002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

QUALITY CONTROL DATA

Project: Round Hill Elementary School
Pace Project No.: 70395125

QC Batch: 433120
QC Batch Method: EPA 200.8, Rev. 5.4
Analysis Method: EPA 200.8, Rev. 5.4
Analysis Description: NB 200.8 ICPMS DW No Prep
Laboratory: Pace Analytical Services - Newburgh
Associated Lab Samples: 70395125003, 70395125004, 70395125005, 70395125006, 70395125007, 70395125008, 70395125009, 70395125010, 70395125011, 70395125012

METHOD BLANK: 2322041 Matrix: Water
Associated Lab Samples: 70395125003, 70395125004, 70395125005, 70395125006, 70395125007, 70395125008, 70395125009, 70395125010, 70395125011, 70395125012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	12/18/25 17:53	

LABORATORY CONTROL SAMPLE: 2322042

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.9	96	85-115	

MATRIX SPIKE SAMPLE: 2322044

Parameter	Units	70395125003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.4	50	51.1	100	70-130	

MATRIX SPIKE SAMPLE: 2322046

Parameter	Units	70395129001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	50.0	100	70-130	

SAMPLE DUPLICATE: 2322043

Parameter	Units	70395125003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.4	1.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

QUALIFIERS

Project: Round Hill Elementary School
Pace Project No.: 70395125

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
315 Fullerton Avenue
Newburgh, NY 12550
(845)562-0890

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Round Hill Elementary School
Pace Project No.: 70395125

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70395125001	**Kitchen - Food Prep Sink**	EPA 200.8, Rev. 5.4	433119		
70395125002	**Kitchen Kettle**	EPA 200.8, Rev. 5.4	433119		
70395125003	**Kitchen - Island sink**	EPA 200.8, Rev. 5.4	433120		
70395125004	**200 Wing CU BF**	EPA 200.8, Rev. 5.4	433120		
70395125005	**200 Wing CU DF**	EPA 200.8, Rev. 5.4	433120		
70395125006	**Kindergarten wing CU BF**	EPA 200.8, Rev. 5.4	433120		
70395125007	**Kindergarten wing CU DF**	EPA 200.8, Rev. 5.4	433120		
70395125008	**Kindergarten DF Low**	EPA 200.8, Rev. 5.4	433120		
70395125009	**Main Lobby CU/DF**	EPA 200.8, Rev. 5.4	433120		
70395125010	**Main Lobby CU/BF**	EPA 200.8, Rev. 5.4	433120		
70395125011	**CU/DF across from 303**	EPA 200.8, Rev. 5.4	433120		
70395125012	**CU/BF across from 303**	EPA 200.8, Rev. 5.4	433120		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 70395125

70395125

Company Name: Orange-Ulster BOCES	Contact/Report To: Mikayla Higgins
Street Address: 53 Gibson Road, Goshen, NY 10924	Phone #: 845-781-4887
	E-Mail: Mikayla.Higgins@ouboces.org
	Cc E-Mail: Halina.redner@ouboces.org
Customer Project #:	Invoice to: Halina Redner
Project Name: Lead Drinking Water-Washingtonville CSD	Invoice E-mail: halina.redner@ouboces.org
Site Collection Info/Facility ID (as applicable): Round Hill Elementary School	Purchase Order # (if applicable): A26-00316
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): Orange County / New York
Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: DOH — Reportable [X] Yes [ ] No
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other _____ — Date Results Requested:
	DW PWSID # or WW Permit # as applicable: — Field Filtered (if applicable): [ ] Yes [X] No — Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Lead
Kitchen - Food prep sink	DW	G			12/5/25	5:11	1			X
Kitchen Kettle	DW	G				5:12	1			X
Kitchen - Island sink	DW	G				5:12	1			X
~~CU BF by Kitchen~~	~~DW~~	~~G~~					1			X
~~CU DF by Kitchen~~	~~DW~~	~~G~~					1			X
200 wing CU BF	DW	G				5:17	1			X
200 Wing CU DF	DW	G				5:17	1			X
Kindergarten wing CU BF	DW	G				5:22	1			X
Kindergarten wing CU DF	DW	G				5:22	1			X
Kindergarten DF Low	DW	G				5:21	1			X

Specify Container Size **

3

Identify Container Preservative Type***

2

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr:

AcctNum / Client ID:

Table #:

Profile / Template: 12266

Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample.

Additional Instructions from Pace® :

Collected By: J. Lennon

Printed Name

Signature

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] Ice
			14.0		N

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
	12/5/25; 9:44			
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature) PACE	Date/Time: 12/5/25 9:41	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State): **Newburgh, NY**

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 70395125
PM: FMN Due Date: 12/19/25
CLIENT: NB-OU BOCES

Company Name: Orange-Ulster BOCES
Street Address: 53 Gibson Road, Goshen, NY 10924
Customer Project #:
Project Name: Lead Drinking Water-Washingtonville CSD
Site Collection Info/Facility ID (as applicable): Round Hill Elementary School

Contact/Report To: Mikayla Higgins
Phone #: 845-781-4887
E-Mail: Mikayla.Higgins@ouboces.org
Cc E-Mail: Halina.redner@ouboces.org
Invoice to: Halina Redner
Invoice E-mail: halina.redner@ouboces.org
Purchase Order # (if applicable): A26-00316
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET
County / State origin of sample(s): Orange County / New York

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other
Regulatory Program (DW, RCRA, etc.) as applicable: DOH
Reportable [X] Yes [ ] No
Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day Other
Date Results Requested:
DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [X] No
Analysis:

Specify Container Size **
Identify Container Preservative Type***
Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: | AcctNum / Client ID: | Table #: | Profile / Template: 11266 | Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Residual Chlorine Result	Residual Chlorine Units	Lead	Sample Comment
Main Lobby CU/DF	DW	G			12/5/25	5:10	1			X	
Main Lobby CU/BF	DW	G				5:16	1			X	
CU/DF across from 303	DW	G				5:14	1			X	
CU/BF across from 303	DW	G				5:14	1			X	
~~200 Wing CU/DF~~	DW	G					1			X	
~~E Wing DF 10W~~	DW	G					1			X	
	DW	G					1			X	
	DW	G					1			X	
	DW	G					1			X	
	DW	G					1			X	

Additional Instructions from Pace®:

Collected By: J. Lennon
Printed Name
Signature

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[ ] On Ice
			14.0		IV

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
	12/6/25 ; 9:44			
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature) PACE	Date/Time: 12/5/25	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 2
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

CUR)

WO#: 70395125

PM: FMN Due Date: 12/19/25

CLIENT: NB-OU BOCES

Project #

Client:

Date and Initials of person:
Examining contents:
Label:
Deliver to location:
pH:

Thermometer Used: IRG4 Date: 12.5.2025 Time: 0944 Initials:

State of Origin: NY

Cooler #1 Temp.°C 14.0 **(Visual)** 0.1@0°C,-0.1@20°C **(Correction Factor)** _____ **(Actual)** ☐ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace ☐ Other_____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground
☐ Other_____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No **Seals intact:** ☐ Yes ☐ No **Ice:** Wet Blue Melted (None)

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other_____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

		Comments:
Chain of Custody Present	☑Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☑Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☑Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☑Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☑Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐Yes ☐ No ☐ N/A	
Sufficient Volume	☑Yes ☐ No ☐ N/A	
Correct Containers Used	☑Yes ☐ No ☐ N/A	
Containers Intact	☑Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☑Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐Yes ☐ No ☑ N/A	Preservation Information: Preservative:
All Containers needing preservation are found to be in compliance with EPA recommendation: Exceptions: Vials, Microbiology, O&G, Metals	☐Yes ☐ No ☑ N/A	Lot #/Trace #: Date: Time: Initials:
Headspace in VOA Vials? (>6mm):	☐Yes ☐ No ☑N/A	
Trip Blank Present:	☐Yes ☐ No ☑N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: Date/Time:

Comments/Resolution: