



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

June 09, 2026

John Harding
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX (541) 830-6375

RE: EPHS Lead Testing

Order No.: 26051021

Dear John Harding:

Neilson Research Corporation received 94 sample(s) on 5/27/2026 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. Testing was completed in accordance with the laboratory's established quality system and standard operating procedures. For the current scope of NELAP-accredited analytes and certifications, please refer to the Certifications section at www.nrclabs.com. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Director of Project Management
245 S Grape St
Medford, OR 97501





Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Case Narrative

WO#: 26051021
Date: 6/9/2026

CLIENT: Eagle Point School District #9
Project: EPHS Lead Testing

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-01 Client Sample ID: 161BF
 Collection Date: 5/27/2026 7:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 161BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-02 Client Sample ID: 162BF
 Collection Date: 5/27/2026 7:27:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 162BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.695		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-03 Client Sample ID: 159BF
 Collection Date: 5/27/2026 7:29:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 159BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.21		0.515	ppb	1	6/4/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-04 Client Sample ID: 160BF
 Collection Date: 5/27/2026 7:31:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 160BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-05 Client Sample ID: 157OT
 Collection Date: 5/27/2026 7:33:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 157OT

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.94		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-06 Client Sample ID: 082CF
 Collection Date: 5/27/2026 6:16:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 082CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.717		0.515	ppb	1	6/4/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-07 Client Sample ID: 173BF
 Collection Date: 5/27/2026 6:27:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 173BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.687		0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-08 Client Sample ID: 174BF
 Collection Date: 5/27/2026 6:29:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 174BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.858		0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-09 Client Sample ID: 175BF
 Collection Date: 5/27/2026 6:31:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 175BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point , OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-10 Client Sample ID: 176BF
 Collection Date: 5/27/2026 6:33:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 176BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-11 Client Sample ID: 177BF
 Collection Date: 5/27/2026 6:34:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 177BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-12 Client Sample ID: 178BF
 Collection Date: 5/27/2026 6:37:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 178BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.824		0.515	ppb	1	6/4/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-13 Client Sample ID: 179BF
 Collection Date: 5/27/2026 6:41:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 179BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.52		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-14 Client Sample ID: 180BF
 Collection Date: 5/27/2026 6:44:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 180BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.80		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-15 Client Sample ID: 181BF
 Collection Date: 5/27/2026 6:46:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 181BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-16 Client Sample ID: 170BF
 Collection Date: 5/27/2026 6:49:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 170BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	10.1	1	0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-17 Client Sample ID: 171OT
 Collection Date: 5/27/2026 6:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 171OT

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	5.53		0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-18 Client Sample ID: 185BF
 Collection Date: 5/27/2026 6:56:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 185BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.68		0.515	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-19 Client Sample ID: 186BF
 Collection Date: 5/27/2026 6:59:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 186BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	8.49	1	0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-20 Client Sample ID: 182BF
 Collection Date: 5/27/2026 7:01:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 182BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.19		0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-21 Client Sample ID: 183BF
 Collection Date: 5/27/2026 7:03:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 183BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.47		0.515	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-22 Client Sample ID: 184BF
 Collection Date: 5/27/2026 7:05:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 184BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	8.27	1	0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-23 Client Sample ID: 165BF
 Collection Date: 5/27/2026 7:17:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 165BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.69		0.515	ppb	1	6/4/2026	15.0	A	

Lab ID: 26051021-24 Client Sample ID: 164BF
 Collection Date: 5/27/2026 7:19:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 164BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.751		0.515	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-25 Client Sample ID: 163BF
 Collection Date: 5/27/2026 7:21:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 163BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.561		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-26 Client Sample ID: 134BF
 Collection Date: 5/27/2026 7:17:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 134BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-27 Client Sample ID: 139BF
 Collection Date: 5/27/2026 7:23:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 139BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-28 Client Sample ID: 140BF
 Collection Date: 5/27/2026 7:23:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 140BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/4/2026	15.0	A

Lab ID: 26051021-29 Client Sample ID: 141BF
 Collection Date: 5/27/2026 7:24:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 141BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-30 Client Sample ID: 142BF
 Collection Date: 5/27/2026 7:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 142BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-31 Client Sample ID: 143BF
 Collection Date: 5/27/2026 7:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 143BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-32 Client Sample ID: 100SF
 Collection Date: 5/27/2026 7:30:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 100SF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.63		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-33 Client Sample ID: 138BF
 Collection Date: 5/27/2026 7:27:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 138BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-34 Client Sample ID: 120BF
 Collection Date: 5/27/2026 7:00:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 120BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.998		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-35 Client Sample ID: 121BF
 Collection Date: 5/27/2026 7:00:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 121BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.19		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-36 Client Sample ID: 122BF
 Collection Date: 5/27/2026 7:01:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 122BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.37		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-37 Client Sample ID: 123DW
 Collection Date: 5/27/2026 7:05:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 123DW

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-38 Client Sample ID: 124WB
 Collection Date: 5/27/2026 7:06:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 124WB

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-39 Client Sample ID: 125DW
 Collection Date: 5/27/2026 7:06:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 125DW

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-40 Client Sample ID: 126BF
 Collection Date: 5/27/2026 7:09:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 126BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.41		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-41 Client Sample ID: 127BF
 Collection Date: 5/27/2026 7:10:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 127BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.81		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-42 Client Sample ID: 128BF
 Collection Date: 5/27/2026 7:11:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 128BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.04		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-43 Client Sample ID: 129BF
 Collection Date: 5/27/2026 7:12:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 129BF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.09		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-44 Client Sample ID: 025CF
 Collection Date: 5/27/2026 5:36:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 025CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	421	*1	5.15	ppb	10	6/5/2026	15.0	A	

Lab ID: 26051021-45 Client Sample ID: 027SF
 Collection Date: 5/27/2026 5:40:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 027SF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	24.6	*1	0.500	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-46 Client Sample ID: 026SF
 Collection Date: 5/27/2026 5:42:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 026SF

Trace Metals by EPA 200.8 ICP-MS						Analyst; CSB			
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	245	*1	5.00	ppb	10	6/5/2026	15.0	A	

Lab ID: 26051021-47 Client Sample ID: 011DW
 Collection Date: 5/27/2026 5:45:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 011DW

Trace Metals by EPA 200.8 ICP-MS						Analyst; PR			
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-48 Client Sample ID: 012WB
 Collection Date: 5/27/2026 5:47:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 012WB

Trace Metals by EPA 200.8 ICP-MS						Analyst; PR			
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-49 Client Sample ID: 013DW
 Collection Date: 5/27/2026 5:48:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 013DW

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-50 Client Sample ID: 010BF
 Collection Date: 5/27/2026 5:50:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 010BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.87		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-51 Client Sample ID: 009BF
 Collection Date: 5/27/2026 5:52:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 009BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.07		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-52 Client Sample ID: 014BF
 Collection Date: 5/27/2026 5:55:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 014BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	20.2	*1	0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-53 Client Sample ID: 015BF
 Collection Date: 5/27/2026 5:57:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 015BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	6.04		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-54 Client Sample ID: 028CF
 Collection Date: 5/27/2026 6:16:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 028CF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	3.06		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-55 Client Sample ID: 001SF
 Collection Date: 5/27/2026 6:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 001SF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.900		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-56 Client Sample ID: 111BF
 Collection Date: 5/27/2026 6:35:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 111BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.85		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-57 Client Sample ID: 112BF
 Collection Date: 5/27/2026 6:37:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 112BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.04		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-58 Client Sample ID: 108BF
 Collection Date: 5/27/2026 6:43:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 108BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.50		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-59 Client Sample ID: 109BF
 Collection Date: 5/27/2026 6:44:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 109BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-60 Client Sample ID: 114BF
 Collection Date: 5/27/2026 6:49:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 114BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.33		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-61 Client Sample ID: 113BF
 Collection Date: 5/27/2026 6:48:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 113BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.16		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-62 Client Sample ID: 115BF
 Collection Date: 5/27/2026 6:50:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 115BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.05		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-63 Client Sample ID: 119OT
 Collection Date: 5/27/2026 6:57:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 119OT

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.26		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-64 Client Sample ID: 022SF
 Collection Date: 5/27/2026 5:32:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 022SF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	15.2	*1	0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-65 Client Sample ID: 023CF
 Collection Date: 5/27/2026 5:36:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 023CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	506	*1	5.00	ppb	10	6/5/2026	15.0	A	

Lab ID: 26051021-66 Client Sample ID: 024CF
 Collection Date: 5/27/2026 5:38:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 024CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	254	*1	5.15	ppb	10	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point , OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-67 Client Sample ID: 020CF
 Collection Date: 5/27/2026 5:46:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 020CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	35.2	*1	0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-68 Client Sample ID: 021CF
 Collection Date: 5/27/2026 5:48:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 021CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	7.04		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-69 Client Sample ID: 016CF
 Collection Date: 5/27/2026 5:51:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 016CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.52		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-70 Client Sample ID: 019CF
 Collection Date: 5/27/2026 5:55:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 019CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CSB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	84.2	*1	0.500	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-71 Client Sample ID: 018CF
 Collection Date: 5/27/2026 6:04:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 018CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	18.9	*1	0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-72 Client Sample ID: 017CF
 Collection Date: 5/27/2026 6:08:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 017CF

Trace Metals by EPA 200.8 ICP-MS							Analyst; PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.58		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-73 Client Sample ID: 008BF
 Collection Date: 5/27/2026 6:15:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 008BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.69		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-74 Client Sample ID: 002BF
 Collection Date: 5/27/2026 6:20:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 002BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.48		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-75 Client Sample ID: 004NS
 Collection Date: 5/27/2026 6:26:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 004NS

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	15.1	*1	0.500	ppb	1	6/4/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-76 Client Sample ID: 007NS
 Collection Date: 5/27/2026 6:27:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 007NS

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.41		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-77 Client Sample ID: 006BF
 Collection Date: 5/27/2026 6:29:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 006BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.00		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-78 Client Sample ID: 005BF
 Collection Date: 5/27/2026 6:33:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 005BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.3	1	0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-79 Client Sample ID: 003NS
 Collection Date: 5/27/2026 6:35:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 003NS

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-80 Client Sample ID: 107BF
 Collection Date: 5/27/2026 6:41:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 107BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.85		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-81 Client Sample ID: 106BF
 Collection Date: 5/27/2026 6:45:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 106BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.573		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-82 Client Sample ID: 110BF
 Collection Date: 5/27/2026 6:47:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 110BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.859		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-83 Client Sample ID: 101OT
 Collection Date: 5/27/2026 6:51:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 101OT

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.94		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-84 Client Sample ID: 103DW
 Collection Date: 5/27/2026 6:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 103DW

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-85 Client Sample ID: 104WB
 Collection Date: 5/27/2026 6:53:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 104WB

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-86 Client Sample ID: 105DW
 Collection Date: 5/27/2026 6:54:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 105DW

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-87 Client Sample ID: 133BF
 Collection Date: 5/27/2026 7:06:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 133BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-88 Client Sample ID: 132BF
 Collection Date: 5/27/2026 7:09:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 132BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-89 Client Sample ID: 131BF
 Collection Date: 5/27/2026 7:11:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 131BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A

Lab ID: 26051021-90 Client Sample ID: 130BF
 Collection Date: 5/27/2026 7:15:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 130BF

Trace Metals by EPA 200.8 ICP-MS								Analyst; PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.72		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-91 Client Sample ID: 135BF
 Collection Date: 5/27/2026 7:23:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 135BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-92 Client Sample ID: 136BF
 Collection Date: 5/27/2026 7:25:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 136BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

Lab ID: 26051021-93 Client Sample ID: 137BF
 Collection Date: 5/27/2026 7:26:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 137BF

Trace Metals by EPA 200.8 ICP-MS								Analyst:	PR
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/5/2026	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 26051021
 Date Reported: 6/9/2026

Eagle Point School District #9
 PO Box 548
 Eagle Point , OR 97524

Lab Order: 26051021
Received Date: 5/27/2026 9:09:00 AM
Reported Date: 6/9/2026 10:31:39 AM

Sample Information:

Lab ID: 26051021-94 Client Sample ID: 095CF
 Collection Date: 5/27/2026 7:03:00 AM Collected By: Loni O'Connor
 Matrix: Drinking Water Sample Location: 095CF

Trace Metals by EPA 200.8 ICP-MS						Analyst: PR		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.85		0.515	ppb	1	6/5/2026	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original

Results are out of the EPA limits



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37048	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37048	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158181						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.500

Sample ID: LCS-37048	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37048	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158182						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 108 0.500 100 0 108 85 115

Sample ID: 26060037-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: BatchQC	Batch ID: 37048	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158184						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.500 100 0 102 70 130

Sample ID: 26060037-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: BatchQC	Batch ID: 37048	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158185						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 103 0.500 100 0 103 70 130 102 0.373 20

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level. C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor
 H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit
 RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37061	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37061	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158196						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-37061	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37061	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158197						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 110 0.520 100 0 110 85 115

Sample ID: 26051021-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 161BF	Batch ID: 37061	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158199						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 109 0.520 100 0.411 108 70 130

Sample ID: 26051021-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 161BF	Batch ID: 37061	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158200						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 108 0.520 100 0.411 108 70 130 109 0.824 20

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level. C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor
 H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit
 RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37062	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37062	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158224						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-37062	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37062	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158225						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 108 0.520 100 0 108 85 115

Sample ID: 26051021-21AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 183BF	Batch ID: 37062	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158227						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 108 0.520 100 2.47 106 70 130

Sample ID: 26051021-21AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 183BF	Batch ID: 37062	TestNo: E200.8	E200.8	Analysis Date: 6/4/2026	SeqNo: 1158228						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 109 0.520 100 2.47 107 70 130 108 0.838 20

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level. C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor
 H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit
 RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37066	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37066	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158254						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-37066	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37066	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158255						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 106 0.520 100 0 106 85 115

Sample ID: 26051021-41AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 127BF	Batch ID: 37066	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158257						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 107 0.520 100 2.81 104 70 130

Sample ID: 26051021-41AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 127BF	Batch ID: 37066	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158258						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 106 0.520 100 2.81 103 70 130 107 0.876 20

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level. C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor
 H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit
 RL Reporting Limit

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37067	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37067	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158283						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-37067	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37067	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158284						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 107 0.520 100 0 107 85 115

Sample ID: 26051021-63AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 119OT	Batch ID: 37067	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158286						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 110 0.520 100 3.26 106 70 130

Sample ID: 26051021-63AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 119OT	Batch ID: 37067	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158287						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 108 0.520 100 3.26 105 70 130 110 1.27 20

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode	DF	Dilution Factor
H	Holding times for preparation or analysis exceeded	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
RL	Reporting Limit				

Original



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 26051021
 10-Jun-26

Client: Eagle Point School District #9
Project: EPHS Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-37068	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: PBW	Batch ID: 37068	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158311						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-37068	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: LCSW	Batch ID: 37068	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158312						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 107 0.520 100 0 107 85 115

Sample ID: 26051021-86AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 105DW	Batch ID: 37068	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158314						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 105 0.520 100 0 105 70 130

Sample ID: 26051021-86AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/4/2026	RunNo: 70189						
Client ID: 105DW	Batch ID: 37068	TestNo: E200.8	E200.8	Analysis Date: 6/5/2026	SeqNo: 1158315						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 104 0.520 100 0 104 70 130 105 0.410 20

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode	DF	Dilution Factor
H	Holding times for preparation or analysis exceeded	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
RL	Reporting Limit				

Original



Sample Log-In Check List

Client Name: EAGLEPTSCHOOL

Work Order Number: 26051021

RcptNo: 1

Logged by:	Ashley Spiegelberg	5/27/2026 9:09:00 AM	<i>Am</i>
Completed By:	Kyler Woolsey	5/29/2026 10:49:58 AM	<i>Kyler Woolsey</i>
Reviewed By:	Ashley Spiegelberg	6/9/2026 9:54:22 AM	<i>Am</i>

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
 2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA
 4. Shipping container/cooler in good condition? Yes No
 Custody seals intact on shipping container/cooler? Yes No Not Present NA
 No. Seal Date: Signed By:
 5. Was an attempt made to cool the samples? Yes No NA
 6. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
 7. Sample(s) in proper container(s)? Yes No
 8. Sufficient sample volume for indicated test(s)? Yes No
 9. Are samples (except VOA and ONG) properly preserved? Yes No
 10. Was preservative added to bottles? Yes No NA
 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes No No VOA Vials
 12. Were any sample containers received broken? Yes No
 13. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)
 14. Are matrices correctly identified on Chain of Custody? Yes No
 15. Is it clear what analyses were requested? Yes No
 16. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCSA9</u>		Project Name: <u>EPHS</u>		Attention: <u>John Hardwig</u>		Standard: 10 Business Days	
Address:		Project Number:		Company Name:		Priority: 5 Business Days (List x 1.50)	
Email:		Report To:		Address:		Express: 3 Business Days (List x 1.75)	
Phone: Fax:		Copy To:		P.O. #		Rush: 2 Business Days (List x 2.00)	
Collected By (Print): <u>Loni O'Connor</u>		<i># Added at Client Request</i>		Analysis Requested		Rush: 1 Business Day (List x 2.50)	
Collected By (Sign): <u>[Signature]</u>						Rush: Same Day (List x 3.00)	
Email Report ___ Mail Report ___ Fax Report ___						Authorized ___ Yes ___ No	

Section E Sample Information					No. of Containers	NRC Workorder # (Lab Use Only)	
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected		Remarks / Field Data	NRC Sample # Use Only
<u>161 BF</u>	<u>6030</u>		<u>5/27/26</u> ↓	<u>7:25</u>			
<u>162 BF</u>	<u>6010</u>			<u>7:27</u>			<u>01</u>
<u>159 BF</u>	<u>6088</u>			<u>7:29</u>			<u>02</u>
<u>160 BF</u>	<u>6013</u>			<u>7:31</u>			<u>03</u>
<u>157 OT</u>	<u>6004</u>			<u>7:33</u>			<u>04</u>
<u>095 CF*</u>	<u>6037*</u>			<u>7:03*</u>			<u>05</u>
						<u>94</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By: <u>[Signature]</u>	Print: <u>Loni O'Connor</u>	Date: <u>5/27/26</u>	Time: <u>9:09</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	Print: <u>Ashley Freyette</u>	Date: <u>5/27/26</u>	Time: <u>9:09</u>

Section G Lab Use Only	
Temp: <u>Amb</u>	IR Therm ID:
≤6°C: ___ Yes ___ No	
Received on Ice: ___ Yes ___ No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: ___ Yes ___ No ___ NA	
Field Blank Included: ___ Yes ___ No	
Received Via ___ UPS ___ FedEX ___ Other ___ Hand	
Payment: <u>Invoice</u> Cash ___ VISA, M/C ___ Check # ___ Amount ___	

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCSDA</u>		Project Name: <u>EPAS</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name:		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print): <u>Loni Connor</u>							
Collected By (Sign): <u>[Signature]</u>							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

Section E Sample Information							Analysis Requested										NRC Workorder # (Lab Use Only) <u>26051021</u>								
Sink #	Sample ID	Bottle #	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers																Remarks / Field Data	NRC Sample # Use Only	(Lab)
<u>082CF</u>		<u>6042</u>			<u>5/27/26</u>	<u>6:16</u>	1																		
<u>173 BF</u>		<u>6028</u>				<u>6:27</u>	1																	<u>06</u>	
<u>174 BF</u>		<u>6055</u>				<u>6:29</u>	1																	<u>07</u>	
<u>175 BF</u>		<u>6012</u>				<u>6:31</u>	1																	<u>08</u>	
<u>176 BF</u>		<u>6025</u>				<u>6:33</u>	1																	<u>09</u>	
<u>177 BF</u>		<u>6020</u>				<u>6:34</u>	1																	<u>10</u>	
<u>178 BF</u>		<u>6023</u>				<u>6:37</u>	1																	<u>11</u>	
<u>179 BF</u>		<u>5951</u>				<u>6:41</u>	1																	<u>12</u>	
<u>180 BF</u>		<u>5952</u>				<u>6:44</u>	1																	<u>13</u>	
<u>181 BF</u>		<u>6015</u>				<u>6:46</u>	1																	<u>14</u>	
																								<u>15</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By:	Print	Date	Time
<u>[Signature]</u>	<u>Loni Connor</u>	<u>5/27/26</u>	<u>9:09</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory:	<u>Ashley Jacoby</u>	<u>5/27/26</u>	<u>9:09</u>

Section G Lab Use Only	
Temp: <u>Hubb</u>	IR Therm ID:
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: JCSDA
 Address:
 Email:
 Phone: _____ Fax: _____
 Collected By (Print): Loni Oconnor
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: EPHS
 Project Number:
 Report To:
 Copy To:

Section C

Invoice Information

Attention: John Harding
 Company Name:
 Address:
 P.O. #

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	Remarks / Field Data	NRC Sample # (Lab Use Only)	(Lab Use Only)
<u>025CF</u>			<u>3/27</u>	<u>5:36</u>	<u>1</u>				<u>44</u>
<u>027SF</u>				<u>5:40</u>	<u>1</u>				<u>45</u>
<u>026SF</u>				<u>5:42</u>	<u>1</u>				<u>46</u>
<u>011DW</u>				<u>5:45</u>	<u>1</u>				<u>47</u>
<u>012WB</u>				<u>5:47</u>	<u>1</u>				<u>48</u>
<u>013DW</u>				<u>5:48</u>	<u>1</u>				<u>49</u>
<u>010BF</u>				<u>5:50</u>	<u>1</u>				<u>50</u>
<u>009BF</u>				<u>5:52</u>	<u>1</u>				<u>51</u>
<u>014BF</u>				<u>5:55</u>	<u>1</u>				<u>52</u>
<u>016BF</u>				<u>5:57</u>	<u>1</u>				<u>53</u>

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
	<u>[Signature]</u>	<u>Loni Oconnor</u>	<u>3/27/24</u>	<u>9:09</u>
Received By:				
Relinquished By:				
Received By:				
Relinquished By:				
Received By Laboratory:	<u>[Signature]</u>	<u>Ashley Spirelley</u>	<u>3/27/26</u>	<u>9:09</u>

Section G

Lab Use Only

Temp: Amb IR Therm ID:
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received:
 pH Checked:
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No

Received Via UPS FedEX Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCS09</u>		Project Name: <u>EPTAS</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name:		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print): <u>Loni Oconnor</u>							
Collected By (Sign): <u>[Signature]</u>							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

Section E Sample Information						Analysis Requested												NRC Workorder # (Lab Use Only) <u>26051021</u>		
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks / Field Data	NRC Sample # Use Only	Lab
<u>022 SF</u>	<u>5234</u>		<u>5/27</u>	<u>5:32</u>															<u>64</u>	
<u>023 CF</u>	<u>5196</u>			<u>5:36</u>															<u>65</u>	
<u>024 CF</u>	<u>5237</u>			<u>5:38</u>															<u>66</u>	
<u>020 CF</u>	<u>5236</u>			<u>5:46</u>															<u>67</u>	
<u>021 CF</u>	<u>5210</u>			<u>5:48</u>															<u>68</u>	
<u>016 CF</u>	<u>5242</u>			<u>5:51</u>															<u>69</u>	
<u>019 CF</u>	<u>5220</u>			<u>5:55</u>															<u>70</u>	
<u>018 CF</u>	<u>5228</u>			<u>6:04</u>															<u>71</u>	
<u>017 CF</u>	<u>5222</u>			<u>6:08</u>															<u>72</u>	
<u>0083E</u>	<u>5229</u>			<u>6:15</u>															<u>73</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive			
Relinquished By: <u>[Signature]</u>	Print: <u>Loni Oconnor</u>	Date: <u>5/27/26</u>	Time: <u>9:05</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	<u>[Signature]</u>	<u>5/27/26</u>	<u>9:09</u>

Section G Lab Use Only	
Temp: <u>[Signature]</u> IR Therm ID:	
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input checked="" type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>JCS09</u>		Project Name: <u>EPHS</u>		Attention:		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name:		Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:		NRC Workorder # (Lab Use Only) <u>26051021</u>	
Phone: Fax:		Copy To:		P.O. #		Remarks / Field Data	
Collected By (Print): <u>Loni Oconnor</u>						NRC Sample # Use Only	
Collected By (Sign): <u>[Signature]</u>						(Lab)	
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>						74 75 76 77 78 79 80 81 82 83	

Analysis Requested					
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers
002BF					
004NS			5-27	6:20	
007NS				6:26	
006BF				6:27	
005BF				6:29	
003NS				6:33	
107BF				6:35	
106BF				6:41	
110BF				6:45	
101OT				6:47	
				6:51	

Section E
Sample Information

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F
Relinquish/Receive

Relinquished By: <u>[Signature]</u>	Print: <u>Loni Oconnor</u>	Date: <u>5/27/21</u>	Time: <u>9:09</u>
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By Laboratory: <u>[Signature]</u>	Print: <u>Ashley Siresky</u>	Date: <u>5/27/21</u>	Time: <u>9:09</u>

Section G
Lab Use Only

Temp: <u>Hand</u>	IR Therm ID: <u>NH</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Number of Bottles Received:	
pH Checked:	
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand	
Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page 10 of 15
AS
5127

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company: <u>ICSD9</u>		Project Name: <u>EPHS</u>		Attention: <u>John Harding</u>		<input type="checkbox"/> Standard: 10 Business Days <input type="checkbox"/> Priority: 5 Business Days (List x 1.50) <input type="checkbox"/> Express: 3 Business Days (List x 1.75) <input type="checkbox"/> Rush: 2 Business Days (List x 2.00) <input type="checkbox"/> Rush: 1 Business Day (List x 2.50) <input type="checkbox"/> Rush: Same Day (List x 3.00)	
Address:		Project Number:		Company Name:		<input type="checkbox"/> Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Email:		Report To:		Address:			
Phone: Fax:		Copy To:		P.O. #			
Collected By (Print): <u>Loni Connor</u>							
Collected By (Sign): <u>[Signature]</u>							
Email Report <input type="checkbox"/> Mail Report <input type="checkbox"/> Fax Report <input type="checkbox"/>							

**Section E
Sample Information**

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # Use Only	(Lab)
103 DW			5-27	6:53			26051021	84	
104 WB				6:53				85	
105 DW				6:54				86	
133 BF				7:06				87	
132 BF				7:09				88	
131 BF				7:11				89	
130 BF				7:15				90	
135 BF				7:23				91	
136 BF				7:25				92	
137 BF				7:26				93	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive Sign		Print		Date		Time	
Relinquished By: <u>[Signature]</u>		Loni Connor		5/27/24		9:09	
Received By:							
Relinquished By:							
Received By:							
Relinquished By:							
Received By Laboratory: <u>[Signature]</u>		Ashley Sweeney		5/27/26		9:09	

**Section G
Lab Use Only**

Temp: <u>Ant</u> IR Therm ID: <u>NR</u>
≤6°C: <input type="checkbox"/> Yes <input type="checkbox"/> No
Received on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No
Number of Bottles Received:
pH Checked:
COC Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Field Blank Included: <input type="checkbox"/> Yes <input type="checkbox"/> No
Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Other <input checked="" type="checkbox"/> Hand
Payment: <input type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____

- A Total Alkalinity and Bicarbonate Alkalinity results are to a pH endpoint of 4.5. Carbonate Alkalinity result is to a pH endpoint of 8.3.
 - A-LL The total low level alkalinity results are to a pH endpoint of 4.3-4.7 pH units per SM 2320 B.
 - B Analyte detected in the associated method blank.
 - C Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
 - C1 Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
 - CF Results confirmed by re-analysis.
 - CU Cleanup performed as specified by method.
 - E Estimated value.
 - ER Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
 - FC Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
 - HP Sample re-analysis performed outside of method specified holding time.
 - HR Sample received outside of method specified holding time.
 - HS Sample analyzed for volatile organics contained headspace.
 - HT At the client's request, the sample was analyzed outside of method specified holding time.
 - H Analysis performed outside of method specified holding time.
 - J Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
 - L Dissolved metals were not filtered within 15 minutes of collection per 40 CFR Part 136.
 - MI Surrogate, Duplicate Sample (DUP) or Matrix Spikes recoveries are out of control limits due to matrix interference. Sample results may be biased.
 - N See Case Narrative on page 2 of report.
 - Q Initial calibration verification (ICV), continuing calibration verification (CCV) or laboratory control sample (LCS), and/or matrix spikes exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
 - R Relative percent difference (RPD) is outside of the accepted recovery limits.
 - R1 The numerical difference between the parent sample and the duplicate (DUP) is outside of the accepted recovery limits. Greater than 5 degrees for Flashpoint, or greater than 0.1 pH units for pH.
 - R3 The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
 - R4 The Relative percent difference (RPD) is not within control limits because the concentration of the sample result is too low to represent proper statistical error.
 - R5 The difference between the BOD/CBOD results for the highest and lowest dilution used for the calculation is >30% because the results are too low to represent proper statistical error. The BOD/CBOD sample result is an average of all qualified bottles for each dilution series. The sample results are not affected.
 - R6 The difference between the BOD/CBOD results for the highest and lowest dilution used for the calculation is >30%. This may indicate a possible matrix interference. The BOD/CBOD sample result is an average of all qualified bottles for each dilution series.
 - S Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
 - S1 Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
 - SC Sub-contracted to another laboratory for analysis.
 - SP Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
- * Value exceeds Maximum Contaminant Level or is outside the acceptable range.<<>>
- 1 Value exceeds one half of the Maximum Contaminant Level.