EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062652898
LIMS Reference ID: EE52898
EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2026 South Orangetown, Tappan Zee High School, 15 Dutch Hill Road, Orangeburg, NY 10962
Project ID: _Master Project-ROCL63
Customer PO: 26-00590
Sales Rep: Jeromy Bish
Received: 05/22/2026 10:03
Reported: 06/01/2026 13:18

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 2026-SO-HS-33/Fieldhouse/Snackbar (by Football Field) Single Sink (closest to entrance door) Faucet			**Lims Reference ID: EE52898-01**		**Matrix: Drinking Water**				**Sampled: 05/21/26 06:17:00**
Metals									
Lead	**1.88**		1	1.00	µg/L	05/29/26 14:24	05/29/26 17:34	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 2026-SO-HS-34/Fieldhouse/Snackbar (by Football Field) Single Sink (farthest from entrance door) Faucet			**Lims Reference ID: EE52898-02**		**Matrix: Drinking Water**				**Sampled: 05/21/26 06:19:00**
Metals									
Lead	**< 1.00**		1	1.00	µg/L	05/29/26 14:24	05/29/26 17:37	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 2026-SO-HS-35/Fieldhouse - Ice Machine			**Lims Reference ID: EE52898-03**		**Matrix: Drinking Water**				**Sampled: 05/21/26 06:21:00**
Metals									
Lead	**15.1**		1	1.00	µg/L	05/29/26 14:24	05/29/26 17:44	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 2026-SO-HS-36/Fieldhouse/Snackbar - East Exterior Wall - Hose Bib for Athletics (Gatorade)			**Lims Reference ID: EE52898-04**		**Matrix: Drinking Water**				**Sampled: 05/21/26 06:22:00**
Metals									
Lead	**7.27**		1	1.00	µg/L	05/29/26 14:24	05/29/26 17:46	JW1	EPA 200.8 (DA)/EPA 200.8

EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062652898

LIMS Reference ID: EE52898

EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2026 South Orangetown, Tappan Zee High School, 15 Dutch Hill Road, Orangeburg, NY 10962

Project ID: _Master Project-ROCL63
Customer PO: 26-00590
Sales Rep: Jeromy Bish
Received: 05/22/2026 10:03
Reported: 06/01/2026 13:18

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Drinking Water	
Lead	NJDEP
Lead	NYSDOH

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2026
NYSDOH	New York State Department of Health ELAP	10872	04/01/2027
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2026
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2026
CTDPH	Connecticut Department of Public Health	PH-0270	06/30/2026
California ELAP	California Water Boards	1877	06/30/2026
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	04/01/2027
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026
21-A2LA	A2LA Food Chem/Mat Sci	2845.15	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <http://www.emsl.com> for a complete listing ofparameters for which EMSL is certified.

EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062652898
LIMS Reference ID: EE52898
EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2026 South Orangetown, Tappan Zee High School, 15 Dutch Hill Road, Orangeburg, NY 10962
Project ID: _Master Project-ROCL63
Customer PO: 26-00590
Sales Rep: Jeromy Bish
Received: 05/22/2026 10:03
Reported: 06/01/2026 13:18

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the reporting limit, or the mdl if provided.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

FEDEX

Lead Chain of Custody

EMSL Order Number / Lab Use Only

EE52898

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

PHONE: (800) 220-3675
EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information		Billing Information	
Customer ID:	ROCL63	Billing ID:	ROCL63
Company Name:	Tappan Zee High School	Company Name:	Rockland BOCES
Contact Name:	Dawn Izenman	Billing Contact:	Dawn Izenman
Street Address:	15 Dutch Hill Road	Street Address:	65 Parrott Road
City, State, Zip:	Orangeburg NY 10962	City, State, Zip:	W. Nyack, NY 10994
Country:	USA	Country:	USA
Phone:	845-627-4764	Phone:	845-627-4764
Email(s) for Report:	dizenman@rboces.org	Email(s) for Invoice:	dizenman@rboces.org

Project Information

Project Name/No:	2026 South Orangetown	Purchase Order:	26-00590
EMSL LIMS Project ID: (If applicable, EMSL will provide)		US State where samples collected:	NY
State of Connecticut (CT) must select project location:	☐ Commercial (Taxable) ☐ Residential (Non-Taxable)		
Sampled By Name:	Dawn Izenman	Sampled By Signature:	
No. of Samples in Shipment	4		

Turn-Around-Time (TAT)

☐ 3 Hour ☐ 6 Hour ☐ 24 Hour ☐ 32 Hour ☐ 48 Hour ☐ 72 Hour ☐ 96 Hour ☐ 1 Week ☑ 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS ☐ % by wt. ☐ ppm (mg/kg) ☐ mg/cm² *Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	☐
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	☐
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	☐
	NIOSH 7303M	ICP-OES	1.0µg/filter	☐
	NIOSH 7303M	ICP-MS	0.05µg/filter	☐
WIPE ☐ ASTM ☐ NON-ASTM *If no box is checked, non-ASTM Wipe is assumed	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	☐
	SW 846-6010D*	ICP-OES	1.0µg/wipe	☐
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	☐
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	☐
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	☐
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	☐
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	☐
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	☐
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	☐
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	☐
Wastewater	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	☐
Unpreserved ☐ / Preserved with HNO3 ☐ PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	☐
Drinking Water	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	☐
Unpreserved ☐ / Preserved with HNO3 ☑ PH<2	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	☑
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	☐
Other:				☐

RECEIVED
EMSL ANALYTICAL, INC.
Cairo Place, NY
MAY 22 26, AM10:03

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2026-SO-HS-33	Fieldhouse/Snackbar (by Football Field) Single Sink (closest to entrance door) Faucet	250 ml.	5/21/26 6:17 am
2026-SO-HS-34	Fieldhouse/Snackbar (by Football Field) Single Sink (farthest from entrance door) Faucet	250 ml.	5/21/26 6:19 am
2026-SO-HS-35	Fieldhouse - Ice Machine	250 ml.	5/21/26 6:21 am
2026-SO-HS-36	Fieldhouse/Snackbar - East Exterior Wall - Hose Bib for Athletics (Gatorade)	250 ml.	5/21/26 6:22 am

Method of Shipment:	Fed Ex	Sample Condition Upon Receipt:	
Relinquished by:	Dawn Izenman	Date/Time: 5/21/26 10am	Received by: KAM WALTHER
Date/Time	5/22/26 10:03		
Relinquished by:		Date/Time:	Received by:
Date/Time			

Controlled Document - COC-25 Lead R18 04/04/2024

*6010C Available Upon Request

☑ AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.