



Lead in Water Sample Results

For

Monticello Public School
Middle School
2026 Round 1 Testing



137 23rd St. South Suite 201 Sartell, MN 56377
(320) 255-3236 | Toll Free (888) 447-7032
Fax (320) 255-2998 | www.resourcecoop-mn.gov



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)
Account #: 19442

Client: Resource Training & Solutions

Josh Baumann
Resource Training & Solutions
137 23rd Street S
Suite 201
Sartell, MN 56377

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Dave Smahel, Chemistry Production Director New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 1 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007001	Date Collected:	02/13/2026 06:30	Matrix:	Potable Water		
Sample ID:	MMS1	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Custodial Sink						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	0.52	ug/L	10	EPA 200.8	02/24/2026 15:08		
Lab ID:	115007002	Date Collected:	02/13/2026 06:40	Matrix:	Potable Water		
Sample ID:	MMS2	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Upper Commons Drink.						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 15:09		
Lab ID:	115007003	Date Collected:	02/13/2026 06:40	Matrix:	Potable Water		
Sample ID:	MMS3	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Lower Commons Fountain						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 15:11		
Lab ID:	115007004	Date Collected:	02/13/2026 06:40	Matrix:	Potable Water		
Sample ID:	MMS4	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	CC1 Sink						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 15:13		
Lab ID:	115007005	Date Collected:	02/13/2026 06:45	Matrix:	Potable Water		
Sample ID:	MMS5	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Kitchen Steamer						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	1.51	ug/L	10	EPA 200.8	02/24/2026 15:15		
Lab ID:	115007006	Date Collected:	02/13/2026 06:47	Matrix:	Potable Water		
Sample ID:	MMS6	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Kitchen Coffee						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 15:16		

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 2 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007) **Client:** Resource Training & Solutions

Analytical Results

Lab ID:	115007007	Date Collected:	02/13/2026 06:50	Matrix:	Potable Water		
Sample ID:	MMS7	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	6th Fountain #32						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 15:37	

Lab ID:	115007008	Date Collected:	02/13/2026 06:52	Matrix:	Potable Water		
Sample ID:	MMS8	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	6th Fountain #27						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 15:38	

Lab ID:	115007009	Date Collected:	02/13/2026 06:54	Matrix:	Potable Water		
Sample ID:	MMS9	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	6th Fountain #19						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		11.6	ug/L	10	EPA 200.8	02/24/2026 15:40	

Lab ID:	115007010	Date Collected:	02/13/2026 06:55	Matrix:	Potable Water		
Sample ID:	MMS10	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	6th Spec Kitchen						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		3.43	ug/L	10	EPA 200.8	02/24/2026 15:42	

Lab ID:	115007011	Date Collected:	02/13/2026 06:57	Matrix:	Potable Water		
Sample ID:	MMS11	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	6th Grade Fountain #10						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		2.11	ug/L	10	EPA 200.8	02/24/2026 15:44	

Lab ID:	115007012	Date Collected:	02/13/2026 06:58	Matrix:	Potable Water		
Sample ID:	MMS12	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Boardroom Suite						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		9.40	ug/L	10	EPA 200.8	02/24/2026 15:45	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 3 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007013	Date Collected:	02/13/2026 07:00	Matrix:	Potable Water		
Sample ID:	MMS13	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Fountain #9						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		38.7	ug/L	10	EPA 200.8	02/24/2026 15:47	

Lab ID:	115007014	Date Collected:	02/13/2026 07:01	Matrix:	Potable Water		
Sample ID:	MMS14	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	DO Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		7.44	ug/L	10	EPA 200.8	02/24/2026 15:49	

Lab ID:	115007015	Date Collected:	02/13/2026 07:02	Matrix:	Potable Water		
Sample ID:	MMS15	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	DO Sink						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		1.42	ug/L	10	EPA 200.8	02/24/2026 15:50	

Lab ID:	115007016	Date Collected:	02/13/2026 07:05	Matrix:	Potable Water		
Sample ID:	MMS16	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Pit Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 15:52	

Lab ID:	115007017	Date Collected:	02/13/2026 07:05	Matrix:	Potable Water		
Sample ID:	MMS17	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Band Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:06	

Lab ID:	115007018	Date Collected:	02/13/2026 07:12	Matrix:	Potable Water		
Sample ID:	MMS18	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Pool W. Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:08	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 4 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007019	Date Collected:	02/13/2026 07:13	Matrix:	Potable Water		
Sample ID:	MMS19	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Pool N. Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		22.3	ug/L	10	EPA 200.8	02/24/2026 16:09	

Lab ID:	115007020	Date Collected:	02/13/2026 07:14	Matrix:	Potable Water		
Sample ID:	MMS20	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Pool Hall Fountain						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:11	

Lab ID:	115007021	Date Collected:	02/13/2026 07:16	Matrix:	Potable Water		
Sample ID:	MMS21	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Boys LR Fountain Low						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:13	

Lab ID:	115007022	Date Collected:	02/13/2026 07:17	Matrix:	Potable Water		
Sample ID:	MMS22	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Boys LR Fountain Upper						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:14	

Lab ID:	115007023	Date Collected:	02/13/2026 07:18	Matrix:	Potable Water		
Sample ID:	MMS23	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Girls LR Fountain Low						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:16	

Lab ID:	115007024	Date Collected:	02/13/2026 07:18	Matrix:	Potable Water		
Sample ID:	MMS24	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Girls LR Fountain Upper						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 16:18	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 5 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007025	Date Collected:	02/13/2026 07:20	Matrix:	Potable Water		
Sample ID:	MMS25	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Arena Fountain West						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	5.30	ug/L	10	EPA 200.8	02/24/2026 16:20		

Lab ID:	115007026	Date Collected:	02/13/2026 07:21	Matrix:	Potable Water		
Sample ID:	MMS26	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Arena Fountain East						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	6.79	ug/L	10	EPA 200.8	02/24/2026 16:21		

Lab ID:	115007027	Date Collected:	02/13/2026 07:27	Matrix:	Potable Water		
Sample ID:	MMS27	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Basement Fountain West						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	5.55	ug/L	10	EPA 200.8	02/24/2026 16:35		

Lab ID:	115007028	Date Collected:	02/13/2026 07:28	Matrix:	Potable Water		
Sample ID:	MMS28	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Basement Fountain South						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 16:37		

Lab ID:	115007029	Date Collected:	02/13/2026 07:25	Matrix:	Potable Water		
Sample ID:	MMS29	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	7th South Fountain						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	0.92	ug/L	10	EPA 200.8	02/24/2026 16:38		

Lab ID:	115007030	Date Collected:	02/13/2026 07:26	Matrix:	Potable Water		
Sample ID:	MMS30	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	118B Faucet						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	39.0	ug/L	10	EPA 200.8	02/24/2026 16:40		

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 6 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007031	Date Collected:	02/13/2026 07:29	Matrix:	Potable Water		
Sample ID:	MMS31	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Arena Concessions						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	1.81	ug/L	10	EPA 200.8	02/24/2026 16:42		
Lab ID:	115007032	Date Collected:	02/13/2026 07:30	Matrix:	Potable Water		
Sample ID:	MMS32	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Arena Enter Fountain E.						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 16:43		
Lab ID:	115007033	Date Collected:	02/13/2026 07:30	Matrix:	Potable Water		
Sample ID:	MMS33	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Arena Enter Fountain S.						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	1.02	ug/L	10	EPA 200.8	02/24/2026 16:45		
Lab ID:	115007034	Date Collected:	02/13/2026 07:31	Matrix:	Potable Water		
Sample ID:	MMS34	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	#113 Fountain Lower						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 16:47		
Lab ID:	115007035	Date Collected:	02/13/2026 07:31	Matrix:	Potable Water		
Sample ID:	MMS35	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	#113 Fountain Upper						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 16:49		
Lab ID:	115007036	Date Collected:	02/13/2026 07:32	Matrix:	Potable Water		
Sample ID:	MMS36	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	#111 Fountain Lower						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/24/2026 16:50		

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 7 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007) **Client:** Resource Training & Solutions

Analytical Results

Lab ID:	115007037	Date Collected:	02/13/2026 07:33	Matrix:	Potable Water		
Sample ID:	MMS37	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	#111 Fountain Upper						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 17:11	

Lab ID:	115007038	Date Collected:	02/13/2026 07:34	Matrix:	Potable Water		
Sample ID:	MMS38	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #1						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		1.52	ug/L	10	EPA 200.8	02/24/2026 17:13	

Lab ID:	115007039	Date Collected:	02/13/2026 07:35	Matrix:	Potable Water		
Sample ID:	MMS39	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #2						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		2.26	ug/L	10	EPA 200.8	02/24/2026 17:14	

Lab ID:	115007040	Date Collected:	02/13/2026 07:36	Matrix:	Potable Water		
Sample ID:	MMS40	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #3						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		1.08	ug/L	10	EPA 200.8	02/24/2026 17:16	

Lab ID:	115007041	Date Collected:	02/13/2026 07:37	Matrix:	Potable Water		
Sample ID:	MMS41	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #4						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		3.18	ug/L	10	EPA 200.8	02/24/2026 17:18	

Lab ID:	115007042	Date Collected:	02/13/2026 07:37	Matrix:	Potable Water		
Sample ID:	MMS42	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #5						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		1.29	ug/L	10	EPA 200.8	02/24/2026 17:19	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 8 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007) **Client:** Resource Training & Solutions

Analytical Results

Lab ID:	115007043	Date Collected:	02/13/2026 07:38	Matrix:	Potable Water		
Sample ID:	MMS43	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet #6						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		0.78	ug/L	10	EPA 200.8	02/24/2026 17:21	

Lab ID:	115007044	Date Collected:	02/13/2026 07:39	Matrix:	Potable Water		
Sample ID:	MMS44	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	FACS Faucet No Nom.						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		6.04	ug/L	10	EPA 200.8	02/25/2026 13:58	

Lab ID:	115007045	Date Collected:	02/13/2026 07:43	Matrix:	Potable Water		
Sample ID:	MMS45	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	7th Grade Fountain N. Lower						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/24/2026 17:24	

Lab ID:	115007046	Date Collected:	02/13/2026 07:44	Matrix:	Potable Water		
Sample ID:	MMS46	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	7th Grade Fountain N. Upper						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		0.50	ug/L	10	EPA 200.8	02/24/2026 17:26	

Lab ID:	115007047	Date Collected:	02/13/2026 07:44	Matrix:	Potable Water		
Sample ID:	MMS47	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Teacher Lounge Faucet						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/25/2026 14:00	

Lab ID:	115007048	Date Collected:	02/13/2026 07:48	Matrix:	Potable Water		
Sample ID:	MMS48	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Nurses Sink Faucet						
Parameter		Results	Units	MCL/AL	Method	Analyzed	Qual
Lead		<0.5	ug/L	10	EPA 200.8	02/25/2026 14:02	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 9 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions**Analytical Results**

Lab ID:	115007049	Date Collected:	02/13/2026 07:50	Matrix:	Potable Water		
Sample ID:	MMS49	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	M.S. Admin Faucet						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:04		

Lab ID:	115007050	Date Collected:	02/13/2026 07:50	Matrix:	Potable Water		
Sample ID:	MMS50	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	M.S. Admin Fountain						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:05		

Lab ID:	115007051	Date Collected:	02/13/2026 07:55	Matrix:	Potable Water		
Sample ID:	MMS51	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	Workroom Faucet						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	1.17	ug/L	10	EPA 200.8	02/25/2026 14:07		

Lab ID:	115007052	Date Collected:	02/13/2026 08:00	Matrix:	Potable Water		
Sample ID:	MMS52	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	201 Fountain Lower						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:09		

Lab ID:	115007053	Date Collected:	02/13/2026 08:00	Matrix:	Potable Water		
Sample ID:	MMS53	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	201 Fountain Upper						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:11		

Lab ID:	115007054	Date Collected:	02/13/2026 08:01	Matrix:	Potable Water		
Sample ID:	MMS54	Date Received:	02/18/2026 13:10				
Temp @ Receipt (C):							
Sample Desc:	204 Fountain						
Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:13		

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 10 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007) **Client:** Resource Training & Solutions

Analytical Results

Lab ID: 115007055 **Date Collected:** 02/13/2026 08:02 **Matrix:** Potable Water
Sample ID: 212 Fountain **Date Received:** 02/18/2026 13:10
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 14:15	

Lab ID: 115007056 **Date Collected:** 02/13/2026 08:03 **Matrix:** Potable Water
Sample ID: 213 Fountain **Date Received:** 02/18/2026 13:10
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	<0.5	ug/L	10	EPA 200.8	02/25/2026 11:51	

Lab ID: 115007057 **Date Collected:** 02/13/2026 08:05 **Matrix:** Potable Water
Sample ID: Upper Workroom **Date Received:** 02/18/2026 13:10
Temp @ Receipt (C):

Parameter	Results	Units	MCL/AL	Method	Analyzed	Qual
Lead	1.01	ug/L	10	EPA 200.8	02/24/2026 18:09	

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 11 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Resource Training & Soluti
WO: 115007



Chain of Custody Record
Page ____ of ____

Work Order #

Email: jbaumann@resourcecoop-mn.gov

Contact (Report to):

Josh Baumann

Name of Samplers:

Shane Filip
Jason Strach

Quote Number

Date Submitted:

Project Name/Number:

Purchase Order #:

2025 Monticello Middle School Round 1

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1. <i>Shane Filip</i>	2/12	8:30am					20.0
2. <i>Jason Strach</i>	2/13	8:30am					19.3

Comments: *Mark Bauman* 18 Feb 26 1646 AMB *mm* 18 Feb 26 1310 AMB
Sample Information: *AMB DR 19 Feb 26 1412*

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others	Sample ID	Room/Location/Fixture	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
001		MMS1	Custodial Sink	DW	2/13	6:30am	1	LEAD
002		MMS2	Upper Commons Desk	DW	2/13	6:40am	1	LEAD
003		MMS3	Lower Commons Fountain	DW	2/13	6:40am	1	LEAD
004		MMS4	SC1 Sink	DW	2/13	6:40am	1	LEAD
005		MMS5	Kitchen Sreamer	DW	2/13	6:45am	1	LEAD
006		MMS6	Kitchen Coffee	DW	2/13	6:47am	1	LEAD
007		MMS7	6th Fountain #32	DW	2/13	6:50am	1	LEAD
008		MMS8	6th Fountain #27	DW	2/13	6:52am	1	LEAD
009		MMS9	6th Commons Fountain #19	DW	2/13	6:54am	1	LEAD
010		MMS10	6th Spec Kitchen	DW	2/13	6:55am	1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 12 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
 www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
 1126 North Front Street, Building 2
 New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
 137 23rd Street South Suite 201
 Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
 137 23rd Street South Suite 201
 Sartell MN 56377

Lab Use Only

Chain of Custody Record
 Page ____ of ____

Work Order #

Email:

jbaumann@resourcecoop-mn.gov

Contact (Report to):

Josh Baumann

Name of Samplers:

David Filipp

Jason Strick

Quote Number

Date Submitted:

Project Name/Number:

Purchase Order #:

2025 Monticello Middle School Round 1

Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1. <i>David Filipp</i>	2/13	8:30am					
2. <i>Jason Strick</i>	2/13	8:30am					

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Sample Type Codes: Drinking Water, SW, Breakdown, BW, etc.								
Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others			Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
Lab #	Sample ID	Room/Location/Fixture						
011	MMS11	6th Grade Fountain #10	DW	2/13	6:57am	1		LEAD
012	MMS12	Boardroom Sinks	DW	2/13	6:58am	1		LEAD
013	MMS13	Fountain # 9	DW	2/13	7:00 am	1		LEAD
014	MMS14	DO Fountain	DW	2/13	7:01 am	1		LEAD
015	MMS15	DO Sink	DW	2/13	7:02 am	1		LEAD
016	MMS16	P.T Fountain	DW	2/13	7:05am	1		LEAD
017	MMS17	Band Fountain	DW	2/13	7:05am	1		LEAD
018	MMS18	Pool N. Fountain	DW	2/13	7:12	1		LEAD
019	MMS19	Pool N. Fountain	DW	2/13	7:13	1		LEAD
020	MMS20	Pool Hall Fountain	DW	2/13	7:14	1		LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 13 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions

 Minnesota Valley Testing Laboratories, Inc. 1126 North Front Street, Building 2 New Ulm, MN 56073 Phone: (507) 354-8517 Toll Free: (800) 782-3557 Fax: (507) 359-2890		Chain of Custody Record Page ____ of ____	
Company Name and Address: Resource Training and Solutions 137 23rd Street South Suite 201 Sartell MN 56377		Lab Use Only	
		Work Order # Email: jbaumann@resourcecoop-mn.gov Josh Baumann	
Account #: 19442 Phone #: 3202553236 x316		Contact (Report to):	
Billing Address (indicate if different from above): Resource Training and Solutions 137 23rd Street South Suite 201 Sartell MN 56377		Name of Samplers: Dave Filip Jason Brack	
		Quote Number	
		Project Name/Number: 2025 Monticello Middle School Round 1	
		Purchase Order #:	
Transferred by:		Date:	Time:
1. [Signature]		2/13	8:30am
2. [Signature]		2/13	8:30am
Comments:			
Sample Information			
Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C			
Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others	Date Sampled	Time Sampled
Lab #	Sample ID Room/Location/Fixture	Sample Type	Number of Bottles
021	MMS21 Boys LR Fountain Low	DW	2/13 7:16am
022	MMS22 Boys LR Fountain Upper	DW	2/13 7:17am
023	MMS23 Girls LR Fountain Low	DW	2/13 7:18am
024	MMS24 Girls LR Fountain Upper	DW	2/13 7:18am
025	MMS25 Arena Fountain West	DW	2/13 7:20am
026	MMS26 Arena Fountain East	DW	2/13 7:21am
027	MMS27 Basement Fountain West	DW	2/13 7:27am
028	MMS28 Basement Fountain South	DW	2/13 7:28am
029	MMS29 7th South Fountain	DW	2/13 7:35am
030	MMS30 118B Faucet	DW	2/13 7:26am

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 14 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Lab Use Only

Chain of Custody Record
Page ____ of ____

Work Order #

Email:

jbaumann@resourcecoop-mn.gov

Contact (Report to):

Josh Baumann

Name of Samplers:

David Filly

Jason Brack

Quote Number

Date Submitted:

Project Name/Number:

Purchase Order #:

2025 Monticello Middle School Round 1

Transferred by:

Date:

Time:

Sample Condition:

Received by:

Date:

Time:

Temp:

1. *David Filly* 2/13 8:30am

2. *Jason Brack* 2/13 8:30am

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others			Date	Time	Number	
Lab #	Sample ID Room/Location/Fixture	Sample Type	Sampled	Sampled	Bottles	Analysis	
031	MMS31 Arena Concessions	DW	2/13	7:29am	1	LEAD	
032	MMS32 Arena Entry Fountain E.	DW	2/13	7:30am	1	LEAD	
033	MMS33 Arena Entry Fountain S.	DW	2/13	7:30am	1	LEAD	
034	MMS34 #113 Fountain Lower	DW	2/13	7:31am	1	LEAD	
035	MMS35 #113 Fountain Upper	DW	2/13	7:31am	1	LEAD	
036	MMS36 #111 Fountain Lower	DW	2/13	7:32am	1	LEAD	
037	MMS37 #111 Fountain Upper	DW	2/13	7:33am	1	LEAD	
038	MMS38 FACS Faucet #1	DW	2/13	7:34am	1	LEAD	
039	MMS39 FACS Faucet #2	DW	2/13	7:35am	1	LEAD	
040	MMS40 FACS Faucet #3	DW	2/13	7:36am	1	LEAD	

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0 Please submit the top copy with your samples. We will return the completed original with your results. See above for page number Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 15 of 18

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
 www.MVTL.com

**Workorder:** 2025 Monticello M.S. Round 1 (115007)**Client:** Resource Training & Solutions

Minnesota Valley Testing Laboratories, Inc.
 1126 North Front Street, Building 2
 New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
 137 23rd Street South Suite 201
 Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
 137 23rd Street South Suite 201
 Sartell MN 56377

Lab Use Only

Chain of Custody Record
Page ____ of ____

Work Order #

Email: jbaumann@resourcecoop-mn.gov

Contact (Report to): Josh Baumann

Name of Samplers:

Steve Filip
Jason Strack

Quote Number

Date Submitted:

Project Name/Number:

Purchase Order #:

2025 Monticello Middle School Round 1

Transferred by:

Date:

Time:

Sample Condition:

Received by:

Date:

Time:

Temp:

1. *[Signature]* 2/13 8:30am
 2. *[Signature]* 2/13 8:30am

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F= Fountain S= Sink B= Bottle Filler K= Kettle Describe any others			Date	Time	Number	
Lab #	Sample ID Room/Location/Fixture	Sample Type		Sampled	Sampled	Bottles	Analysis
D41	MMS41 FACS FAUCER #4	DW		2/13	7:37am	1	LEAD
D42	MMS42 FACS FAUCER #5	DW		2/13	7:37am	1	LEAD
D43	MMS43 FACS FAUCER #6	DW		2/13	7:38am	1	LEAD
D44	MMS44 FACS FAUCER No Nom.	DW		2/13	7:39am	1	LEAD
D45	MMS45 7th Grade Fountain N. Lower	DW		2/13	7:43am	1	LEAD
D46	MMS46 7th Grade Fountain N. Upper	DW		2/13	7:44am	1	LEAD
D47	MMS47 Teacher Lounge Faucet	DW		2/13	7:44am	1	LEAD
D48	MMS48 Nurses Sink Faucet	DW		2/13	7:48am	1	LEAD
D49	MMS49 M.S. Admin Faucet	DW		2/13	7:50am	1	LEAD
D50	MMS50 M.S. Admin Fountain	DW		2/13	7:50am	1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0

Please submit the top copy with your samples. We will return the completed original with your results.

See above for page number

Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 16 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions



Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073

Phone: (507) 354-8517

Toll Free: (800) 782-3557 Fax: (507) 359-2890

Company Name and Address:

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Account #: 19442 Phone #: 3202553236 x316

Billing Address (indicate if different from above):

Resource Training and Solutions
137 23rd Street South Suite 201
Sartell MN 56377

Transferred by:

Date:

Time:

1. *[Signature]* 2/13 8:30am
2. *[Signature]* 2/13 8:30am

Comments:

Sample Information

Sample Type Codes: Drinking Water = DW, Groundwater = GW, Stormwater = ST, Surface Water = SW, Wastewater = WW, Solid = S, Compost = C

Lab Use Only	F = Fountain S = Sink B = Bottle Filler K = Kettle Describe any others		Date	Time	Number	
Lab #	Sample ID Room/Location/Fixture	Sample Type	Sampled	Sampled	Bottles	Analysis
051	MMS51 <i>Workroom Faucet</i>	DW	2/13	7:55am	1	LEAD
052	MMS52 <i>201 Fountain's faucet</i>	DW	2/13	8:00am	1	LEAD
053	MMS53 <i>201 Fountain's upper</i>	DW	2/13	8:00am	1	LEAD
054	MMS54 <i>104 Fountain</i>	DW	2/13	8:01am	1	LEAD
055	<i>212 Fountain</i>	DW	2/13	8:02am	1	LEAD
056	<i>213 Fountain</i>	DW	2/13	8:03am	1	LEAD
057	<i>Upper workroom</i>	DW	2/13	8:05am	1	LEAD
		DW			1	LEAD
		DW			1	LEAD
		DW			1	LEAD

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Form # 10-90053-0

Please submit the top copy with your samples. We will return the completed original with your results.

See above for page number

Effective Date: 26 Feb 2021

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM

Page 17 of 18



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 515-382-5486 ~ Fax 515-382-3885
www.MVTL.com



Workorder: 2025 Monticello M.S. Round 1 (115007)

Client: Resource Training & Solutions



Sample Condition Checklist

Date: 18 Feb 2024 Time: 13:10/14:28 ☐ AM ☐ PM
Account Name: RFA/ Monticello MS By: [Signature]
Bill of Lading #: Account # 19442
Temp: 20.0 °C ROI ☐ Ambient ☒ Cooler #:
TM#: 938 Ice Crystals Present in Sample ☐ Tracking #:
MVTL Courier: [Signature] Other:
MVTL Route: [Signature] Walk-In ☐ UPS Air ☐ FedEx Air ☐ Speedee ☐
Mail ☐ UPS Ground ☐ Fed Ex Ground ☐
Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column
Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
57	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	Low Level Mercury Kit	**!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**		
	Jar (2 oz) (4 oz)	Clear Amber	MeOH None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄ None	n/a
	Trip Blank Individual Set of 2 Set of 3		n/a	
	Moisture Vial		n/a	
	PFAS (15 mL tube) (125) (250)	HDPE	None	n/a

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MCL is defined as the Maximum Contaminant Level and AL is the Action Level (AL is applicable to Copper and Lead only) allowed by the Safe Drinking Water Act. SMCL is the Secondary Maximum Contaminant Level. For further information, contact your state or local health department or call the EPA Safe Drinking Water Hotline 1-800-426-4791.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Wednesday, February 25, 2026 4:03:06 PM



**Minnesota Department of Health
Environmental Laboratory Accreditation Program**

Issues accreditation to

State Laboratory ID: 027-015-125

EPA Lab Code: MN00008

Minnesota Valley Testing Laboratories, Inc.

1126 N Front St

New Ulm, MN 56073

**for fields of accreditation listed on the laboratory's accompanying Scope of Certification
in accordance with the provisions in Minnesota Laws and Rules.**

**Continued accreditation is contingent upon successful on-going compliance with Minnesota Statutes 144.97 to 144.98, 2016 TNI
Standard and applicable Minnesota Rules 4740.2010 to 4740.2120. The laboratory's Scope of Certification cites the specific
programs, methods, analytes and matrices for which MDH issues this accreditation.**

This certificate is valid proof of accreditation only when associated with its accompanying Scope of Certification.

**The Scope of Certification and reports of on-site assessments are on file at the Minnesota Department of Health,
601 Robert Street North, Saint Paul, Minnesota. Customers may verify the laboratory's accreditation status in
Minnesota by contacting MNELAP at (651) 201-5324.**

Effective Date: 12/01/2025

Expires: 12/31/2026

Certificate Number: 3026261



**Issued under the authority
delegated by the
Commissioner of Health,
State of Minnesota**