When should you keep your child home?

Keep your child home from school if they have the following symptoms:

A fever	A Persistent New Cough	Diarrhea or Vomiting	A Rash	An Eye Infection	COVID-19 Symptoms
A temperature of 100 degrees or higher.	Or other abnormal breathing problems.	The morning of school or within the past 24 hrs.	Body rash with itching and/ or fever.	Eye is red and oozing a yellow or green discharge.	Signs and symptoms of COVID, testing positive for COVID.
					

Students are clear to return to school when they are:

Fever free for 24 hours without medication.	Free from a persistent cough. Cough is mild and infrequent and evaluated by a doctor if needed.	Free from diarrhea and/ or vomiting for at least 24 hours and evaluated by a doctor if needed.	Free from rash, itching or fever and evaluated by a doctor if needed.	Free of discharge 24 hours after starting antibiotic eye drops or ointment.	1. Parents shall follow current isolation guidelines. 2. Report positive test results on Primary.Health and to school. 3. Retest on day 3-5 from quarantine.

¿Cuándo se debe mantener a su niño en casa?

Mantenga a su hijo en casa si tiene los siguientes síntomas:

Una fiebre	Una nueva tos persistente	Diarrea o vómito	Un sarpullido	Una infección ocular	Síntomas de COVID-19
Una temperatura de 100 grados o más.	E incluso otros problemas respiratorios abnormales.	La mañana de la escuela o en las últimas 24 horas.	Sarpullido en el cuerpo con picazón y/o fiebre.	El ojo está rojo y supura una secreción amarilla o verde.	Signos y síntomas de COVID, prueba positiva de COVID.
					

Los estudiantes podrán regresar a la escuela cuando estén:

Libre de fiebre durante 24 horas sin medicación.	Libre de una tos persistente. La tos es leve e infrecuente y es evaluada por un médico si es necesario.	Libre de diarrea y/o vómitos durante al menos 24 horas y evaluados por un médico si es necesario.	Libre de sarpullido, comezón o fiebre y evaluado por el médico si es necesario.	Libre de secreción 24 horas después de iniciar el tratamiento con gotas o pomada antibiótica.	1. Los padres deberán seguir las instrucciones de aislamiento vigentes. 2. Informar de los resultados positivos en Primary.Health y en la escuela. 3. Vuelva a hacer la prueba el día 3-5 de la cuarentena.