

DODGE COUNTY



REQUEST FOR QUOTE (RFQ)

**New Industrail Grade Milnor Washer-Extractor
Physical Facilities, Dodge County WI**

RFQ #8010-2026

Issued Date: July 7, 2026

RFQ Due Date/Time:
July 21, 2026 at 11:00 am

Submit RFQ's To:

Dodge County Purchasing Agent
tsteinbach@co.dodge.wi.us

920-386-4224

Office Hours: 8:00 am – 4:30 pm (Monday – Friday)

Legal Notice

The Dodge County Physical Facilities Department is accepting quotes for a new industrial-grade Milnor washer-extractor to be delivered and installed at the Dodge County Justice Center located at 216 W. Center St., Juneau, WI 53039. Specifications are available on line at Dodge County's website and DemandStar at: www.demandstar.com

All Vendors are responsible for addendums. Quotes are to be emailed to the Purchasing Agent at tsteinbach@co.dodge.wi.us no later than 11:00 am on July 21, 2026. The email shall be titled: "RFQ #8010-2026 – New Industrial Grade Milnor Washer-Extractor" Late receipts, and facsimiles will not be accepted.

Dodge County encourages the participation of minority, women-owned and disadvantaged business enterprises. Dodge County reserves the right to waive any informalities or technicalities and to reject any and all quotes or parts thereof deemed to be unsatisfactory or not in the County's best interest. Furthermore, Dodge County reserves the right to cancel any order or contract for failure of the successful Vendor to comply with the terms, conditions and specifications of the request and/or contract. Dodge County reserves the right to award this request to the Vendor whose quote is overall the most advantageous to the County in the County's sole determination.

Contact the Purchasing office at (920) 386-4224 if assistance is required.

Published by Authority of
Physical Facilities Department
By Trista Steinbach
Dodge County Purchasing Agent

Publish: July 7, 2026

1. General

The Dodge County Physical Facilities Department is accepting quotes for a new industrial-grade Milnor washer-extractor to be delivered and installed at the Dodge County Justice Center located at 216 W. Center St., Juneau, WI 53039

2. RFQ Packets and Addendums

RFQ packet, updates and addendums are available on the [Dodge County website](#), and may also be obtained on [DemandStar](#)

It is the Vendor's responsibility to view the RFQ document and check the website for any updates and addendums prior to submitting a quote for this request.

Failure by the bidder to acknowledge all addendums issued for this project may result in the quote being considered non-responsive, and the quote may be automatically rejected.

3. RFQ Tentative Project Timeline

	Date	Time
RFQ Issued	July 7, 2026	
Site Visit	NONE	
RFQ Questions Due	July 14, 2026	10:00 am
RFQ Final Addendum Issued	July 15, 2026	10:00 am
RFQ Responses Due from Vendors	July 21, 2026	11:00 am

4. RFQ Questions Due: July 14, 2026 / 10:00 am

Questions: All questions related to this RFQ must be in writing and received by the Dodge County Purchasing Office at least five (5) business days prior to the quote due date.

- Questions shall be directed to the Purchasing Agent via email to: tsteinbach@co.dodge.wi.us
- Questions MUST be clearly marked in the subject line: **"Questions for RFQ # 8010-2026"**

5. RFQ Final Addendum Issued Date: July 15, 2026 / 10:00 am

Answers: If any questions are received, answers to all written questions will be issued in the form of an addendum.

- Answers will be published on the [Dodge County website](#)
- AND on [DemandStar](#) website

6. RFQ Due Date - July 21, 2026 at 11:00 am

Responses are due to Dodge County Purchasing Office no later than 11:00 am on July 21, 2026. Prospective vendors must submit the quote via email as outlined below.

Emailed Project Information:

- Email to: tsteinbach@co.dodge.wi.us
- Must be clearly marked in the subject line with "RFQ # 8010-2026 - New Industrail Grade Milnor Washer-Extractor"
- Attach a file in your email including all required documents as referenced in Section 7 of this project document.

7. RFQ Format & Submission Requirements

Any deviation from these requirements may result in the quote being considered non-responsive, thus eliminating the Vendor from consideration. The Quote Submission must include the following completed attachments: **Failure to provide all attachments listed below may result in the automatic rejection of the quote.**

- **Attachment A – Specifications/Drawings**
- **Attachment B – Addenda Acknowledgement**
- **Attachment C – Cost Sheet**

ATTACHMENT A

Specifications:

Vendor to Supply and Install

- MILNOR V-SERIES model 36026 V5J:
 - 100 lb. capacity, 7 speed washer-extractor
 - 36" x 26" (15.3 ^{ft3}) stainless steel cylinder
 - 541 RMP Max Extract > 150 G-Force
 - RinSave Water Technology
 - E-Plus Programmable Microprocessor Control
 - Universal digital temperature control
 - Programmable cool down, bath/overnight soak
 - Oil-filled industrial rigid bearing housing
 - Industrial tapered roller bearings
 - Single-motor inverter drive
 - Six (6) liquid supply injection signals/ports
 - 208-240/60/3 electric service
- Include removal and disposal of existing Milnor 36026 Q6J washer.
- Include a 90-day service/labor warranty covering any manufacturing defects on a straight-time basis.
- Include a five (5) year manufacturer limited parts warranty.

Dodge County will provide:

- Final electrical connections.
- Corrections to faulty utility connections (e.g. faulty water valves, faulty utility lines, etc.), and any changes, if required, to any existing utility connections.
- Proper concrete foundation for washer.
- Provide clear access from outdoors into laundry, including, but not limited to, door/door frame removal.
- Reconnection of external chemical injection and supplies.

36026 V5J




100 lb. (45 kg) Capacity Rigid-Mount Washer-Extractor Specification Sheet




milnor.com

LEGEND


C	Cold water inlet, .75" (19 mm) NPT
D	Drain to rear, 3" (76 mm) pipe socket joint
E	Electrical connection
F	Foundation pads
H	Hot water inlet, .75" (19 mm) NPT
L1	Soap chute
L2	Liquid supply inlets



FOUNDATION VIEW



ANCHORING DETAIL



FLOOR
REQUIREMENT 12"
MINIMUM.

RECOMMENDED
▲, ◆, ■

MECHANICAL SPECIFICATIONS

Capacity – lb. (kg)	100 (45)
Cylinder Diameter x Depth – in. (mm)	36 x 26 (914 x 660)
Cylinder Volume – cu. ft. (L)	15.3 (434)
Door Opening – in. (mm)	21.69 (551)
Machine Dimensions (W x D x H) – in. (mm)	44.07 x 60.13 x 67 (1119 x 1528 x 1702)
Shipping Dimensions (W x D x H) – in. (mm)	75 x 60 x 73.5 (1905 x 1524 x 1867)
Motor – HP (kW)	5 (3.72)
Wash Speed – RPM	38 / 43
Distribution Speed – RPM	66
Extraction Speed – RPM	426 / 478 / 541
Extraction G-Force – for balanced loads	150
Static Weight – lb. (kg)◆	2171 (985)
Max. Dynamic Load RMS – lb. (kg)◆	2643 (1199)
Frequency - Hz◆	9.02
Water Pressure (Recommended) – psi (bar)	10-75 (.68-5.1)
Water Valve – Cv Rating at 72°F (22°C)	6.5 (25)
Minimum Recommended Distance Between Machines – in. (mm)	12 (305)

Specifications and appearance subject to change without notification.
B22SS22008/25132

ELECTRICAL SPECIFICATIONS

Voltage	Running Amps	Fuse (Amps)	Circuit Breaker (Amps)
220/3/50-60	9	FRN20	20
208, 240/3/60	10, 9	FRN20	20
380/3/50-60	5.7	FRS15	15
415/3/50	4.5	FRS15	15
480/3/60	4.5	FRS15	15

See Fuse and Wire Size manual MAEFUSE1BE for safety information. Contact factory regarding single phase availability.

▲ See dimensional drawing for complete details.

◆ It is the sole responsibility of the owner/user to assure that the floor and/ or any other supporting structure exceeds not only all applicable building codes, but also that the floor and/or any other supporting structure for each washer-extractor or group of washer-extractors has sufficient strength and rigidity (i.e., a natural or resonant frequency many times greater than the rotational machine speed with a reasonable factory of safety) to support the weight of all the fully loaded machine(s) including the weight of the water and goods, and including the published 360° rotating sinusoidal RMS forces that are transmitted by the machine(s). Contact the factory for additional machine data for use by a structural engineer.

■ Machine bases made from concrete should either be part of a monolithic pour or should be tied into foundation and not isolated from existing floor.

36026 V5J

100 lb. (45 kg) Capacity Rigid-Mount Washer-Extractor Specification Sheet



STANDARD FEATURES:

- RinSave® water saving technology
- 7 speeds (2 wash, 1 distribution, 1 RinSave, 3 extract)
- E-P Plus® programmable controller
- Single-motor inverter drive
- Tall, lifting ribs
- Tapered roller bearings
- High M.A.F. (Mechanical Action Factor)
- Large cylinder perforations
- Fresh-water flushing chemical manifold
- Auto tension V-belt drive
- Six (6) liquid chemical injection ports
- Control is configurable to display language of choice
- 5-year limited warranty on frame, cylinder & shell



OPTIONAL FEATURES:

- Steam
- Electric heat
- 5 compartment flushing supply injector
- Prison package

Why Purchase Milnor?

BENEFIT: Saves water, energy and time. RinSave® water saver in conjunction with large cylinder perforations provides more efficient rinsing.

BENEFIT: Saves labor. Larger cylinder volume than most competitive, similar-sized washer-extractors provides greater productivity. More linen washed per day, or fewer hours required to process.

BENEFIT: Saves linen replacement costs. Faster process times reduce fabric wear, promoting longer linen life!

BENEFIT: Greater mechanical action (M.A.F.) leads to better wash quality. Greater cylinder perforated area, tall rib construction and precise cylinder speeds generate better cleaning results, better rinsing, and better extraction.

BENEFIT: Better extraction saves dryer fuel. High extract provides excellent moisture removal. Lower extract speeds are available for uniforms, delicate textiles and blended fabrics.

BENEFIT: Fewer operator errors. E-P Plus® controller with back-lit LCD display allows operators to choose formulas from real words, not codes. Standard controller features English/Spanish (other languages optional). Controller also provides diagnostic and error messages, shortening training time of new employees.

BENEFIT: Faster repairs mean less downtime. Superior product support through local, highly-skilled dealers.

Contact Milnor for your local, authorized dealer:

PELLERIN MILNOR CORPORATION

P.O. Box 400, Kenner, LA 70063 • t: 504-467-9591 • milnorinfo@milnor.com



Superior cylinder design



Safe chemical injection



Solid industrial frame

ATTACHMENT B
Addendum Acknowledgement

Complete this page and include it with your response to this request.

The undersigned acknowledges receipt of the following addendum(s) by checking the box(es) below:

1 ☐ Dated _____

4 ☐ Dated _____

2 ☐ Dated _____

5 ☐ Dated _____

3 ☐ Dated: _____

6 ☐ Dated _____

Additional Addenda should be written here:

If no addenda were issued, please state below, complete the form, and submit with the quote package.

I/we further certify that no agreement has been entered into to prevent competition for said work and that I/we carefully examined the plans, specifications, and all other project documents.

Company Name

Representative Signature

ATTACHMENT C

Cost Sheet

Complete this page and include it with your response to this request.

Please submit a quotation for a new Milnor V-Series Model 36026 V5J industrial grade washer-extractor as noted in the Specifications to be delivered and installed at the Dodge County Justice Center.

Item Description	Price
1. MILNOR V-SERIES MODEL 36026 V5J WASHER-EXTRACTOR	\$
2. Delivery/Installation	\$
3. Removal and disposal of existing washer	\$
4. Total (Not to Exceed)	\$

Warranty Information

Please check Warranty Included in Total Cost Yes No

90-day service/labor warranty

5-Year Manufacturer Limited Pats Warranty

Cooperative Contract Pricing Information

Source: _____ Contract #: _____

Pricing will be held for **90 days**

The selected contractor must be registered as a vendor with Dodge County. Registration process is available online at:

Company Name _____

Signature _____ Title _____

Printed Name _____

Company Mailing Address _____

City, State, Zip _____

Telephone Number () _____ Fax Number () _____

Email Address: _____

Date Signed _____

QUOTE MUST BE SIGNED OR IT WILL BE REJECTED