

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767
LIMS Reference ID: AD19767
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Birches Elementary School

Customer PO:

NJ-DOE(24-1071C)

EMSL Sales Rep:

Justin Monturano

Received:

04/30/2025 10:00

Reported:

05/16/2025 15:41

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: BIR-FB Lims Reference ID: AD19767-01 Matrix: Drinking Water Sampled: 04/23/25 06:45:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-56 Lims Reference ID: AD19767-02 Matrix: Drinking Water Sampled: 04/23/25 06:50:00									
Metals									
Lead	3.03		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-58 Lims Reference ID: AD19767-04 Matrix: Drinking Water Sampled: 04/23/25 06:52:00									
Metals									
Lead	2.54		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-WC-Hall1 Lims Reference ID: AD19767-06 Matrix: Drinking Water Sampled: 04/23/25 06:54:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-BF-Hall1 Lims Reference ID: AD19767-07 Matrix: Drinking Water Sampled: 04/23/25 06:55:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-WC-Hall2 Lims Reference ID: AD19767-08 Matrix: Drinking Water Sampled: 04/23/25 06:57:00									
Metals									
Lead	15.5		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-SO-FAC Lims Reference ID: AD19767-09 Matrix: Drinking Water Sampled: 04/23/25 06:59:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-IM-FAC Lims Reference ID: AD19767-11 Matrix: Drinking Water Sampled: 04/23/25 07:02:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-SO-KIT1 Lims Reference ID: AD19767-12 Matrix: Drinking Water Sampled: 04/23/25 07:04:00									
Metals									
Lead	1.57		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:34	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767
LIMS Reference ID: AD19767
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Birches Elementary School

Customer PO:

NJ-DOE(24-1071C)

EMSL Sales Rep:

Justin Monturano

Received:

04/30/2025 10:00

Reported:

05/16/2025 15:41

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: BIR-SO-KIT2 Lims Reference ID: AD19767-14 Matrix: Drinking Water Sampled: 04/23/25 07:05:00									
Metals									
Lead	2.10		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-SO-Nurse Lims Reference ID: AD19767-16 Matrix: Drinking Water Sampled: 04/23/25 07:08:00									
Metals									
Lead	2.53		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-WC-Hall3 Lims Reference ID: AD19767-18 Matrix: Drinking Water Sampled: 04/23/25 07:11:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-BF-Hall3 Lims Reference ID: AD19767-19 Matrix: Drinking Water Sampled: 04/23/25 07:11:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-19 Lims Reference ID: AD19767-20 Matrix: Drinking Water Sampled: 04/23/25 07:13:00									
Metals									
Lead	2.74		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-21 Lims Reference ID: AD19767-22 Matrix: Drinking Water Sampled: 04/23/25 07:16:00									
Metals									
Lead	6.36		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-23 Lims Reference ID: AD19767-24 Matrix: Drinking Water Sampled: 04/23/25 07:18:00									
Metals									
Lead	3.00		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-25 Lims Reference ID: AD19767-26 Matrix: Drinking Water Sampled: 04/23/25 07:20:00									
Metals									
Lead	3.94		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-48 Lims Reference ID: AD19767-28 Matrix: Drinking Water Sampled: 04/23/25 07:24:00									
Metals									
Lead	9.73		1	1.00	µg/L	05/14/25 17:00	05/15/25 23:59	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767
LIMS Reference ID: AD19767
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Birches Elementary School

Customer PO: NJ-DOE(24-1071C)
EMSL Sales Rep: Justin Monturano
Received: 04/30/2025 10:00
Reported: 05/16/2025 15:41

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: BIR-DW-GymR Lims Reference ID: AD19767-30 Matrix: Drinking Water Sampled: 04/23/25 07:27:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/16/25 00:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-Hall4 Lims Reference ID: AD19767-32 Matrix: Drinking Water Sampled: 04/23/25 07:29:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:00	05/16/25 00:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-WC-Hall4 Lims Reference ID: AD19767-34 Matrix: Drinking Water Sampled: 04/23/25 07:31:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:02	05/16/25 07:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-BF-Hall4 Lims Reference ID: AD19767-35 Matrix: Drinking Water Sampled: 04/23/25 07:32:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:02	05/16/25 07:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-SO-LIB Lims Reference ID: AD19767-36 Matrix: Drinking Water Sampled: 04/23/25 07:34:00									
Metals									
Lead	1.38		1	1.00	µg/L	05/14/25 17:02	05/16/25 07:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: BIR-DW-22 Lims Reference ID: AD19767-38 Matrix: Drinking Water Sampled: 04/23/25 07:40:00									
Metals									
Lead	ND		1	1.00	µg/L	05/14/25 17:02	05/16/25 07:51	PL	EPA 200.8 (DA)/EPA 200.8



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767

LIMS Reference ID: AD19767

EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Birches Elementary School

Customer PO:

NJ-DOE(24-1071C)

EMSL Sales Rep:

Justin Monturano

Received:

04/30/2025 10:00

Reported:

05/16/2025 15:41

Work Order Case Narrative

Samples Listed on COC missing:

DW-Hall5R + DW - Hall5r (Flush)

DW-Hall5L + DW - Hall5L (Flush)

Client contacted 5/6/2025 - JM

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767
LIMS Reference ID: AD19767
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Birches Elementary School

Customer PO: NJ-DOE(24-1071C)
EMSL Sales Rep: Justin Monturano
Received: 04/30/2025 10:00
Reported: 05/16/2025 15:41

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519767
LIMS Reference ID: AD19767
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Birches Elementary School

Customer PO: NJ-DOE(24-1071C)
EMSL Sales Rep: Justin Monturano
Received: 04/30/2025 10:00
Reported: 05/16/2025 15:41

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):

AD17147

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC			
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts			
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road			
City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove	
Phone: 856-205-1077		Fax:		State/Province: NJ		Zip/Postal Code: 08318	
Project Name: Birches Elementary School				Email Results To: jeberts@epicenviro.com / teberts@epicenviro.com			
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: 43			
Sample for Compliance? Yes ☒ No ☐ If yes, NPDES? ☐ Other (Specify):				Date of Shipment: 4/30/25			
Samples Collected by: EMSL ☐ Client ☒ Check one				Sampled By (Signature): James Eberts			
Standard Turnaround Time: ☐ 2 Weeks				The following TATs are subject to lab approval: ☐ 1 Week ☐ 4 Days ☐ 3 Days ☐ 2 Days ☐ 1 Day			
Failure to complete will hinder processing of samples				List Test(s) Needed			
Client Sample ID		Comp	Grab	Collect Date/Time	Matrix	Preservative	EPA 200.8 Total Lead
BIR - FB		☐	☒	4/23/25	W=Water S=Soil A=Air SL=Sludge O=Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	X
DN - 56		☐	☒	0650	W		X
↓ (Flush)		☐	☒	0651	W		X
DN - 58		☐	☒	0652	W		X
↓ (Flush)		☐	☒	0653	W		X
Released By (Signature)		Date & Time		Received By		Date & Time	
James Eberts		4/30/25		CJ (Signature)		4.30.15 DL	

Please indicate reporting requirements: ☒ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Disk Deliverable ☐ Other _____

Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.

Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCT • TRAINING
EMSL ANALYTICAL, INC.
LABORATORY • PRODUCT • TRAINING

**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

AD19167

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments
	Comp	Grab				EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
WC-HALL 1	☐	☐	4/23/25	W	2							
BF-HALL 1	☐	☐	0655	W								
WC-HALL 2	☐	☐	0657	W								
SO - FAC	☐	☐	0659	W								
↓ (Flush)	☐	☐	0700	W								
IM-FAC	☐	☐	0702	W								
SO-KIT 1	☐	☐	0704	W								
↓ (Flush)	☐	☐	0705	W								
SO-KIT 2	☐	☐	0705	W								
↓ (Flush)	☐	☐	0706	W								
SO-NURSE	☐	☐	0708	W								
↓ (Flush)	☐	☐	0709	W								
WC-HALL 3	☐	☐	0711	W								
BF-HALL 3	☐	☐	0711	W								
DW-19	☐	☐	0713	W								
↓ (Flush)	☐	☐	0714	W								
DW-21	☐	☐	0716	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

AD19767

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed				Comments
						EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	
23 DW-21 (Flush)	☐	☐	4/23/25	W	2					
24 DW-23	☐	☐	6718	W						
25 DW-25	☐	☐	0719	W						
26 DW-25	☐	☐	0720	W						
27 DW-48	☐	☐	0721	W						
28 DW-48	☐	☐	0724	W						
29 DW-48	☐	☐	0725	W						
30 DW-GYMER	☐	☐	0727	W						
31 DW-48	☐	☐	0728	W						
32 DW-HALL 4	☐	☐	0729	W						
33 DW-HALL 4	☐	☐	0730	W						
34 WC-HALL 4	☐	☐	0731	W						
35 BC-HALL 4	☐	☐	0732	W						
36 SO-LIB	☐	☐	0734	W						
37 DW-HALL 5 E	☐	☐	0735	W						
38 DW-HALL 5 E	☐	☐	0736	W						
39 DW-HALL 5 E	☐	☐	0737	W						

(Lab) Received Temperature: _____ °C



**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

PHONE:
FAX:

AD19767

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

[illegible]

(Lab) Received Temperature: _____°C