

Annual Notification of AHERA Activities

John Glenn Elementary School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Russell Lewis - AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
John Glenn Elementary School

The following activities took place between July 1, 2025, and June 30, 2026 fulfilling the Pine Hill Board of Education's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance Inspection was completed in July 2025.
- A Six-Month Periodic Surveillance Inspection was completed in January 2026.
- A Three-Year AHERA Re-Inspection is scheduled for July 2026.
- A Six-Month Periodic Surveillance Inspection is scheduled for January 2027.
- The district removed asbestos building materials in August 2025.
- Currently, no asbestos removal activities are planned for the 2026-2027 school year.
- No repair of damaged asbestos containing materials was conducted during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Russell Lewis at 856-783-6900.

Annual Notification of AHERA Activities

Dr. Albert Bean Elementary School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Russell Lewis - AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Dr. Albert Bean Elementary School

The following activities took place between July 1, 2025, and June 30, 2026 fulfilling the Pine Hill Board of Education's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance Inspection was completed in July 2025.
- A Six-Month Periodic Surveillance Inspection was completed in January 2026.
- A Three-Year AHERA Re-Inspection is scheduled for July 2026.
- A Six-Month Periodic Surveillance Inspection is scheduled for January 2027.
- No removal of asbestos containing materials was performed during the above period.
- Currently, no asbestos removal activities are planned for the 2026-2027 school year.
- No repair of damaged asbestos containing materials was conducted during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Russell Lewis at 856-783-6900.

Annual Notification of AHERA Activities

Overbrook High School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Russell Lewis - AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Overbrook High School

The following activities took place between July 1, 2025, and June 30, 2026 fulfilling the Pine Hill Board of Education's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance Inspection was completed in July 2025.
- A Six-Month Periodic Surveillance Inspection was completed in January 2026.
- A Three-Year AHERA Re-Inspection is scheduled for July 2026.
- A Six-Month Periodic Surveillance Inspection is scheduled for January 2027.
- No removal of asbestos containing materials was performed during the above period.
- Currently, no asbestos removal activities are planned for the 2026-2027 school year.
- No repair of damaged asbestos containing materials was conducted during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Russell Lewis at 856-783-6900.