PWS Information

Purpose of this worksheet: For water systems to document basic system information.

Facility Information			
Water System Name:			
Durham Ferry Community School			
PWSID:	Population Served (number of people):	Number of Service Connections:	PWS Type:
CA3901424	**31**	**20**	☐ CWS ☑ NTNCWS
Mailing Address			
Street or P.O. Box:			
P.O. Box 213030			
City or Town:		State:	Zip Code:
Stockton		**CA**	**95213-9030**
System Contact Person			
Name:		Title:	
Tim Sutton		**Director ll Operations and Support Department,San Joaquin County Office C**	
Telephone:		Email:	
209-628-23444		tisutton@sjcoe.net	
Person Who Prepared Inventory (if different from above)			

Inventory Methodology

Enter Date Last Updated:	07/10/26

Purpose of this worksheet: For water systems to document the methods and resources they used to develop and update their inventory.

Part 1: Historical Records Review

Type of Record	Describe the Records Reviewed for Your Inventory
1. Construction Records and Plumbing Codes *Examples: Local ordinance adopting an international plumbing code. Permits for replacing lead service lines.*	California State uses January 1, 1986 as the cut-off date for the lead ban. Therefore, services that are installed after this date may be designated as non-lead. California State also accepts that service lines with a diameter of 4 inches or greater are designated as non-lead after the review of the State plumbing codes.
2. Water System Records *Examples: Capital improvement plans. Standard operating procedures. Engineering standards.*	N/A
3. Distribution System Inspections and Records *Examples: Distribution system maps. Tap cards. Service line repair/replacement records. Inspection records. Meter installation records.*	The PWS has reviewed water system operation and maintenance information, and no useful data pertaining to service line material classification was identified.
4. Other Records	A site visit was conducted on 12/17/2025 to located and verify service line materials. The entire service line is owned by the water system. For the detailed inventory, system-side is the portion of service line prior to the shut-off valve and customer-side is the portion of the service line downstream of the shut-off valve.

Part 2: Identifying Service Line Material During Normal Operations

1. During which normal operating activities are you collecting information on service line material? Check all that apply.

- ☐ Water meter reading
- ☐ Water meter repair or replacement
- ☐ Service line repair or replacement
- ☐ Water main repair or replacement
- ☐ Backflow prevention device inspection
- ☐ Other

If "Other", please explain:

NA

2. Did you develop or revise standard operating procedures to collect service line material information during normal operation?	*No*

If "Yes", please describe:

Part 3: Service Line Investigations

1. Identify the service line investigation methods your system used to prepare the inventory (check all that apply).

- ☑ Visual Inspection
- ☐ Customer Self-Identification
- ☐ Pipe Dating
- ☐ Pipe Diameter
- ☐ Water Quality Sampling - Targeted
- ☐ Water Quality Sampling - Flushed
- ☐ Water Quality Sampling - Sequential
- ☐ Water Quality Sampling - Other
- ☐ Predictive Models or Statistical Analysis
- ☑ Interpolation
- ☐ Interviews
- ☐ Emerging Methods
- ☐ Other

If "Other" or "Emerging Methods," please explain:

2. If "Predictive Modeling" or "Interpolation," please briefly describe the model and inputs used.

An Interpolation Workplan was prepared by CDM Smith and approved by the state on 12/15/25

3. How did you prioritize locations for service line materials investigations? For example, did you consider environmental justice and/or sensitive populations, did you use predictive modeling, and/or did you target areas with high number of unknowns?

20% of the unknown lines were targetted for site investigation. Targetted lines were distributed throughout the campus and selected based on accessibility.

Detailed Inventory

Date Last Updated: **7/10/2026**

Purpose of this worksheet: To provide a template for water systems to track materials for each service line in their distribution system.

General Instructions: Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The columns with the aqua shading are required for the
notes when entering data. The worksheet includes examples rows and is formatted for approximately 10,000 entries. Please refer to the **red** triangle in the upper corner for additional instru

Location Information				
Unique Service Line ID	**Street Address**	**Other Locational Identifier**	**System-Owned Portion Service Line Material Classification**	**Lead Connector Present?**
	29442 Airport Way, Manteca, CA 95337	*Gretchen Talley Spigot #1 (Main Building)*	*Non-Lead - Copper*	*No*
	29442 Airport Way, Manteca, CA 95337	*Supply Fire Suppression*	*Galvanized*	*No*
	29442 Airport Way, Manteca, CA 95337	*Gretchen Talley Spigot #2 (West Side)*	*Non-Lead - Copper*	*No*
	29442 Airport Way, Manteca, CA 95337	*Horse Stable*	*Galvanized*	*No*
	29442 Airport Way, Manteca, CA 95337	*House*	*Non-Lead - Plastic*	*No*
	29442 Airport Way, Manteca, CA 95337	*Building 3 restrooms*	*Non-Lead - Plastic*	*No*
	29442 Airport Way, Manteca, CA 95337	*Spigot #1*	*Galvanized*	*No*
	29442 Airport Way, Manteca, CA 95337	*Spigot #2 (Horse Stable)*	*Galvanized*	*No*

Inventory Summary tab. Note that users can freeze panes to enable them to see the headings and
ıctions.

System-Owned Portion

If Material Anything Other than "Lead" in Column E, Was Material Ever Previously Lead?	Service Line Installation Date	Service Line Size (inches)	Basis of Material Classification	Was the Service Line Material Field Verified?	Describe the Field Verification Method	Enter the Date of Field Verification	Notes
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*
No			*Field inspection*	*Yes*	*Other*	*12/17/2025*	*CDM Smith Site Visit - Visual Inspection at Shut-off valve*

Customer-Owned Portion						
Customer-Owned Portion Service Line Material Classification	**Service Line Installation Date**	**Service Line Size (inches)**	**Basis of Material Classification**	**Was the Service Line Material Field Verified?**	**Describe the Field Verification Method**	**Enter the Date of Field Verification**
Non-Lead - Copper			*Field inspection*	*Yes*	*Other*	*12/17/2025*
Galvanized			*Field inspection*	*Yes*	*Other*	*12/17/2025*
Non-Lead - Other			*Interpolation*	*No*		
Non-Lead - Other			*Interpolation*	*No*		
Non-Lead - Other			*Field inspection*	*Yes*	*Other*	*12/17/2025*
Non-Lead - Copper			*Field inspection*	*Yes*	*Other*	*12/17/2025*
Non-Lead - Other			*Interpolation*	*No*		
Non-Lead - Other			*Interpolation*	*No*		

Error Count:
Rows Missing Information:

Notes	Entire Service Line Material Classification (if error or"Missing Information" appears, ensure all required columns are filled correctly. See instructions)
CDM Smith Site Visit - Visual Inspection at Shut-off valve	Non-lead
CDM Smith Site Visit - Visual Inspection at Shut-off valve	Non-lead
Interpolation based on CDM Smith Site Visit	Non-lead
Interpolation based on CDM Smith Site Visit	Non-lead
CDM Smith Site Visit. Visual Inspection at the shut-off valve. Customer-side service line is comprised of both plastic and galvanized portions	Non-lead
CDM Smith Site Visit - Visual Inspection at Shut-off valve	Non-lead
Interpolation based on CDM Smith Site Visit	Non-lead
Interpolation based on CDM Smith Site Visit	Non-lead

Inventory Summary

Enter Date Last Updated:	07/10/26

Purpose of this worksheet: For water systems to provide a summary of their service line inventory, including information on ownership, inventory format, and the number of service lines for each of the four required materials classifications.
Note that water systems may submit their completed LCRR initial inventories before October 16, 2024. Pursuant to 40 CFR 141.85(e), water systems must provide public notification to customers served by lead, galvanized requiring replacement, and/or lead status unknown service lines within 30 days after DDW's approval of the completed inventory. DDW will notify water systems by email when their inventory submission is approved.

Part 1. General Information

1. Is this the **Initial Inventory** or an **Inventory Update**?	*Initial Inventory*
2. Who **owns the service lines** in your system? *If other, please explain below.*	*The entire service line is owned by the water system*
3. When were lead service lines banned in your system? Reference the state or local ordinance that banned the use of lead in your system.	
California State uses January 1, 1986 as the cut-off date for the lead ban. Therefore, services that are installed after this date may be designated as non-lead	
4. Do you have lead goosenecks, pigtails or connectors in your system?	*No*

Part 2. Inventory Format

Describe your inventory format in the space provided below (*e.g.* , the **Detailed Inventory** worksheet, custom spreadsheet, GIS map). Provide the filename and/or web address if applicable.

Detailed Inventory

Part 3. Inventory Summary Table [1]

*If you are using the **Detailed Inventory** worksheet, the classifications you select in the Column "Entire Service Line Material Classification" will be used to calculate the total number of service lines for each of the four material classifications below. Otherwise, enter the number of service lines* blue- and aqua colored-cells.

Table 3.1. Inventory Summary by Ownership

Service Line Material Classification	Number of Water System Owned Service Lines	Number of Customer Owned Service Lines
Lead	0	0
Galvanized	6	1
Galvanized Requiring Replacement	0	0
Non-Lead - Copper	7	7
Non-Lead - Plastic	3	0
Non-Lead - Other	4	12
Unknown	0	0
TOTAL	20	20

Table 3.2. Inventory Summary Total

Service Line Material Classification	Definition	Total
Lead	Any portion of the service line is known to be made of lead.	0
Galvanized Requiring Replacement (GRR)	The service line is not made of lead, but a portion is galvanized and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	0
Non-Lead	All portions of the service line are known NOT to be lead or GRR through an evidence-based record, method, or technique.	20

Lead Status Unknown	The service line material is not known to be lead, GRR, or non-lead line. For the entire service line or a portion of it (in cases of split ownership), there is no evidence to support material classification.	0
Lead Gooseneck/Fitting	A short section of piping, typically not exceeding two feet, which can be bent and used for connections between rigid service piping.	0
Total Number of Service Lines		20

Notes
This summary table is for reporting material for the entire service line connecting the water main to the customer's plumbing. See the Section 4 of the Inventory Instructions or Exhibit 2-2 of U.S. EPA's Guidance for Developing and Maintaining a Service Line Inventory (US EPA, 2022).

Public Accessibility Documentation

Enter Date Last Updated:	07/10/26

Purpose of this worksheet: For systems to provide documentation to states on how they met the public accessibility requirements of the LCRR.

1. Select the location identifiers that you use for your service line inventory. Check all that apply.

- ☑ Address
- ☐ Street
- ☐ Block
- ☐ Intersection
- ☐ Landmark
- ☐ GPS Coordinates
- ☑ Other

If "Other", please describe:

The campus is a single address. Service Lines have been further identified by building name and/or spigot number.

2. Does ***every service line*** have a location identifier? *Yes*

If "No", explain. Remember that location identifiers are required for service lines that are lead and galvanized requiring replacement.

3. How are you making your inventory publicly accessible? Check all that apply. *Remember that if your system serves > 50,000 people, you* ***must*** *provide the inventory online.*

- ☐ Interactive online map
- ☐ Static online map
- ☐ Online spreadsheet
- ☐ Printed service line map
- ☐ Printed tabular data
- ☐ Information on water utility mailings or newsletter
- ☑ Hard copy information available in water system office
- ☐ Other

If "Other", please describe: