Pleasant Hill School District

Pleasant Hill School District #1
2025-26 HASS Annual Statement – Revised 8/21/2026

Pleasant Hill School District certifies the following:

1. Responsible Persons

The person responsible for implementing and administering the Healthy and Safe Schools (HASS) Plan is:

Name: Daniel Boyd
Position Title: Maintenance Lead
Phone Number: 547-736-0770
Email Address: dboyd@pleasanthill.k12.or.us
Mailing Address: 36386 Hwy 58, Pleasant Hill, OR 97455

The person who is the designated Integrated Pest Management (IPM) Coordinator is:

Name: Daniel Boyd
Position Title: Maintenance Lead
Phone Number: 547-736-0770
Email Address: dboyd@pleasanthill.k12.or.us
Mailing Address: 36386 Hwy 58, Pleasant Hill, OR 97455

The person responsible for Asbestos Hazard Emergency Response Act (AHERA) information is:

Name: Daniel Boyd
Position Title: Maintenance Lead
Phone Number: 547-736-0770
Email Address: dboyd@pleasanthill.k12.or.us
Mailing Address: 36386 Hwy 58, Pleasant Hill, OR 97455

2. Copies of the Healthy and Safe Schools Plan

Copies of the plan are available at each of the following link:

- https://www.pleasanthill.k12.or.us/resources/healthy-safe-schools

3. Testing Certification

Pleasant Hill School District certifies that it is in compliance with all plan components, including any and all testing required by any part of the plan.

4. Testing Results

Pleasant Hill School District school is current with all required testing as of the date of this document. Test results can be found on the district's website at https://www.pleasanthill.k12.or.us/resources/healthy-safe-schools . Pleasant Hill School District will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of their community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact the District Office (phsdcom@pleasanthill.k12.or.us) to be added to current district email lists and programs. Specific test results can be found as follows:

- Lead in Water: https://www.pleasanthill.k12.or.us/resources/healthy-safe-schools
- Radon: https://resources.finalsite.net/images/v1631832366/pleasanthillk12orus/vx1rkmr9ovdcp8oceavw/PleasantHillSD_Radon_Results2021.pdf

5. Website Link Maintenance

Pleasant Hill School District certifies that all website links for plan information and test results are current and functional.

6. Major Exposure Reduction Activities

Pleasant Hill School District has completed the following major activities, which resulted in reduced risk of exposure to hazardous materials:

Facility Name	Building Identification Number (BIN)	Activity resulting in reduced risk of exposure to hazardous materials	Type of hazard addressed	Date of activity	Estimated cost of remediation
Elementary Music Room	20810108	Remove Asbestos	Asbestos	3/19-3/27, 2026	$24,746.00

I certify that the above information is true and accurate to the best of my knowledge.

	Superintendent	6/1/2026
Electronic signature of authorized representative	**Title**	**Date of Annual Certification**