

CUMBERLAND ANALYTICAL LABORATORIES, INC.

"The Environmental Consultant"
125 Frytown Road
Carlisle, Pennsylvania 17015

Richard E. Roush (717) 379-3782

Lonnie R. Eslinger, Jr. (717) 386-1918

PREPARED FOR:

Mr. Brian Miller
Elizabethtown Area School District
600 East High Street
Elizabethtown, Pennsylvania 17002

E-MAILED:

brian_miller@etownschools.org

NON-VIABLE MOLD TRAP SAMPLE ANALYSIS REPORT:

Elizabethtown Area School
Various Schools
Elizabethtown, Pennsylvania

Performed On: August 27, 2026

CALI PROJECT NUMBER: 26-1015-001

REPORT DATE: August 29, 2026

PERFORMED BY/REVIEWED BY:



Richard E. Roush, CIAQM

Pennsylvania Asbestos Building Inspector/Management Planner

**Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools**

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 1

Table of Contents

EXECUTIVE SUMMARY:.....	2
MOLD SURVEY RESULTS:.....	2
RECOMMENDATIONS:	2
STANDARDS – BACTERIAL/MOLD:.....	2
METHOD AND ANALYSIS – AIR SAMPLING:	3
LABORATORY DISCLAIMER:.....	3
EXPLANATION OF BACKGROUND DENSITIES:	4
Non-Viable Mold Spore Trap Sample Results Table #1:	5
Non-Viable Mold Spore Trap Sample Results Table #2:	6
Non-Viable Mold Spore Trap Sample Results Table #3:	7
Non-Viable Mold Spore Trap Sample Results Table #4:	8
Non-Viable Mold Spore Trap Sample Results Table #6:	9
ORGANISM DESCRIPTIONS:	10
MOLD DEFINITIONS:.....	11

**Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools**

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 2

EXECUTIVE SUMMARY:

Cumberland Analytical Laboratories, Inc. (CALI) was retained by the Elizabethtown Area School District perform Mold Sampling at various schools within the district. This project consisted of the collection of air samples for airborne fungal contaminants by, Mr. Richard E. Roush from this office.

MOLD SURVEY RESULTS:

Based on the laboratory results of **August 29, 2026, UNUSUAL** mold conditions existed in the **High School** during the time of this survey. The results of the Non-Viable Spore Trap Samples collected during this survey from all sampled area locations are listed in this project documentation. Please refer to the individual sample results, for more detailed information regarding these samples.

RECOMMENDATIONS:

Based on the Laboratory Results it is recommended that to lower the total spore counts in these areas, good housekeeping practices should be intensified while including the use of a bio-cide cleaning solution and HEPA vacuuming. Housekeeping is an effective measure to maintain Indoor Air Quality within a structure, as well as minimize the release of harmful materials into the structure that will negatively affect Indoor Air Quality.

Cleaning and sterilizing activities also will decrease the risk of exposure to biological growth and contamination. Also, an air scrubber containing a HEPA filter should be used during and after the cleanup for a minimum of 24-36 hours at which time the areas should be retested to ensure that airborne fungal populations have been lowered to acceptable levels.

STANDARDS – BACTERIAL/MOLD:

There are no current Permissible Exposure Levels or Safe Levels established by OSHA or NIOSH. EPA has guidelines on mold remediation in schools, yet no clearance levels have been established. Molds are a major source of indoor allergens. There are no national standards for the number of fungal spores that may be present in the indoor environment. As a general rule and guideline that is widely accepted in the indoor air quality field, the numbers and types of spores that are present in the indoor environment should not exceed those that are present outdoors at any given time.

Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 3

Standards – Bacterial/Mold continued:

There will always be some mold spores present in "normal" indoor environments. The purpose of sampling and counting spores is to help determine whether an abnormal condition exists within the indoor environment and if it does, to help pinpoint the area of contamination. Spore counts should not be used as the sole determining factor of mold contamination.

There are many factors that can cause anomalies in the comparison of indoor and outdoor samples due to the dynamic nature of both of those environments.

Mold can also trigger asthma. Even when dead or unable to grow, mold can cause health effects such as allergic reactions. The types and severity of health effects associated with exposure to mold depend, in part, on the type of mold present and the extent of the occupants' exposure and existing sensitivities or allergies. Prompt and effective remediation of moisture problems is essential to minimize potential mold exposures and their potential health effects.

Statistically, total spore counts are always significantly correlated with counts conducted on Agar Plate samples. On average, total mold spore to culturable mold ratios are in the range of 10:1. A concentration dominated by one genus such as *Penicillium* or *Aspergillus* even at 10,000 Particles/m³ is unacceptable. Total levels should not exceed 2,000 Particles/m³, and each individual count should not exceed 650 Particles/m³. For remediation, a reduction of airborne spores based upon Pre and Post sampling, compared to exterior sample results, and *no evidence of mold* growth present is the goal.

METHOD AND ANALYSIS – AIR SAMPLING:

These Non-Viable Spore Trap Samples for fungal spores were collected according to the American Industrial Hygiene Association (AIHA) and laboratory protocol. Specifically, the air samples were collected using Allergenco-D collection cassettes and a high-volume pump calibrated to 15.0 liters per minute.

LABORATORY DISCLAIMER:

These samples were properly packaged and shipped to SanAir Technologies Laboratory in North Chesterfield, VA. While CALI considers the results of the collected and analyzed samples to be reliable through laboratory certifications and accreditations, it assumes no responsibility for the accuracy of these results and assumes no responsibility or liability for the manner in which these results are used or interpreted.

Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 4

EXPLANATION OF BACKGROUND DENSITIES:

The background density of an air cassette aids in the overall interpretation of results as it indicates the level of background debris present (e.g., dander, pollen, fibers, insect parts, soot, fly ash, etc.). Excessive background debris may mask the presence of fungal spores thereby reducing the accuracy of the count. It may also serve as an alert that the volume of air pulled was too high or too low. The following table explains background densities.

Air Cassette Density	Amount of Particulate on Slide	Explanation
1	Insignificant	Should not skew any counts.
1+	Low	Should not skew any counts.
2	Low to Moderate	Should not skew any counts.
2+	Moderate to High	May cause occlusion of small spores.
3	High	May cause occlusion of small to medium spores.
3+	Very High	Will cause occlusion of spores.
4	Overloaded	Level of particulate too high to perform analysis.

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 5

Non-Viable Mold Spore Trap Sample Results Table #1:



Name: Cumberland Analytical Laboratories, Inc.
Address: 125 Frytown Road
Carlisle, PA 17015
Phone: 717-379-3782

Project Number: Elizabeth Town
P.O. Number:
Project Name: School District
Collected Date: 8/27/2026
Received Date: 8/28/2026 10:15:00 AM

SanAir ID Number
26051121
FINAL REPORT
8/28/2026 3:56:13 PM

Analyst: Jones, Oliver

Air Cassette Analysis

ND = None Detected. Blank spaces indicate no spores detected

SanAir ID Number	26051121-001			26051121-002			26051121-003			26051121-004		
Analysis Using STL	STL 105C			STL 105C			STL 105C			STL 105C		
Sample Number	01			02			03			04		
Sample Identification	Middle School Rm 117			Middle School Rm 2755			Middle School Rm 2350			Middle School Rm 2425		
Sample Type	Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell		
Volume	75 Liters			75 Liters			75 Liters			75 Liters		
Analytical Sensitivity	13 Count/M ³			13 Count/M ³			13 Count/M ³			13 Count/M ³		
Background Density	1+			2			1+			2+		
Other	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Dander	34	453	n/a	159	2120	n/a	164	2187	n/a	210	2800	n/a
Fibers	1	13	n/a	4	53	n/a	1	13	n/a	8	107	n/a
Mycelial Fragments							2	27	n/a	4	53	n/a
Pollen												
Fungal Identification	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Alternaria species												
Ascospores	1	13	50				1	13	7	5	67	10
Aspergillus/Penicillium				1	13	11				9	120	18
Basidiospores	1	13	50	3	40	33	11	147	73	22	293	44
Bipolaris group												
Bispora like										4	53	8
Cercospora species												
Cladosporium species				4	53	44	3	40	20	5	67	10
Epicoecum species												
Fusarium species												
Nigrospora species				1	13	11				1	13	2
Pithomyces species										2	27	4
Polythrincium species										1	13	2
Smuts/Myxomycetes												
Torula species										1	13	2
TOTAL	2	27		9	120		15	200		50	667	

Signature: *Oliver Jones*

Date: 8/28/2026

Reviewed: *L. Claire Macdonald*

Date: 8/28/2026

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 6

Non-Viable Mold Spore Trap Sample Results Table #2:



Name: Cumberland Analytical Laboratories, Inc.
Address: 125 Frytown Road
Carlisle, PA 17015
Phone: 717-379-3782

Project Number: Elizabeth Town
P.O. Number:
Project Name: School District
Collected Date: 8/27/2026
Received Date: 8/28/2026 10:15:00 AM

SanAir ID Number
26051121
FINAL REPORT
8/28/2026 3:56:13 PM

Analyst: Jones, Oliver

Air Cassette Analysis

ND = None Detected. Blank spaces indicate no spores detected

SanAir ID Number	26051121-005			26051121-006			26051121-007			26051121-008		
Analysis Using STL	STL 105C			STL 105C			STL 105C			STL 105C		
Sample Number	05			06			07			08		
Sample Identification	High School Rm 1645			High School Rm 1210			High School Rm 1305			High School Rm 1960		
Sample Type	Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell		
Volume	75 Liters			75 Liters			75 Liters			75 Liters		
Analytical Sensitivity	13 Count/M ³			13 Count/M ³			13 Count/M ³			13 Count/M ³		
Background Density	1+			2			1+			1+		
Other	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Dander	91	1213	n/a	274	3653	n/a	45	600	n/a	52	693	n/a
Fibers	3	40	n/a	4	53	n/a	2	27	n/a	4	53	n/a
Mycelial Fragments	1	13	n/a	1	13	n/a						
Pollen												
Fungal Identification	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Alternaria species												
Ascospores												
Aspergillus/Penicillium	14	187	30	124	1653	96	92	1227	86	12	160	92
Basidiospores	23	307	49	3	40	2	5	67	5	1	13	8
Bipolaris group												
Bispora like												
Cercospora species												
Cladosporium species	9	120	19	1	13	< 1	10	133	9			
Epicoecum species												
Fusarium species												
Nigrospora species												
Pithomyces species	1	13	2	1	13	< 1						
Polythrincium species												
Smuts/Myxomycetes												
Torula species												
TOTAL	47	627		129	1720		107	1427		13	173	

Signature: *Oliver Jones*

Date: 8/28/2026

Reviewed: *L. Claire Macdonald*

Date: 8/28/2026

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 7

Non-Viable Mold Spore Trap Sample Results Table #3:



Name: Cumberland Analytical Laboratories, Inc.
Address: 125 Frytown Road
Carlisle, PA 17015
Phone: 717-379-3782

Project Number: Elizabeth Town
P.O. Number:
Project Name: School District
Collected Date: 8/27/2026
Received Date: 8/28/2026 10:15:00 AM

SanAir ID Number
26051121
FINAL REPORT
8/28/2026 3:56:13 PM

Analyst: Jones, Oliver

Air Cassette Analysis

ND = None Detected. Blank spaces indicate no spores detected

SanAir ID Number	26051121-009			26051121-010			26051121-011			26051121-012		
Analysis Using STL	STL 105C			STL 105C			STL 105C			STL 105C		
Sample Number	09			010			011			012		
Sample Identification	High School Rm 2735			East High Rm 510			East High Rm 500			East High Rm 540		
Sample Type	Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell		
Volume	75 Liters			75 Liters			75 Liters			75 Liters		
Analytical Sensitivity	13 Count/M ³			13 Count/M ³			13 Count/M ³			13 Count/M ³		
Background Density	1+			2			2+			2+		
Other	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Dander	63	840	n/a	184	2453	n/a	168	2240	n/a	119	1587	n/a
Fibers	5	67	n/a	11	147	n/a	4	53	n/a	4	53	n/a
Mycelial Fragments												
Pollen				2	27	n/a	1	13	n/a			
Fungal Identification	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Alternaria species												
Ascospores	1	13	12				3	40	25			
Aspergillus/Penicillium	3	40	38							6	80	35
Basidiospores	1	13	12	1	13	25	7	93	58	2	27	12
Bipolaris group				1	13	25	1	13	8			
Bispora like												
Cercospora species												
Cladosporium species	2	27	25				1	13	8	9	120	53
Epicothium species												
Fusarium species												
Nigrospora species				2	27	50						
Pithomyces species												
Polythrincium species												
Smuts/Myxomycetes	1	13	12									
Torula species												
TOTAL	8	107		4	53		12	160		17	227	

Signature: *Oliver Jones*

Date: 8/28/2026

Reviewed: *L. Claire Macdonald*

Date: 8/28/2026

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 8

Non-Viable Mold Spore Trap Sample Results Table #4:



Name: Cumberland Analytical Laboratories, Inc.
Address: 125 Frytown Road
Carlisle, PA 17015
Phone: 717-379-3782

Project Number: Elizabeth Town
P.O. Number:
Project Name: School District
Collected Date: 8/27/2026
Received Date: 8/28/2026 10:15:00 AM

SanAir ID Number
26051121
FINAL REPORT
8/28/2026 3:56:13 PM

Analyst: Jones, Oliver

Air Cassette Analysis

ND = None Detected. Blank spaces indicate no spores detected

SanAir ID Number	26051121-013			26051121-014			26051121-015			26051121-016		
Analysis Using STL	STL 105C			STL 105C			STL 105C			STL 105C		
Sample Number	013			014			015			016		
Sample Identification	Bear Creek Rm 147			Bear Creek Rm 018			Bear Creek Rm 058			Bain Bridge Rm C 107		
Sample Type	Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell		
Volume	75 Liters			75 Liters			75 Liters			75 Liters		
Analytical Sensitivity	13 Count/M³			13 Count/M³			13 Count/M³			13 Count/M³		
Background Density	2+			2+			2+			2+		
Other	Raw Count	Count/M³	%	Raw Count	Count/M³	%	Raw Count	Count/M³	%	Raw Count	Count/M³	%
Dander	196	2613	n/a	69	920	n/a	84	1120	n/a	210	2800	n/a
Fibers	5	67	n/a	3	40	n/a	4	53	n/a	3	40	n/a
Mycelial Fragments	1	13	n/a									
Pollen												
Fungal Identification	Raw Count	Count/M³	%	Raw Count	Count/M³	%	Raw Count	Count/M³	%	Raw Count	Count/M³	%
Alternaria species												
Ascospores	1	13	>99							2	27	20
Aspergillus/Penicillium				1	13	20	1	13	20	1	13	10
Basidiospores				2	27	40	1	13	20	6	80	60
Bipolaris group												
Bispora like												
Cercospora species												
Cladosporium species				2	27	40	1	13	20			
Epicoccum species							1	13	20			
Fusarium species												
Nigrospora species												
Pithomyces species							1	13	20	1	13	10
Polythrincium species												
Smuts/Myxomycetes												
Torula species												
TOTAL	1	13		5	67		5	67		10	133	

Signature:

Oliver Jones

Date: 8/28/2026

Reviewed:

L. Claire Macdonald

Date: 8/28/2026

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 9

Non-Viable Mold Spore Trap Sample Results Table #6:



Name: Cumberland Analytical Laboratories, Inc.
Address: 125 Frytown Road
Carlisle, PA 17015
Phone: 717-379-3782

Project Number: Elizabeth Town
P.O. Number:
Project Name: School District
Collected Date: 8/27/2026
Received Date: 8/28/2026 10:15:00 AM

SanAir ID Number
26051121
FINAL REPORT
8/28/2026 3:56:13 PM

Analyst: Jones, Oliver

Air Cassette Analysis

ND = None Detected. Blank spaces indicate no spores detected

SanAir ID Number	26051121-017			26051121-018			26051121-019		
Analysis Using STL	STL 105C			STL 105C			STL 105C		
Sample Number	017			018			019		
Sample Identification	Bain Bridge Rm C131			Bain Bridge Rm C154			Outside		
Sample Type	Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell			Air Cassette - Air-O-Cell		
Volume	75 Liters			75 Liters			75 Liters		
Analytical Sensitivity	13 Count/M ³			13 Count/M ³			13 Count/M ³		
Background Density	2+			2+			2+		
Other	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Dander	371	4947	n/a	252	3360	n/a	27	360	n/a
Fibers	8	107	n/a	4	53	n/a	8	107	n/a
Mycelial Fragments							3	40	n/a
Pollen				1	13	n/a	3	40	n/a
Fungal Identification	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%	Raw Count	Count/M ³	%
Alternaria species							2	27	11
Ascospores	1	13	7						
Aspergillus/Penicillium	1	13	7						
Basidiospores	6	80	43	2	27	40			
Bipolaris group							1	13	6
Bispora like									
Cercospora species							1	13	6
Cladosporium species	6	80	43	2	27	40			
Epicoecum species									
Fusarium species							2	27	11
Nigrospora species									
Plthomyces species							1	13	6
Polythrincium species							2	27	11
Smuts/Myxomycetes				1	13	20	9	120	50
Torula species									
TOTAL	14	187		5	67		18	240	

Signature: *Oliver Jones*

Date: 8/28/2026

Reviewed: *L. Claire Macdonald*

Date: 8/28/2026

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 10

ORGANISM DESCRIPTIONS:

The descriptions of the organisms presented are derived from various reference materials. The laboratory report is based on the data derived from the samples submitted and no interpretation of the data, as to potential, or actual, health effects resulting from exposure to the numbers of organisms found, can be made by laboratory personnel. Any interpretation of the potential health effects of the presence of this organism must be made by qualified professional personnel with firsthand knowledge of the sample site, and the problems associated with that site.

Dander - Comprised of human and/or animal skin cells. Counts may be higher in carpeted rooms and in rooms with more traffic.

Health Effects: May cause allergies.

Fibers - This category can include clothing, carpet, and insulation fibers.

Mycelial Fragments - A mycelium (plural = mycelia) is the "body" of a fungus. It is a collective term for hyphae (singular = hypha), which are the tubular units of the mycelium usually composed of chitin. The terms hyphae and mycelial fragments are used interchangeably. [This information was referenced from the mycology text "The Fifth Kingdom"] In some cases a fungal identification cannot be obtained due to lack of sporulation. Only the mycelial fragments are present and cannot be identified without the distinguishing characteristics of the spores or the structures they grow from.

Health Effects: Allergic reactions may occur in the presence of spores (conidia) or mycelial/hyphal fragments.

Pollen - Produced by trees, flowers, weeds and grasses. The level of pollen production can depend on water availability, precipitation, temperature, and light. Pollen is usually dispersed by either insects or the wind.

Health Effects: Mostly effects the respiratory tract with hay fever symptoms but has also been shown to trigger asthma in some people.

Non-Viable Mold Spore Trap Samples Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 11

MOLD DEFINITIONS:

Alternaria Species - This genus comprises a large number of saprobes and plant pathogens. It is one of the predominate airborne fungal spores indoor and outdoor. Outdoors it may be isolated from samples of soil, seeds, and plants. It is one of the more common fungi found in nature, extremely widespread and ubiquitous. Conidia are easily carried by the wind, with peak concentrations in the summer and early fall. It is commonly found in outdoor samples. It is often found in indoor environments, on drywall, ceiling tiles, in house dust, carpets, textiles, and on horizontal surfaces in building interiors. Often found on window frames. This genus also includes species that were once identified as *Ulocladium*. Genetic testing has shown that the two are not phylogenetically distinct, and as such have been combined.

Health Effects: In humans, it is recognized to cause allergic responses. Because of the large size of the spores, it can be deposited in the nose, mouth and upper respiratory tract, causing nasal septum infections. It has been known to cause Baker's asthma, farmer's lung, and hay fever. It has been associated with hypersensitivity pneumonitis, sinusitis, dermatomycosis, onychomycosis, subcutaneous phaeohyphomycosis, and invasive infection. Common cause of extrinsic asthma (immediate-type hypersensitivity: type I). Acute symptoms include edema and bronchospasms, chronic cases may develop pulmonary emphysema.

Ascospores - From the fungal Subphylum Ascomycotina. Ascospores are ubiquitous in nature and are commonly found in the outdoor environment. This class contains the "sac fungi" and yeasts. Some ascospores can be identified by spore morphology, however; some care should be exercised with regard to specific identification. They are identified on tape lifts and non-viable analysis by the fact that they have no attachment scars and are sometimes enclosed in sheaths with or without sacs. Ascomycetes may develop both sexual and asexual stages. Rain and high humidity may help asci to release, and disperse ascospores, which is why during these weather conditions there is a great increase in counts.

Health Effects: This group contains possible allergens.

Aspergillus/Penicillium - These spores are easily aerosolized. Only through the visualization of reproductive structures can the genera be distinguished. Also included in this group may be spores of the genera *Acremonium*, *Phialophora*, *Verticillium*, *Paecilomyces*, *Talaromyces* etc. Small, round to ovoid spores of this group lack the necessary distinguishing characteristics when seen on non-viable examination.

Health Effects: Can cause a variety of symptoms including allergic reactions. Most symptoms occur if the individual is immunocompromised in some way (HIV, cancer, etc.).

Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 12

Mold Definitions continued:

Basidiospores - From the Subphylum Basidiomycotina which contains the mushrooms, shelf fungi, and a variety of other macrofungi. They are saprophytes, ectomycorrhizal fungi or agents of wood rot, which may destroy the structure wood of buildings. It is extremely difficult to identify a specific genera of mushrooms by using standard culture plate techniques. Some basidiomycete spores can be identified by spore morphology; however, some care should be exercised with regard to specific identification. The release of basidiospores is dependant upon moisture, and they are dispersed by wind.

Health Effects: Many have the potential to produce a variety of toxins. Members of this group may trigger Type I and III fungal hypersensitivity reactions. Rarely reported as opportunistic pathogens.

Bipolaris Group - This group ID is used to combine fungi that have similar conidia and cannot be distinguished based on only the microscopic morphology. Organisms included in this group are Bipolaris, Drechslera, Curvularia, Exserohilum and Helminthosporium. Curvularia is now included based on the renaming of several clinically significant species, originally classified as Bipolaris species, based on genetic sequencing reported in a study by Manamgoda et al. The organisms in this group are saprobic and isolated from soil and dead plant material. Many are considered plant pathogens.

Health Effects: This group of fungi includes isolates reported as causes of allergic fungal sinusitis. They produce type I fungal hypersensitivity in humans. Some clinically relevant species of Bipolaris have undergone taxonomic revision and are now classified as Curvularia species.

Bispora Like - Bispora is a ubiquitous anamorphic fungus and may be isolated from decaying wood. Other saprobic fungi with similar morphological characteristics that may be included in this category include Spadicoides, Diplococcium and related genera.

Health Effects: There has been no known research on the health effects, toxicity, or allergens to this fungi.

Cercospora species - Plant pathogen. Cercospora tends to grow on leaves. (Genera of Hyphomycetes, 1980).

Health Effects: No data is available at this time.

Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 13

Mold Definitions continued:

Cladosporium Species - The most commonly identified outdoor fungus. The outdoor numbers are reduced in the winter and are often high in the summer. Often found indoors in numbers less than outdoor numbers. It is commonly found on the surface of fiberglass duct liner in the interior of supply ducts. A wide variety of plants are food sources for this fungus. It is found on dead plants, woody plants, food, straw, soil, paint and textiles. Often found in dirty refrigerators and especially in reservoirs where condensation is collected, on moist window frames it can easily be seen covering the whole painted area with a velvety olive-green layer.

Health Effects: It is a common allergen. It can cause mycosis. Common cause of extrinsic asthma. Acute symptoms include edema and bronchospasms, chronic cases may develop pulmonary emphysema. Illnesses caused by this genus can include phaeohyphomycosis, chromoblastomycosis, hay fever and common allergies.

Epicoccum species - It is found in plants, soil, grains, textiles, and paper products. Frequently isolated from air and occasionally occurs in house dust. Is a saprophyte and considered a weakly parasitic secondary invader of plants, moldy paper and textiles.

Health Effects: A common allergen. It also has the potential to produce type I fungal hypersensitivity reactions.

Fusarium Species - A common soil fungus and plant pathogen. Fusarium is frequently isolated from plants and grains. It is often found in humidifiers and requires wet conditions to grow.

Health Effects: An allergen. Frequently involved in eye, skin and nail infections. Fusarium is the most common cause of mycotic keratitis and has been isolated from patients with a variety of infections. Some species produce mycotoxin. Food safety issues are related to some species of this genus.

Nigrospora Species - Has been isolated from air and soil samples. Usually found in plant material as a saprobe.

Health Effects: Not commonly associated with human infection. Reported cases are typically involving immunocompromised patients.

Pithomyces Species - Grows on dead grass in pastures and decaying plant material.

Health Effects: Causes facial eczema in ruminants.

Polythrincium Species - This fungus is often associated with leaves and other plant material. There are no reports of any clinical significance or allergenic properties.

**Non-Viable Mold Spore Trap Samples
Elizabethtown Area School District Various Schools**

Performed On: August 27, 2026
CALI Project Number: 26-1015-001
Report Date: August 29, 2026

Page | 14

Mold Definitions continued:

Smuts/Myxomycetes - Smuts and Myxomycetes are parasitic plant pathogens. They are typically grouped together due to their association with plants, the outdoors and because they share similar microscopic morphology.

Health Effects: Can produce type I fungal hypersensitivity reactions.

Torula Species - Torula is a saprophyte and therefore often found on plant material. It may be found on wood-containing products/materials.

Health Effects: Reported to produce type I fungal hypersensitivity.