



December 1, 2023

V Kaptein
NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609

Project Location:
Project Number: Lozier Environmental Consulting
Laboratory Work Order Number: 23K2626

Enclosed are results of analyses for samples received by the laboratory on November 20, 2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Benjamin M. Cusack". The signature is written in a cursive style with a large, stylized 'B' and 'C'.

Project Manager



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 12/1/2023

PURCHASE ORDER NUMBER: M33508

PROJECT NUMBER: Lozier Environmental Consulting

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23K2626

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION:

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
JEFF-01-HA-BY-106A-F (2)	23K2626-01	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-113A-F (3)	23K2626-02	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KL-IN-122-TA (6)	23K2626-03	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KL-IN-122-TB (7)	23K2626-04	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KL-IN-122-TC (8)	23K2626-05	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KL-IN-140A-TB (9)	23K2626-06	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KL-IN-140-TA (10)	23K2626-07	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-LR-154A-F (11)	23K2626-08	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-LR-IN-160-F (12)	23K2626-09	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-TC-IN-125-TA (14)	23K2626-10	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-GY-IN-255-B (16)	23K2626-11	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-HA-BY-205A-FL (17)	23K2626-12	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-HA-BY-227A-F (19)	23K2626-13	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-KI-IN-212B-T (20)	23K2626-14	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-HA-BY-301A-F (21)	23K2626-15	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-HA-BY-301A-BF (22)	23K2626-16	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-HA-BY-320A-F (23)	23K2626-17	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-HA-BY-320A-FL (24)	23K2626-18	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-HA-BY-325A-F (25)	23K2626-19	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-117B-T (26)	23K2626-20	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-114-T1 (28)	23K2626-21	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-114-T2 (29)	23K2626-22	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-114-T3 (30)	23K2626-23	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-114-T4 (31)	23K2626-24	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-114-T5 (32)	23K2626-25	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-113A-BF (33)	23K2626-26	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-113-T (34)	23K2626-27	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-107-T (35)	23K2626-28	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-104B-T (36)	23K2626-29	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-104B-B (37)	23K2626-30	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-106A-BF (38)	23K2626-31	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-106-T(39)	23K2626-32	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-105-T(40)	23K2626-33	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-104-T(41)	23K2626-34	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-104-B(42)	23K2626-35	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-103-T (43)	23K2626-36	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-101-T (44)	23K2626-37	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-101-B (45)	23K2626-38	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-125F-BF (46)	23K2626-39	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-125-F (47)	23K2626-40	Drinking Water		EPA 200.8 Rev 5.4	



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 12/1/2023

PURCHASE ORDER NUMBER: M33508

PROJECT NUMBER: Lozier Environmental Consulting

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23K2626

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION:

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
JEFF-01-CR-IN-125-BF (48)	23K2626-41	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-121-F (49)	23K2626-42	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-HA-BY-121-BF (50)	23K2626-43	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-119A-T (51)	23K2626-44	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-118-T1 (52)	23K2626-45	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-118-T2 (53)	23K2626-46	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-118-T3 (54)	23K2626-47	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KI-IN-122-T4 (55)	23K2626-48	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KI-IN-122-S1 (56)	23K2626-49	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-KI-IN-122-S2 (57)	23K2626-50	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CA-IN-140-F (58)	23K2626-51	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CA-IN-140-BF (59)	23K2626-52	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-157-BF (61)	23K2626-53	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-160-BF (62)	23K2626-54	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-CR-IN-160-B (63)	23K2626-55	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-CR-IN-219A-T (64)	23K2626-56	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-CR-IN-219B-T (65)	23K2626-57	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-CR-IN-202B-T (66)	23K2626-58	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-HA-BY-205A-BF (67)	23K2626-59	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-LI-IN-203B-T (68)	23K2626-60	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-HA-BY-227-BF (69)	23K2626-61	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-NO-IN-251-T (70)	23K2626-62	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-CR-IN-252-T (71)	23K2626-63	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-CR-IN-257F-T (72)	23K2626-64	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-01-GYM-IN-258-F (73)	23K2626-65	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-02-GYM-IN-258-BF (74)	23K2626-66	Drinking Water		EPA 200.8 Rev 5.4	
JEFF-03-CR-IN-315-T1 (75)	23K2626-67	Drinking Water		EPA 200.8 Rev 5.4	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA 200.8 Rev 5.4

Qualifications:

Z-01

#


Analyte & Samples(s) Qualified:

Lead

23K2626-14[JEFF-02-KI-IN-212B-T (20)], 23K2626-20[JEFF-01-CR-IN-117B-T (26)], 23K2626-21[JEFF-01-CR-IN-114-T1 (28)], 23K2626-22[JEFF-01-CR-IN-114-T2 (29)], 23K2626-23[JEFF-01-CR-IN-114-T3 (30)], 23K2626-24[JEFF-01-CR-IN-114-T4 (31)], 23K2626-25[JEFF-01-CR-IN-114-T5 (32)], 23K2626-28[JEFF-01-CR-IN-107-T (35)], 23K2626-30[JEFF-01-CR-IN-104B-B (37)], 23K2626-45[JEFF-01-CR-IN-118-T1 (52)], 23K2626-47[JEFF-01-CR-IN-118-T3 (54)], 23K2626-55[JEFF-01-CR-IN-160-B (63)], 23K2626-56[JEFF-02-CR-IN-219A-T (64)], 23K2626-57[JEFF-02-CR-IN-219B-T (65)], 23K2626-58[JEFF-02-CR-IN-202B-T (66)], 23K2626-64[JEFF-02-CR-IN-257F-T (72)], 23K2626-67[JEFF-03-CR-IN-315-T1 (75)]

The results of analyses reported only relate to samples submitted to the Pace Analytical Services, LLC - Newburgh for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Renee Cusack
PM



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-106A-F (2)

Sampled: 11/14/2023 06:27

Sample ID: 23K2626-01

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:34	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-113A-F (3)

Sampled: 11/14/2023 06:20

Sample ID: 23K2626-02

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:43	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-KL-IN-122-TA (6)

Sampled: 11/15/2023 06:08

Sample ID: 23K2626-03

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	10	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:46	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-KL-IN-122-TB (7)

Sample ID: 23K2626-04

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:07

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
		RL		Units						
Lead	2.7	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:53	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-KL-IN-122-TC (8)

Sampled: 11/15/2023 06:10

Sample ID: 23K2626-05

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	8.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:56	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-KL-IN-140A-TB (9)

Sampled: 11/15/2023 06:16

Sample ID: 23K2626-06

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	14	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 17:58	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-KL-IN-140-TA (10)

Sample ID: 23K2626-07

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:16

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time
		RL							Prepared	Analyzed
Lead	5.5	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:00 EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-LR-154A-F (11)

Sample ID: 23K2626-08

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:27

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:03	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-LR-IN-160-F (12)

Sampled: 11/15/2023 06:31

Sample ID: 23K2626-09

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:05	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-TC-IN-125-TA (14)

Sampled: 11/14/2023 06:47

Sample ID: 23K2626-10

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	6.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:08	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-GY-IN-255-B (16)

Sampled: 11/16/2023 06:26

Sample ID: 23K2626-11

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	6.8	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:10	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-HA-BY-205A-FL (17)

Sampled: 11/15/2023 06:51

Sample ID: 23K2626-12

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:15	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-02-HA-BY-227A-F (19)

Sample ID: 23K2626-13

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/16/2023 06:09

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:22	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-KI-IN-212B-T (20)

Sampled: 11/16/2023 06:47

Sample ID: 23K2626-14

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	38	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:25	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-03-HA-BY-301A-F (21)

Sampled: 11/16/2023 07:04

Sample ID: 23K2626-15

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:27	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-03-HA-BY-301A-BF (22)

Sampled: 11/16/2023 07:04

Sample ID: 23K2626-16

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:30	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-03-HA-BY-320A-F (23)

Sampled: 11/16/2023 06:56

Sample ID: 23K2626-17

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:32	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-03-HA-BY-320A-FL (24)

Sampled: 11/16/2023 06:57

Sample ID: 23K2626-18

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:34	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-03-HA-BY-325A-F (25)

Sampled: 11/16/2023 06:59

Sample ID: 23K2626-19

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:37	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-117B-T (26)

Sampled: 11/14/2023 06:10

Sample ID: 23K2626-20

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	22	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:39	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-114-T1 (28)

Sampled: 11/14/2023 06:16

Sample ID: 23K2626-21

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	26	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:42	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-114-T2 (29)

Sampled: 11/14/2023 06:17

Sample ID: 23K2626-22

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	19	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:56	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-114-T3 (30)

Sample ID: 23K2626-23

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:17

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL		Units				Prepared	Analyzed	
Lead	19	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 18:59	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-114-T4 (31)

Sampled: 11/14/2023 06:18

Sample ID: 23K2626-24

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	22	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:01	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-114-T5 (32)

Sampled: 11/14/2023 06:18

Sample ID: 23K2626-25

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	57	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:03	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-113A-BF (33)

Sample ID: 23K2626-26

Start Date/Time: 11/14/2023 6:18:00AM

Sample Matrix: Drinking Water

Stop Date/Time: 11/14/2023 6:20:00AM

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:06	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-113-T (34)

Sample ID: 23K2626-27

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:21

Work Order: 23K2626

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	
		RL							Prepared	Analyzed	Analyst
Lead	8.4	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:08	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-107-T (35)

Sampled: 11/14/2023 06:24

Sample ID: 23K2626-28

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	270	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:11	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-104B-T (36)

Sample ID: 23K2626-29

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:25

Work Order: 23K2626

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	
		RL							Prepared	Analyzed	Analyst
Lead	6.5	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:13	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-104B-B (37)

Sample ID: 23K2626-30

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:25

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	19	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:20	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-106A-BF (38)

Sampled: 11/14/2023 06:27

Sample ID: 23K2626-31

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:23	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-106-T(39)

Sampled: 11/14/2023 06:30

Sample ID: 23K2626-32

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.5	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:28	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-105-T(40)

Sampled: 11/14/2023 06:32

Sample ID: 23K2626-33

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:30	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-104-T(41)

Sampled: 11/14/2023 06:34

Sample ID: 23K2626-34

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/28/23 19:32	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-104-B(42)

Sample ID: 23K2626-35

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:34

Work Order: 23K2626

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	
		RL							Prepared	Analyzed	Analyst
Lead	3.0	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:13	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-103-T (43)

Sample ID: 23K2626-36

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:35

Work Order: 23K2626

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL							Prepared	Analyzed	
Lead	2.4	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:23	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-101-T (44)

Sample ID: 23K2626-37

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:37

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:25	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-101-B (45)

Sampled: 11/14/2023 06:37

Sample ID: 23K2626-38

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:27	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-125F-BF (46)

Sampled: 11/14/2023 06:44

Sample ID: 23K2626-39

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:35	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-125-F (47)

Sampled: 11/14/2023 06:45

Sample ID: 23K2626-40

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:37	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-125-BF (48)

Sampled: 11/14/2023 06:45

Sample ID: 23K2626-41

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:39	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-121-F (49)

Sample ID: 23K2626-42

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:51

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:42	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-HA-BY-121-BF (50)

Sampled: 11/14/2023 06:52

Sample ID: 23K2626-43

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:44	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-119A-T (51)

Sample ID: 23K2626-44

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:55

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time
		RL							Prepared	Analyzed
Lead	1.5	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:47 EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-118-T1 (52)

Sampled: 11/14/2023 06:57

Sample ID: 23K2626-45

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	86	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:49	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-118-T2 (53)

Sampled: 11/14/2023 06:58

Sample ID: 23K2626-46

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	13	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:54	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-118-T3 (54)

Sample ID: 23K2626-47

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/14/2023 06:58

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL		Units				Prepared	Analyzed	
Lead	31	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 12:56	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-KI-IN-122-T4 (55)

Sampled: 11/15/2023 06:10

Sample ID: 23K2626-48

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.9	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:04	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-KI-IN-122-S1 (56)

Sampled: 11/15/2023 06:11

Sample ID: 23K2626-49

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	4.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:06	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-KI-IN-122-S2 (57)

Sample ID: 23K2626-50

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:12

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time
		RL							Prepared	Analyzed
Lead	1.5	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:09 EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CA-IN-140-F (58)

Sampled: 11/15/2023 06:19

Sample ID: 23K2626-51

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:11	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-CA-IN-140-BF (59)

Sampled: 11/15/2023 06:19

Sample ID: 23K2626-52

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:13	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-157-BF (61)

Sample ID: 23K2626-53

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:28

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:16	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-160-BF (62)

Sample ID: 23K2626-54

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:30

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:18	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-01-CR-IN-160-B (63)

Sample ID: 23K2626-55

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:32

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	41	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:21	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-CR-IN-219A-T (64)

Sampled: 11/15/2023 06:40

Sample ID: 23K2626-56

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	97	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:35	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-02-CR-IN-219B-T (65)

Sample ID: 23K2626-57

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:41

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	49	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:38	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-02-CR-IN-202B-T (66)

Sample ID: 23K2626-58

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/15/2023 06:50

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL		Units				Prepared	Analyzed	
Lead	100	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:40	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-HA-BY-205A-BF (67)

Sampled: 11/15/2023 06:51

Sample ID: 23K2626-59

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:43	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-LI-IN-203B-T (68)

Sampled: 11/15/2023 06:56

Sample ID: 23K2626-60

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:45	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-HA-BY-227-BF (69)

Sampled: 11/16/2023 06:09

Sample ID: 23K2626-61

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:48	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-NO-IN-251-T (70)

Sampled: 11/16/2023 06:13

Sample ID: 23K2626-62

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:50	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-02-CR-IN-252-T (71)

Sample ID: 23K2626-63

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/16/2023 06:17

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL		Units				Prepared	Analyzed	
Lead	14	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:52	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-02-CR-IN-257F-T (72)

Sample ID: 23K2626-64

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/16/2023 06:21

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	51	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 13:55	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-01-GYM-IN-258-F (73)

Sampled: 11/16/2023 06:23

Sample ID: 23K2626-65

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 14:02	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Sample Description:

Work Order: 23K2626

Date Received: 11/20/2023

Field Sample #: JEFF-02-GYM-IN-258-BF (74)

Sampled: 11/16/2023 06:31

Sample ID: 23K2626-66

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	11/28/23	11/29/23 14:07	EMC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location:

Date Received: 11/20/2023

Field Sample #: JEFF-03-CR-IN-315-T1 (75)

Sample ID: 23K2626-67

Sample Matrix: Drinking Water

Sample Description:

Sampled: 11/16/2023 06:32

Work Order: 23K2626

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL			Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL		Units				Prepared	Analyzed	
Lead	38	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	11/28/23	11/29/23 14:09	EMC

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
Z-01	#

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 Rev 5.4 in Drinking Water</i>	

Lead NB-CT,NB-NJ,NB-NY

Pace Analytical Services, LCC operates under the following certifications and accreditations:

Code	Description	Number	Expires
NB-CT	Connecticut Department of Public Health	PH-0823	09/30/2024
NB-NJ	New Jersey DEP	NY015 NELAP	06/30/2023
NB-NY	New York State Department of Health	10142 NELAP	04/1/2024



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 1 of 9
23K2626

LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City, State Zip: Rochester, New York 14609		City, State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
2	JEFF-01-HA-BY-106A-F	11/14/2023	627		DW				X				
3	JEFF-01-HA-BY-113A-F	11/14/2023	620		DW				X				
5	JEFF-01-HA-BY-123-F	11/14/2023	644		DW			VE-1113-23	X				
6	JEFF-01-KI-IN-122-TA	11/15/2023	608		DW				X				
7	JEFF-01-KI-IN-122-TB	11/15/2023	607		DW				X				
8	JEFF-01-KI-IN-122-TC	11/15/2023	610		DW				X				
9	JEFF-01-KI-IN-140A-TB	11/15/2023	616		DW				X				
10	JEFF-01-KI-IN-140-TA	11/15/2023	616		DW				X				
11	JEFF-01-LR-IN-154A-F	11/15/2023	627		DW				X				
12	JEFF-01-LR-IN-160-F	11/15/2023	631		DW				X				



Container Type (Circle One): Plastic Glass Sterile Other _____
Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie / F. Gololuch

RELINQUISHED BY*: V. Kaptein DATE: 11/17/23 TIME: 1051

RECEIVED BY*: *V. Kaptein* DATE: 11/17/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: 67		Present Absent	
CUSTODY SEAL INTACT? YES NO		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? YES <u>NO</u>		Date: _____	
TEMPERATURE: 11.5°C		Contacted By: _____	
SAMPLE IN COMPLIANCE: YES NO			

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

SEP 24 2020 7741 4920 2735



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 2 of 9

Page 75 of 83

REPORT TO:				INVOICE TO:			
Company:	Lozier Environmental Consulting, Inc			Company:	SAME		
Address:	2011 East Main Street			Address:			
City/State Zip:	Rochester, New York 14609			City/State Zip:			
Phone:	585-654-9080			Phone:	Fax:		
E-Mail:	vkaplein@lozierenv.com			Purchase Order #:			

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
									LEAD			
14	JEFF-01-TC-IN-125-TA	11/14/2023	647		DW				X			
16	JEFF-02-GY-IN-255-B	11/16/2023	626		DW				X			
17	JEFF-02-HA-BY-205A-FL	11/15/2023	651		DW				X			
19	JEFF-02-HA-BY-227A-F	11/16/2023	609		DW				X			
20	JEFF-02-K-IN-212B-T	11/16/2023	647		DW				X			
21	JEFF-03-HA-BY-301A-F	11/16/2023	704		DW				X			
22	JEFF-03-HA-BY-301A-BF	11/16/2023	704		DW				X			
23	JEFF-03-HA-BY-320A-F	11/16/2023	656		DW				X			
24	JEFF-03-HA-BY-320A-FL	11/16/2023	657		DW				X			
25	JEFF-03-HA-BY-325-F	11/16/2023	659		DW				X			

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* J. Savole / F. Golioch

RELINQUISHED BY*: V. Kaptein DATE: 11/17/23 TIME: 1051

RECEIVED BY: V. Kaptein DATE: 11/20/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 107	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES <u>NO</u>	If Present, Date Client is contacted with result:
TEMPERATURE: <u>11.9</u> C	Date: _____
SAMPLE IN COMPLIANCE: YES NO	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaptejn@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
26	JEFF-01-CR-IN-117B-T	11/14/2023	610		DW				X				
28	JEFF-01-CR-IN-114-T1	11/14/2023	616		DW				X				
29	JEFF-01-CR-IN-114-T2	11/14/2023	617		DW				X				
30	JEFF-01-CR-IN-114-T3	11/14/2023	617		DW				X				
31	JEFF-01-CR-IN-114-T4	11/14/2023	618		DW				X				
32	JEFF-01-CR-IN-114-T5	11/14/2023	618		DW				X				
33	JEFF-01-HA-BY-113A-BF	11/14/2023	620		DW				X				
34	JEFF-01-CR-IN-113-T	11/14/2023	621		DW				X				
35	JEFF-01-CR-IN-107-T	11/14/2023	624		DW				X				
36	JEFF-01-CR-IN-104B-T	11/14/2023	625		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____
Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie / F. Goljuch

RELINQUISHED BY*: V. Kaptein DATE: 11/17/23 TIME: 1051

RECEIVED BY: *[Signature]* DATE: 11/20/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3	COLIFORM BACTERIA:	If Present, Date Client is contacted with result:	
TOTAL NUMBER OF CONTAINERS: 67	Present Absent	Date: _____	
CUSTODY SEAL INTACT? YES NO		Contacted By: _____	
SAMPLE ON ICE? YES NO			
TEMPERATURE: 41 C			
SAMPLE IN COMPLIANCE: YES NO			

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 4 of 9

Page 77 of 83

LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaplein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
37	JEFF-01-CR-IN-104B-B	11/14/2023	625		DW				X			
38	JEFF-01-HA-BY-106A-BF	11/14/2023	627		DW				X			
39	JEFF-01-CR-IN-106-T	11/14/2023	630		DW				X			
40	JEFF-01-CR-IN-105-T	11/14/2023	632		DW				X			
41	JEFF-01-CR-IN-104-T	11/14/2023	634		DW				X			
42	JEFF-01-CR-IN-104-B	11/14/2023	634		DW				X			
43	JEFF-01-CR-IN-103-T	11/14/2023	635		DW				X			
44	JEFF-01-CR-IN-101-T	11/14/2023	637		DW				X			
45	JEFF-01-CR-IN-101-B	11/14/2023	637		DW				X			
46	JEFF-01-HA-BY-125F-BF	11/14/2023	644		DW				X			

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole / F. Goljuch	DATE: 11/17/23	TIME: 1051
RELINQUISHED BY*: V. Kaplein	DATE: 11/20/23	TIME: 1015
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 67	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES NO	If Present, Date Client is
TEMPERATURE: 11-15C	contacted with result:
SAMPLE IN COMPLIANCE: YES NO	Date: _____
	Contacted By: _____



LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaplein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
47	JEFF-01-CR-IN-125-F	11/14/2023	645		DW				X				
48	JEFF-01-CR-IN-125-BF	11/14/2023	645		DW				X				
49	JEFF-01-HA-BY-121-F	11/14/2023	651		DW				X				
50	JEFF-01-HA-BY-121-BF	11/14/2023	652		DW			VE 11/17/23	X				
51	JEFF-01-CR-IN-119A-T	11/14/2023	655		DW				X				
52	JEFF-01-CR-IN-118-T1	11/14/2023	657		DW				X				
53	JEFF-01-CR-IN-118-T2	11/14/2023	658		DW				X				
54	JEFF-01-CR-IN-118-T3	11/14/2023	658		DW				X				
55	JEFF-01-KI-IN-122-T4	11/15/2023	610		DW				X				
56	JEFF-01-KI-IN-122-S1	11/15/2023	611		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie / F. Golobuch

RELINQUISHED BY*: V. Kaplein DATE: 11/17/23 TIME: 1051

RECEIVED BY*: *Alfonso* DATE: *11/17/23* TIME: *1015*

RELINQUISHED BY*: DATE: TIME:


RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDES: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 67	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES <i>NO</i>	If Present, Date Client is contacted with result:
TEMPERATURE: <i>11.9 C</i>	Date: _____
SAMPLE IN COMPLIANCE: YES NO	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 16 of 9

LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		E-Mail: vkaplein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
57	JEFF-01-KI-IN-122-S2	11/15/2023	612		DW				X				
58	JEFF-01-CA-IN-140-F	11/15/2023	619		DW				X				
59	JEFF-01-CA-IN-140-BF	11/15/2023	619		DW				X				
60	JEFF-01-CR-IN-153-T	11/15/2023	624		DW			NOT RECOVERED	X				
61	JEFF-01-CR-IN-157-BF	11/15/2023	628		DW				X				
62	JEFF-01-CR-IN-160-BF	11/15/2023	630		DW				X				
63	JEFF-01-CR-IN-160-B	11/15/2023	632		DW				X				
64	JEFF-02-CR-IN-219A-T	11/15/2023	640		DW				X				
65	JEFF-02-CR-IN-219B-T	11/15/2023	641		DW				X				
66	JEFF-02-CR-IN-202B-T	11/15/2023	650		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole / F. Golioch

RELINQUISHED BY*: V. Kaplein DATE: 11/17/23 TIME: 1051

RECEIVED BY: *V. Kaplein* DATE: 11/20/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDES: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 67	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES NO	If Present, Date Client is contacted with result:
TEMPERATURE: 11.1°C	Date: _____
SAMPLE IN COMPLIANCE: YES NO	Contacted By: _____



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 7 of 9

Page 80 of 83

LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
67	JEFF-02-HA-BY-205A-BF	11/15/2023	651	DW					X			
68	JEFF-02-LI-IN-203B-T	11/15/2023	656	DW					X			
69	JEFF-02-HA-BY-227-BF	11/16/2023	609	DW					X			
70	JEFF-02-NO-IN-251-T	11/16/2023	613	DW					X			
71	JEFF-02-CR-IN-252-T	11/16/2023	617	DW					X			
72	JEFF-02-CR-IN-257F-T	11/16/2023	621	DW					X			
73	JEFF-01-GYM-IN-258-F	11/16/2023	623	DW					X			
74	JEFF-02-GYM-IN-258-BF	11/16/2023	623	DW					X			
75	JEFF-03-CR-IN-315-T1	11/16/2023	631	DW					X			
76	JEFF-03-CR-IN-315-T2	11/16/2023	632	DW				NOT RECORDED MKT	X			

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole / F. Goldjuch

RELINQUISHED BY*: V. Kaptein DATE: 11/17/23 TIME: 1051

RECEIVED BY: *[Signature]* DATE: 11/20/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3	TOTAL NUMBER OF CONTAINERS: 67	COLIFORM BACTERIA:	
CUSTODY SEAL INTACT? YES NO	SAMPLE ON ICE? YES NO	Present	Absent
TEMPERATURE: 11°C	SAMPLE IN COMPLIANCE: YES NO	If Present, Date Client is contacted with result:	
		Date:	Contacted By:



LAB ID: M33508		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Jefferson Campus		Company: Lozier Environmental Consulting, Inc		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone: Fax:	
		E-Mail: vkaplein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
78	JEFF-03-CR-IN-315-T4	11/16/2023	633		DW			NOT RECEIVED	X				
79	JEFF-03-CR-IN-315-T5	11/16/2023	634		DW				X				
80	JEFF-03-CR-IN-315B-T	11/16/2023	635		DW				X				
81	JEFF-03-CR-IN-317A-T	11/16/2023	639		DW				X				
82	JEFF-03-HA-BY-359-F	11/16/2023	649		DW				X				
83	JEFF-03-HA-BY-359-BF	11/16/2023	649		DW				X				
84	JEFF-03-HA-BY-359-T	11/16/2023	650		DW				X				
85	JEFF-03-HA-BY-320-BF	11/16/2023	657		DW				X				
86	JEFF-03-HA-BY-325-BF	11/16/2023	659		DW				X				
87	JEFF-03-HA-BY-306A-F	11/16/2023	706		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole / F. Goljuch

RELINQUISHED BY*: Y. Kaplein DATE: 11/17/23 TIME: 1051

RECEIVED BY: *[Signature]* DATE: 11/20/23 TIME: 1015

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3	TOTAL NUMBER OF CONTAINERS: 67	COLIFORM BACTERIA:	Present Absent
CUSTODY SEAL INTACT? YES NO	SAMPLE ON ICE? YES NO	If Present, Date Client is contacted with result:	Date: Contacted By:
TEMPERATURE: 11.5°C	SAMPLE IN COMPLIANCE: YES NO		

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



Web: LozierEnv.com

E-Mail: support@lozierenv.com

Page 9 of 9

Page 82 of 83

REPORT TO:		INVOICE TO:	
Company:	Lozier Environmental Consulting, Inc	Company:	SAME
Address:	2011 East Main Street	Address:	
City/State Zip:	Rochester, New York 14609	City/State Zip:	
Phone:	585-654-9080	Phone:	Fax:
E-Mail:	vkaplein@lozierenv.com	Purchase Order #:	

[illegible]

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie / F. Goljuch

DATE: 11/17/23 TIME: 1051

FOR LAB USE ONLY

FOR POTABLE WATER ONLY:

RECEIVED BY: [Signature] DATE: 11/20/23 TIME: 10:00

TOTAL NUMBER OF CONTAINERS: 67

COLIFORM BACTERIA:

RELINQUISHED BY*: _____ DATE: _____ TIME: _____

CUSTODY SEAL INTACT? YES NO

	Present	Absent
1. <i>Staphylococcus aureus</i>	10	10
2. <i>Streptococcus pneumoniae</i>	10	10
3. <i>Escherichia coli</i>	10	10
4. <i>Salmonella typhi</i>	10	10
5. <i>Shigella flexneri</i>	10	10
6. <i>Yersinia enterocolitica</i>	10	10
7. <i>Campylobacter jejuni</i>	10	10
8. <i>Legionella pneumophila</i>	10	10
9. <i>Mycobacterium tuberculosis</i>	10	10
10. <i>Cryptosporidium parvum</i>	10	10
11. <i>Toxoplasma gondii</i>	10	10
12. <i>Giardia lamblia</i>	10	10
13. <i>Naegleria fowleri</i>	10	10
14. <i>Acanthamoeba castellanii</i>	10	10
15. <i>Plasmodium falciparum</i>	10	10
16. <i>Trypanosoma brucei</i>	10	10
17. <i>Leishmania donovani</i>	10	10
18. <i>Ascaris lumbricoides</i>	10	10
19. <i>Trichinella spiralis</i>	10	10
20. <i>Strongyloides stercoralis</i>	10	10
21. <i>Enterobius vermiciformis</i>	10	10
22. <i>Pinus strobus</i>	10	10
23. <i>Quercus alba</i>	10	10
24. <i>Juniperus communis</i>	10	10
25. <i>Pinus resinosa</i>	10	10
26. <i>Thuja occidentalis</i>	10	10
27. <i>Larix laricina</i>	10	10
28. <i>Abies balsamea</i>	10	10
29. <i>Picea canadensis</i>	10	10
30. <i>Taxus canadensis</i>	10	10
31. <i>Juniperus horizontalis</i>	10	10
32. <i>Pinus strobus</i>	10	10
33. <i>Quercus alba</i>	10	10
34. <i>Juniperus communis</i>	10	10
35. <i>Pinus resinosa</i>	10	10
36. <i>Thuja occidentalis</i>	10	10
37. <i>Larix laricina</i>	10	10
38. <i>Abies balsamea</i>	10	10
39. <i>Picea canadensis</i>	10	10
40. <i>Taxus canadensis</i>	10	10
41. <i>Juniperus horizontalis</i>	10	10
42. <i>Pinus strobus</i>	10	10
43. <i>Quercus alba</i>	10	10
44. <i>Juniperus communis</i>	10	10
45. <i>Pinus resinosa</i>	10	10
46. <i>Thuja occidentalis</i>	10	10
47. <i>Larix laricina</i>	10	10
48. <i>Abies balsamea</i>	10	10
49. <i>Picea canadensis</i>	10	10
50. <i>Taxus canadensis</i>	10	10
51. <i>Juniperus horizontalis</i>	10	10
52. <i>Pinus strobus</i>	10	10
53. <i>Quercus alba</i>	10	10
54. <i>Juniperus communis</i>	10	10
55. <i>Pinus resinosa</i>	10	10
56. <i>Thuja occidentalis</i>	10	10
57. <i>Larix laricina</i>	10	10
58. <i>Abies balsamea</i>	10	10
59. <i>Picea canadensis</i>	10	10
60. <i>Taxus canadensis</i>	10	10
61. <i>Juniperus horizontalis</i>	10	10
62. <i>Pinus strobus</i>	10	10
63. <i>Quercus alba</i>	10	10
64. <i>Juniperus communis</i>	10	10
65. <i>Pinus resinosa</i>	10	10
66. <i>Thuja occidentalis</i>	10	10
67. <i>Larix laricina</i>	10	10
68. <i>Abies balsamea</i>	10	10
69. <i>Picea canadensis</i>	10	10
70. <i>Taxus canadensis</i>	10	10
71. <i>Juniperus horizontalis</i>	10	10
72. <i>Pinus strobus</i>	10	10
73. <i>Quercus alba</i>	10	10
74. <i>Juniperus communis</i>	10	10
75. <i>Pinus resinosa</i>	10	10
76. <i>Thuja occidentalis</i>	10	10
77. <i>Larix laricina</i>	10	10
78. <i>Abies balsamea</i>	10	10
79. <i>Picea canadensis</i>	10	10
80. <i>Taxus canadensis</i>	10	10
81. <i>Juniperus horizontalis</i>	10	10
82. <i>Pinus strobus</i>	10	10
83. <i>Quercus alba</i>	10	10
84. <i>Juniperus communis</i>	10	10
85. <i>Pinus resinosa</i>	10	10
86. <i>Thuja occidentalis</i>	10	10
87. <i>Larix laricina</i>	10	10
88. <i>Abies balsamea</i>	10	10
89. <i>Picea canadensis</i>	10	10
90. <i>Taxus canadensis</i>	10	10
91. <i>Juniperus horizontalis</i>	10	10
92. <i>Pinus strobus</i>	10	10
93. <i>Quercus alba</i>	10	10
94. <i>Juniperus communis</i>	10	10
95. <i>Pinus resinosa</i>	10	10
96. <i>Thuja occidentalis</i>	10	10
97. <i>Larix laricina</i>	10	10

RECEIVED BY:	DATE:	TIME:
--------------	-------	-------

SAMPLE ON ICE? YES NO

If Present, Date Client is

RELINQUISHED BY*: _____ DATE: _____ TIME: _____

TEMPERATURE: 11.4 °C

contacted with result:

RECEIVED BY:	DATE:	TIME:
--------------	-------	-------

SAMPLE IN COMPLIANCE:		YES	NO
1	...		
2	...		
3	...		
4	...		
5	...		
6	...		
7	...		
8	...		
9	...		
10	...		
11	...		
12	...		
13	...		
14	...		
15	...		
16	...		
17	...		
18	...		
19	...		
20	...		
21	...		
22	...		
23	...		
24	...		
25	...		
26	...		
27	...		
28	...		
29	...		
30	...		
31	...		
32	...		
33	...		
34	...		
35	...		
36	...		
37	...		
38	...		
39	...		
40	...		
41	...		
42	...		
43	...		
44	...		
45	...		
46	...		
47	...		
48	...		
49	...		
50	...		
51	...		
52	...		
53	...		
54	...		
55	...		
56	...		
57	...		
58	...		
59	...		
60	...		
61	...		
62	...		
63	...		
64	...		
65	...		
66	...		
67	...		
68	...		
69	...		
70	...		
71	...		
72	...		
73	...		
74	...		
75	...		
76	...		
77	...		
78	...		
79	...		
80	...		
81	...		
82	...		
83	...		
84	...		
85	...		
86	...		
87	...		
88	...		
89	...		
90	...		
91	...		
92	...		
93	...		
94	...		
95	...		
96	...		
97	...		
98	...		
99	...		
100	...		

Date: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

Sample Condition Upon Receipt Form (SCUR)

Project # 23K2626
Client: LOZPER

Date and Initials of person:
Examining contents: _____
Label: _____
Deliver to location: _____
pH: _____

Thermometer Used: IRG4

Date: 11/20

Time: 1015

Initials: _____

State of Origin: NY

Cooler #1 Temp. °C 11.4 (Visual) 0.2 @ 0.0°C, -0.5 @ 20.0°C (Correction Factor) _____ (Actual) ☒ Samples on ice, cooling process has begun

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☒ Ground
☐ Other _____

Tracking # 7741 4920 7735

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No Seals intact: ☐ Yes ☐ No Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☐ N/A	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____