


December 12, 2023

V Kaptein
NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609

Project Location: RCSD - Hart Street Campus
Project Number: Lozier Environmental Consulting
Laboratory Work Order Number: 23L0249

Enclosed are results of analyses for samples received by the laboratory on December 4, 2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Project Manager



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 12/12/2023

PURCHASE ORDER NUMBER: M33534

PROJECT NUMBER: Lozier Environmental Consulting

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23L0249

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: RCSD - Hart Street Campus

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
HART-01-CF-IN-F (1)	23L0249-01	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CF-IN-T (2)	23L0249-02	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-132-B (9)	23L0249-03	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-132-T (10)	23L0249-04	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-134-B (11)	23L0249-05	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-134-T (12)	23L0249-06	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-122-F (13)	23L0249-07	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-142-F (15)	23L0249-08	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-205-F (17)	23L0249-09	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-213-F (19)	23L0249-10	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-22-F (20)	23L0249-11	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-225-F (21)	23L0249-12	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-327-F (23)	23L0249-13	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-335-F (24)	23L0249-14	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-347-F (25)	23L0249-15	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-NO-IN-343-T (26)	23L0249-16	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-409-F (27)	23L0249-17	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-416-F (28)	23L0249-18	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-437-F (29)	23L0249-19	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-453-F (30)	23L0249-20	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-120-T (32)	23L0249-21	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-120-B (33)	23L0249-22	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-122-BF (34)	23L0249-23	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-122-T (35)	23L0249-24	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-122-F (36)	23L0249-25	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-124-T (37)	23L0249-26	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-124-F (38)	23L0249-27	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-126-T (39)	23L0249-28	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-126-F (40)	23L0249-29	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-130-T (41)	23L0249-30	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-130-F (42)	23L0249-31	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-136-F (43)	23L0249-32	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-136-BF (44)	23L0249-33	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-136-T (45)	23L0249-34	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-140-T1 (46)	23L0249-35	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-140-T2 (47)	23L0249-36	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-140-B (48)	23L0249-37	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CAFE-IN-108-BF (49)	23L0249-38	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-142-BF (50)	23L0249-39	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-142-T (51)	23L0249-40	Drinking Water		EPA 200.8 Rev 5.4	



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 12/12/2023

PURCHASE ORDER NUMBER: M33534

PROJECT NUMBER: Lozier Environmental Consulting

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23L0249

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: RCSD - Hart Street Campus

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
HART-01-CR-IN-144-T (52)	23L0249-41	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-145-T1 (53)	23L0249-42	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-145-T2 (54)	23L0249-43	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-145-T (56)	23L0249-44	Drinking Water		EPA 200.8 Rev 5.4 (1994)	
HART-01-KI-IN-146-S (57)	23L0249-45	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T1 (58)	23L0249-46	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T2 (59)	23L0249-47	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T3 (60)	23L0249-48	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T4 (61)	23L0249-49	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T5 (62)	23L0249-50	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-KI-IN-146-T6 (63)	23L0249-51	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-CR-IN-102-T (64)	23L0249-52	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-102-T (65)	23L0249-53	Drinking Water		EPA 200.8 Rev 5.4	
HART-01-HA-BY-102-B (66)	23L0249-54	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-232-BF (67)	23L0249-55	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-222-BF (68)	23L0249-56	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-215-BF (69)	23L0249-57	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-OF-IN-205K-T (70)	23L0249-58	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-208-TL (71)	23L0249-59	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-208-TR (72)	23L0249-60	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-208-1-T (73)	23L0249-61	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-206-TL (74)	23L0249-62	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-206-TR (75)	23L0249-63	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-205-BF (76)	23L0249-64	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-205-F (77)	23L0249-65	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-HA-BY-205-BF (78)	23L0249-66	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-200-T (79)	23L0249-67	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-202-T (80)	23L0249-68	Drinking Water		EPA 200.8 Rev 5.4	
HART-02-CR-IN-202-B (81)	23L0249-69	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-311-F (82)	23L0249-70	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-311-BF (83)	23L0249-71	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-IN-304-T (84)	23L0249-72	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-CR-IN-302-T (85)	23L0249-73	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-302-F (86)	23L0249-74	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-302-BF (87)	23L0249-75	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-327-F (88)	23L0249-76	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-335-F (89)	23L0249-77	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-335-BF (90)	23L0249-78	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-347-BF (91)	23L0249-79	Drinking Water		EPA 200.8 Rev 5.4	



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 12/12/2023

PURCHASE ORDER NUMBER: M33534

PROJECT NUMBER: Lozier Environmental Consulting

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23L0249

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: RCSD - Hart Street Campus

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
HART-03-CR-IN-350-T (92)	23L0249-80	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-345-F (93)	23L0249-81	Drinking Water		EPA 200.8 Rev 5.4	
HART-03-HA-BY-345-BF (94)	23L0249-82	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-450-T (95)	23L0249-83	Drinking Water		EPA 200.8 Rev 5.4 (1994)	
HART-04-HA-BY-453-BF (96)	23L0249-84	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-453-T (97)	23L0249-85	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-HA-BY-455-F (98)	23L0249-86	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-455-BF (99)	23L0249-87	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-442-F (100)	23L0249-88	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-442-BF (101)	23L0249-89	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-437-BF (102)	23L0249-90	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-428-T (103)	23L0249-91	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-422-TL (104)	23L0249-92	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-422-TR (105)	23L0249-93	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-416-BF (106)	23L0249-94	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-CR-IN-417-T (107)	23L0249-95	Drinking Water		EPA 200.8 Rev 5.4	
HART-04-HA-BY-409-BF (108)	23L0249-96	Drinking Water		EPA 200.8 Rev 5.4	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA 200.8 Rev 5.4

Qualifications:

Z-01

#

Analyte & Samples(s) Qualified:

Lead

23L0249-14[HART-03-HA-BY-335-F (24)], 23L0249-18[HART-04-HA-BY-416-F (28)], 23L0249-25[HART-01-CR-IN-122-F (36)], 23L0249-26[HART-01-CR-IN-124-T (37)], 23L0249-27[HART-01-CR-IN-124-F (38)], 23L0249-28[HART-01-CR-IN-126-T (39)], 23L0249-29[HART-01-CR-IN-126-F (40)], 23L0249-31[HART-01-CR-IN-130-F (42)], 23L0249-41[HART-01-CR-IN-144-T (52)], 23L0249-42[HART-01-CR-IN-145-T1 (53)], 23L0249-43[HART-01-CR-IN-145-T2 (54)], 23L0249-45[HART-01-KI-IN-146-S (57)], 23L0249-50[HART-01-KI-IN-146-T5 (62)], 23L0249-52[HART-01-CR-IN-102-T (64)], 23L0249-72[HART-03-IN-304-T (84)], 23L0249-73[HART-03-CR-IN-302-T (85)], 23L0249-85[HART-04-CR-IN-453-T (97)], 23L0249-91[HART-04-CR-IN-428-T (103)], 23L0249-92[HART-04-CR-IN-422-TL (104)], 23L0249-93[HART-04-CR-IN-422-TR (105)]

Z-01a

##

Analyte & Samples(s) Qualified:

Lead

23L0249-03[HART-01-CR-IN-132-B (9)], 23L0249-04[HART-01-CR-IN-132-T (10)], 23L0249-05[HART-01-CR-IN-134-B (11)], 23L0249-06[HART-01-CR-IN-134-T (12)]

EPA 200.8 Rev 5.4 (1994)

Qualifications:

Z-01

#


Analyte & Samples(s) Qualified:

Lead

23L0249-44[HART-01-CR-IN-145-T (56)], 23L0249-83[HART-04-CR-IN-450-T (95)]

The results of analyses reported only relate to samples submitted to the Pace Analytical Services, LLC - Newburgh for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Renee Cusack
PM



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CF-IN-F (1)

Sampled: 11/28/2023 05:42

Sample ID: 23L0249-01

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:39	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CF-IN-T (2)

Sampled: 11/28/2023 05:43

Sample ID: 23L0249-02

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:41	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-132-B (9)

Sampled: 11/28/2023 05:23

Sample ID: 23L0249-03

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	20	1.0	15	µg/L	1	Z-01a	EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:43	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-132-T (10)

Sampled: 11/28/2023 05:23

Sample ID: 23L0249-04

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	18	1.0	15	µg/L	1	Z-01a	EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:46	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-134-B (11)

Sampled: 11/28/2023 05:26

Sample ID: 23L0249-05

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	28	1.0	15	µg/L	1	Z-01a	EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:48	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-134-T (12)

Sampled: 11/28/2023 05:26

Sample ID: 23L0249-06

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	160	1.0	15	µg/L	1	Z-01a	EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:51	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-122-F (13)

Sampled: 11/28/2023 05:08

Sample ID: 23L0249-07

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	5.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:53	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-142-F (15)

Sampled: 11/28/2023 05:47

Sample ID: 23L0249-08

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 20:55	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-205-F (17)

Sampled: 11/28/2023 05:42

Sample ID: 23L0249-09

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:10	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-213-F (19)

Sampled: 11/28/2023 06:39

Sample ID: 23L0249-10

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:12	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-22-F (20)

Sampled: 11/28/2023 06:35

Sample ID: 23L0249-11

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:15	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-225-F (21)

Sampled: 11/28/2023 06:28

Sample ID: 23L0249-12

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:17	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-327-F (23)

Sampled: 11/29/2023 05:22

Sample ID: 23L0249-13

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:20	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-335-F (24)

Sampled: 11/29/2023 05:29

Sample ID: 23L0249-14

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	50	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:22	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-347-F (25)

Sampled: 11/29/2023 05:44

Sample ID: 23L0249-15

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:24	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-NO-IN-343-T (26)

Sampled: 11/29/2023 05:39

Sample ID: 23L0249-16

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.9	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/5/23	12/5/23 21:32	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-409-F (27)

Sampled: 11/29/2023 06:34

Sample ID: 23L0249-17

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:23	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-416-F (28)

Sampled: 11/29/2023 06:25

Sample ID: 23L0249-18

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	16	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:32	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-437-F (29)

Sampled: 11/29/2023 06:12

Sample ID: 23L0249-19

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:35	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-453-F (30)

Sampled: 11/29/2023 05:55

Sample ID: 23L0249-20

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:37	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-120-T (32)

Sampled: 11/28/2023 05:02

Sample ID: 23L0249-21

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	9.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:44	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-120-B (33)

Sampled: 11/28/2023 05:04

Sample ID: 23L0249-22

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	13	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:47	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-122-BF (34)

Sampled: 11/28/2023 05:08

Sample ID: 23L0249-23

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	5.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:49	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-122-T (35)

Sampled: 11/28/2023 05:10

Sample ID: 23L0249-24

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	8.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:52	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-122-F (36)

Sampled: 11/28/2023 05:10

Sample ID: 23L0249-25

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	18	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:54	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-124-T (37)

Sampled: 11/28/2023 05:13

Sample ID: 23L0249-26

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	36	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:57	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-124-F (38)

Sampled: 11/28/2023 05:13

Sample ID: 23L0249-27

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	170	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 13:59	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-126-T (39)

Sampled: 11/28/2023 05:16

Sample ID: 23L0249-28

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	130	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:04	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-126-F (40)

Sampled: 11/28/2023 05:16

Sample ID: 23L0249-29

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	33	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:06	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-130-T (41)

Sampled: 11/28/2023 05:19

Sample ID: 23L0249-30

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	8.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:13	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-130-F (42)

Sampled: 11/28/2023 05:20

Sample ID: 23L0249-31

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	51	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:16	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-136-F (43)

Sampled: 11/28/2023 05:29

Sample ID: 23L0249-32

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:18	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-136-BF (44)

Sampled: 11/28/2023 05:29

Sample ID: 23L0249-33

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:21	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-136-T (45)

Sampled: 11/28/2023 05:32

Sample ID: 23L0249-34

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:23	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-140-T1 (46)

Sampled: 11/28/2023 05:36

Sample ID: 23L0249-35

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:26	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-140-T2 (47)

Sampled: 11/28/2023 05:38

Sample ID: 23L0249-36

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	4.7	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 14:28	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-140-B (48)

Sampled: 11/28/2023 05:39

Sample ID: 23L0249-37

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:21	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CAFE-IN-108-BF (49)

Sampled: 11/28/2023 05:43

Sample ID: 23L0249-38

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:24	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Sampled: 11/28/2023 05:47

Field Sample #: HART-01-HA-BY-142-BF (50)

Sample ID: 23L0249-39

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:26	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-142-T (51)

Sampled: 11/28/2023 05:50

Sample ID: 23L0249-40

Sample Matrix: Drinking Water

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	
		RL							Prepared	Analyzed	Analyst
Lead	4.5	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:33	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-144-T (52)

Sampled: 11/28/2023 05:51

Sample ID: 23L0249-41

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	250	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:36	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-145-T1 (53)

Sampled: 11/28/2023 05:57

Sample ID: 23L0249-42

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	880	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:38	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-145-T2 (54)

Sampled: 11/28/2023 05:57

Sample ID: 23L0249-43

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	100	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:41	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-145-T (56)

Sampled: 11/28/2023 05:58

Sample ID: 23L0249-44

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	200	1.5		µg/L	1	Z-01	EPA 200.8 Rev 5.4 (1994)	12/8/23	12/8/23 18:31	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-S (57)

Sampled: 11/28/2023 06:00

Sample ID: 23L0249-45

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	17	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:43	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T1 (58)

Sampled: 11/28/2023 06:00

Sample ID: 23L0249-46

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:45	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T2 (59)

Sampled: 11/28/2023 06:01

Sample ID: 23L0249-47

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:48	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T3 (60)

Sampled: 11/28/2023 06:02

Sample ID: 23L0249-48

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	4.8	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:53	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T4 (61)

Sampled: 11/28/2023 06:03

Sample ID: 23L0249-49

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.7	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 18:55	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T5 (62)

Sampled: 11/28/2023 06:03

Sample ID: 23L0249-50

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	23	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:02	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-KI-IN-146-T6 (63)

Sampled: 11/28/2023 06:04

Sample ID: 23L0249-51

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:05	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-CR-IN-102-T (64)

Sampled: 11/28/2023 06:11

Sample ID: 23L0249-52

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	110	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:07	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-102-T (65)

Sampled: 11/28/2023 06:12

Sample ID: 23L0249-53

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	9.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:10	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-01-HA-BY-102-B (66)

Sampled: 11/28/2023 06:12

Sample ID: 23L0249-54

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	14	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:12	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-232-BF (67)

Sampled: 11/28/2023 06:28

Sample ID: 23L0249-55

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:14	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-222-BF (68)

Sampled: 11/28/2023 06:35

Sample ID: 23L0249-56

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:17	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-215-BF (69)

Sampled: 11/28/2023 06:38

Sample ID: 23L0249-57

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:19	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-OF-IN-205K-T (70)

Sampled: 11/28/2023 06:43

Sample ID: 23L0249-58

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	2.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:34	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-208-TL (71)

Sampled: 11/28/2023 06:49

Sample ID: 23L0249-59

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.8	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:36	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-208-TR (72)

Sampled: 11/28/2023 06:50

Sample ID: 23L0249-60

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	7.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:39	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-208-1-T (73)

Sampled: 11/28/2023 06:52

Sample ID: 23L0249-61

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	9.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:41	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-206-TL (74)

Sampled: 11/28/2023 06:53

Sample ID: 23L0249-62

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	3.0	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:43	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-206-TR (75)

Sampled: 11/28/2023 06:53

Sample ID: 23L0249-63

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	9.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:46	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-205-BF (76)

Sampled: 11/28/2023 06:54

Sample ID: 23L0249-64

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:48	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-205-F (77)

Sampled: 11/28/2023 07:00

Sample ID: 23L0249-65

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:51	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-HA-BY-205-BF (78)

Sampled: 11/28/2023 07:01

Sample ID: 23L0249-66

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 19:53	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-200-T (79)

Sampled: 11/28/2023 07:03

Sample ID: 23L0249-67

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	8.0	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:00	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-202-T (80)

Sampled: 11/28/2023 07:04

Sample ID: 23L0249-68

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	7.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:05	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-02-CR-IN-202-B (81)

Sampled: 11/28/2023 07:04

Sample ID: 23L0249-69

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	13	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:08	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-311-F (82)

Sampled: 11/28/2023 07:12

Sample ID: 23L0249-70

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:10	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-311-BF (83)

Sampled: 11/28/2023 07:13

Sample ID: 23L0249-71

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:13	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-IN-304-T (84)

Sampled: 11/29/2023 05:07

Sample ID: 23L0249-72

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	140	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:15	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-CR-IN-302-T (85)

Sampled: 11/29/2023 05:40

Sample ID: 23L0249-73

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	49	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:17	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-302-F (86)

Sampled: 11/29/2023 05:11

Sample ID: 23L0249-74

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:20	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-302-BF (87)

Sampled: 11/29/2023 05:11

Sample ID: 23L0249-75

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:22	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-327-F (88)

Sampled: 11/29/2023 05:22

Sample ID: 23L0249-76

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:30	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-335-F (89)

Sampled: 11/29/2023 05:27

Sample ID: 23L0249-77

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:37	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-335-BF (90)

Sampled: 11/29/2023 05:27

Sample ID: 23L0249-78

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:47	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-347-BF (91)

Sampled: 11/29/2023 05:44

Sample ID: 23L0249-79

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:49	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-CR-IN-350-T (92)

Sampled: 11/29/2023 05:46

Sample ID: 23L0249-80

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	4.0	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:51	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-345-F (93)

Sampled: 11/29/2023 05:49

Sample ID: 23L0249-81

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 20:59	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-03-HA-BY-345-BF (94)

Sampled: 11/29/2023 05:49

Sample ID: 23L0249-82

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.6	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:01	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-450-T (95)

Sampled: 11/29/2023 05:54

Sample ID: 23L0249-83

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	830	1.5		µg/L	1	Z-01	EPA 200.8 Rev 5.4 (1994)	12/8/23	12/8/23 18:36	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-453-BF (96)

Sampled: 11/29/2023 05:55

Sample ID: 23L0249-84

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:04	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-453-T (97)

Sampled: 11/29/2023 05:57

Sample ID: 23L0249-85

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	420	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:06	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-HA-BY-455-F (98)

Sampled: 11/29/2023 06:01

Sample ID: 23L0249-86

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:09	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-455-BF (99)

Sampled: 11/29/2023 06:01

Sample ID: 23L0249-87

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:11	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-442-F (100)

Sampled: 11/29/2023 06:08

Sample ID: 23L0249-88

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:13	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-442-BF (101)

Sampled: 11/29/2023 06:08

Sample ID: 23L0249-89

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:18	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-437-BF (102)

Sampled: 11/29/2023 06:12

Sample ID: 23L0249-90

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:21	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-428-T (103)

Sampled: 11/29/2023 06:19

Sample ID: 23L0249-91

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	120	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:28	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-422-TL (104)

Sampled: 11/29/2023 06:21

Sample ID: 23L0249-92

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	350	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:30	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-422-TR (105)

Sampled: 11/29/2023 06:21

Sample ID: 23L0249-93

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	38	1.0	15	µg/L	1	Z-01	EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:33	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-416-BF (106)

Sampled: 11/29/2023 06:25

Sample ID: 23L0249-94

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	12	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:35	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-CR-IN-417-T (107)

Sampled: 11/29/2023 06:27

Sample ID: 23L0249-95

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	1.5	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:38	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD - Hart Street Campus

Sample Description:

Work Order: 23L0249

Date Received: 12/4/2023

Field Sample #: HART-04-HA-BY-409-BF (108)

Sampled: 11/29/2023 06:34

Sample ID: 23L0249-96

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	12/6/23	12/6/23 21:40	AR3

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
Z-01	#
Z-01a	##

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 Rev 5.4 in Drinking Water</i>	
Lead	NB-CT,NB-NJ,NB-NY
<i>EPA 200.8 Rev 5.4 (1994) in Water</i>	
Lead	NB-CT,NB-NJ,NB-NY

Pace Analytical Services, LCC operates under the following certifications and accreditations:

Code	Description	Number	Expires
NB-CT	Connecticut Department of Public Health	PH-0823	09/30/2024
NB-NJ	New Jersey DEP	NY015 NELAP	06/30/2023
NB-NY	New York State Department of Health	10142 NELAP	04/1/2024



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 1 of 10
2310249

LAB ID: M33534		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax: 585-654-9080		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
1	HART-01-CF-IN-F	11/28/2023	542		DW				X				
2	HART-01-CF-IN-T	11/28/2023	543		DW				X				
9	HART-01-CR-IN-132-B	11/28/2023	523		DW				X				
10	HART-01-CR-IN-132-T	11/28/2023	523		DW				X				
11	HART-01-CR-IN-134-B	11/28/2023	526		DW				X				
12	HART-01-CR-IN-134-T	11/28/2023	526		DW				X				
13	HART-01-HA-BY-122-F	11/28/2023	508		DW				X				
15	HART-01-HA-BY-142-F	11/28/2023	547		DW				X				
17	HART-02-HA-BY-205-F	11/28/2023	653		DW				X				
19	HART-02-HA-BY-213-F	11/28/2023	639		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____
Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole & F. Golouch		DATE: 11/29/23		TIME: 1000	
RELINQUISHED BY*: V. Kaptein		DATE: 12/14		TIME: 1100	
RECEIVED BY:		DATE:		TIME:	
RELINQUISHED BY*:		DATE:		TIME:	
RECEIVED BY:		DATE:		TIME:	
RELINQUISHED BY*:		DATE:		TIME:	
RECEIVED BY:		DATE:		TIME:	

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: _____		Present Absent	
CUSTODY SEAL INTACT? YES NO		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? YES (NO)		Date: _____	
TEMPERATURE: 15.5 C		Contacted By: _____	
SAMPLE IN COMPLIANCE: YES NO			

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com
Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 2 of 10
231024

Page 105 of 114

LAB ID: M33534	Company: Lozier Environmental Consulting, Inc.	REPORT TO:	INVOICE TO:
PROJECT NAME: RCSD - Hart Street Campus	Address: 2011 East Main Street	Company: SAME	
TURNAROUND TIME: Standard Rush	City, State Zip: Rochester, New York 14609	Address:	
Other:	Phone: 585-654-9080	City, State Zip:	
	Fax: 585-654-9080	Phone:	
	E-Mail: vkaptein@lozierenv.com	Fax:	
		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS				
20	HART-02-HA-BY-222-F	11/28/2023	635		DW				X					
21	HART-02-HA-BY-225-F	11/28/2023	628		DW				X					
23	HART-03-HA-BY-327-F	11/29/2023	522		DW				X					
24	HART-03-HA-BY-335-F	11/29/2023	529		DW				X					
25	HART-03-HA-BY-347-F	11/29/2023	544		DW				X					
26	HART-03-NO-IN-343-T	11/29/2023	539		DW				X					
27	HART-04-HA-BY-409-F	11/29/2023	634		DW				X					
28	HART-04-HA-BY-416-F	11/29/2023	625		DW				X					
29	HART-04-HA-BY-437-F	11/29/2023	612		DW				X					
30	HART-04-HA-BY-453-F	11/29/2023	555		DW				X					

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole & F. Goljuch	DATE: 11/29/23	TIME: 1000
RELINQUISHED BY*: <u>VK</u> Kaptein	DATE: 12/4	TIME: 1100
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDES: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: _____	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES (NO)	If Present, Date Client is
TEMPERATURE: 55C	contacted with result:
SAMPLE IN COMPLIANCE: YES NO	Date: _____
	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 3 of 10
23102

REPORT TO:		INVOICE TO:	
Company:	Lozier Environmental Consulting, Inc.	Company:	SAME
Address:	2011 East Main Street	Address:	
City/State Zip:	Rochester, New York 14609	City/State Zip:	
Phone:	585-654-9080	Phone:	
Fax:		Fax:	
E-Mail:	vkaptain@lozierenv.com	Purchase Order #:	

LAB ID: M33534
PROJECT NAME: RCSD - Hart Street Campus
TURNAROUND TIME: Standard Rush
Other:

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
									LEAD			
32	HART-01-CR-IN-120-T	11/28/2023	502		DW				X			
33	HART-01-CR-IN-120-B	11/28/2023	504		DW				X			
34	HART-01-HA-BY-122-BF	11/28/2023	508		DW				X			
35	HART-01-CR-IN-122-T	11/28/2023	510		DW				X			
36	HART-01-CR-IN-122-F	11/28/2023	510		DW				X			
37	HART-01-CR-IN-124-T	11/28/2023	513		DW				X			
38	HART-01-CR-IN-124-F	11/28/2023	513		DW				X			
39	HART-01-CR-IN-126-T	11/28/2023	516		DW				X			
40	HART-01-CR-IN-126-F	11/28/2023	516		DW				X			
41	HART-01-CR-IN-130-T	11/28/2023	519		DW				X			

Container Type (Circle One): Plastic Glass Sterile Other _____
Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie & F. Golojuch		DATE: 11/29/23	TIME: 1000
RELINQUISHED BY*: V. Kaptein		DATE: 12/4	TIME: 1100
RECEIVED BY:		DATE:	TIME:
RELINQUISHED BY*:		DATE:	TIME:
RECEIVED BY:		DATE:	TIME:
RELINQUISHED BY*:		DATE:	TIME:
RECEIVED BY:		DATE:	TIME:

PRESERVATIVE/BIOCIDE: HNO3		FOR LAB USE ONLY	
TOTAL NUMBER OF CONTAINERS: _____		FOR POTABLE WATER ONLY:	
CUSTODY SEAL INTACT? YES NO		COLIFORM BACTERIA:	
SAMPLE ON ICE? YES NO		Present Absent	
TEMPERATURE: 15.5 C		If Present, Date Client is contacted with result:	
SAMPLE IN COMPLIANCE: YES NO		Date: _____	
		Contacted By: _____	

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 4 of 10
23202

LAB ID: M33534	Company: Lozier Environmental Consulting, Inc.	REPORT TO:	INVOICE TO:
PROJECT NAME: RCSD - Hart Street Campus	Address: 2011 East Main Street		SAME
TURNAROUND TIME: Standard Rush	City/State Zip: Rochester, New York 14609		
Other:	Phone: 585-654-9080 Fax:	City/State Zip:	
	E-Mail: vkaptejn@lozierenv.com	Phone:	
		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
42	HART-01-CR-IN-130-F	11/28/2023	520		DW				X				
43	HART-01-HA-BY-136-F	11/28/2023	529		DW				X				
44	HART-01-HA-BY-136-BF	11/28/2023	529		DW				X				
45	HART-01-CR-IN-136-T	11/28/2023	532		DW				X				
46	HART-01-CR-IN-140-T1	11/28/2023	536		DW				X				
47	HART-01-CR-IN-140-T2	11/28/2023	538		DW				X				
48	HART-01-CR-IN-140-B	11/28/2023	539		DW				X				
49	HART-01-CAFÉ-IN-108-BF	11/28/2023	543		DW				X				
50	HART-01-HA-BY-142-BF	11/28/2023	547		DW				X				
51	HART-01-CR-IN-142-T	11/28/2023	550		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie & F. Golojuch

RELINQUISHED BY*: V. Kaptein DATE: 11/29/23 TIME: 1000

RECEIVED BY: PPC DATE: 12/4 TIME: 1100

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY				FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3				COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: _____				Present Absent	
CUSTODY SEAL INTACT? YES NO				If Present, Date Client is	
SAMPLE ON ICE? YES <u>NO</u>				contacted with result:	
TEMPERATURE: 15.5 C				Date: _____	
SAMPLE IN COMPLIANCE: YES NO				Contacted By: _____	

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

LAB ID: M33534		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax: 585-654-9080		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
52	HART-01-CR-IN-144-T	11/28/2023	551		DW				X				
53	HART-01-CR-IN-145-T1	11/28/2023	557		DW				X				
54	HART-01-CR-IN-145-T2	11/28/2023	558		DW				X				
56	HART-01-CR-IN-145-T	11/28/2023	558		DW				X				
57	HART-01-KI-IN-146-S	11/28/2023	600		DW				X				
58	HART-01-KI-IN-146-T1	11/28/2023	600		DW				X				
59	HART-01-KI-IN-146-T2	11/28/2023	601		DW				X				
60	HART-01-KI-IN-146-T3	11/28/2023	602		DW				X				
61	HART-01-KI-IN-146-T4	11/28/2023	603		DW				X				
62	HART-01-KI-IN-146-T5	11/28/2023	603		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie & F. Golouch		FOR LAB USE ONLY	
RELINQUISHED BY*: Y. Kaptein	DATE: 11/29/23	PRESERVATIVE/BIOCIDE: HNO3	
RECEIVED BY:	DATE: 12/4	TOTAL NUMBER OF CONTAINERS: _____	
RELINQUISHED BY*:	DATE:	CUSTODY SEAL INTACT? YES NO	
RECEIVED BY:	DATE:	SAMPLE ON ICE? YES NO	
RELINQUISHED BY*:	DATE:	TEMPERATURE: 15.5 C	
RECEIVED BY:	DATE:	SAMPLE IN COMPLIANCE: YES NO	
		FOR POTABLE WATER ONLY: COLIFORM BACTERIA: Present Absent If Present, Date Client is contacted with result: Date: _____ Contacted By: _____	

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 10 of 10
2310249

Page 109 of 114

LAB ID: M33534	REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus	Company: Lozier Environmental Consulting, Inc.	Company:	SAME	
TURNAROUND TIME: Standard Rush	Address: 2011 East Main Street	Address:		
	City/State Zip: Rochester, New York 14609	City/State Zip:		
	Phone: 585-654-9080	Phone:		
	Fax: 585-654-9080	Fax:		
Other:	E-Mail: vkaptein@lozierenv.com	Purchase Order #:		

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
63	HART-01-KI-IN-146-T6	11/28/2023	604		DW				X				
64	HART-01-CR-IN-102-T	11/28/2023	611		DW				X				
65	HART-01-HA-BY-102-T	11/28/2023	612		DW				X				
66	HART-01-HA-BY-102-B	11/28/2023	612		DW				X				
67	HART-02-HA-BY-232-BF	11/28/2023	628		DW				X				
68	HART-02-HA-BY-222-BF	11/28/2023	635		DW				X				
69	HART-02-HA-BY-215-BF	11/28/2023	638		DW				X				
70	HART-02-OF-IN-205K-T	11/28/2023	643		DW				X				
71	HART-02-CR-IN-208-TL	11/28/2023	649		DW				X				
72	HART-02-CR-IN-208-TR	11/28/2023	650		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie & F. Golojuch

RELINQUISHED BY*: Y. Kaptein DATE: 11/29/23 TIME: 1000

RECEIVED BY: JP DATE: 12/4 TIME: 1100

RELINQUISHED BY*: _____ DATE: _____ TIME: _____

RECEIVED BY: _____ DATE: _____ TIME: _____

RELINQUISHED BY*: _____ DATE: _____ TIME: _____

RECEIVED BY: _____ DATE: _____ TIME: _____

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDES: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: _____	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES <u>NO</u>	If Present, Date Client is
TEMPERATURE: <u>15.5</u> C	contacted with result:
SAMPLE IN COMPLIANCE: YES NO	Date: _____
	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 7 of 10
032024

LAB ID: M33534		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax:		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
73	HART-02-CR-IN-208-1-T	11/28/2023	652		DW				X				
74	HART-02-CR-IN-206-TL	11/28/2023	653		DW				X				
75	HART-02-CR-IN-206-TR	11/28/2023	653		DW				X				
76	HART-02-HA-BY-205-BF	11/28/2023	654		DW				X				
77	HART-02-HA-BY-205-F	11/28/2023	700		DW				X				
78	HART-02-HA-BY-205-BF	11/28/2023	701		DW				X				
79	HART-02-CR-IN-200-T	11/28/2023	703		DW				X				
80	HART-02-CR-IN-202-T	11/28/2023	704		DW				X				
81	HART-02-CR-IN-202-B	11/28/2023	704		DW				X				
82	HART-03-HA-BY-311-F	11/28/2023	712		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Savoie & F. Golouch

RELINQUISHED BY*: V. Kaptein DATE: 11/29/23 TIME: 1000

RECEIVED BY: [Signature] DATE: 12/14 TIME: 1100

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: _____		Present Absent	
CUSTODY SEAL INTACT? YES NO		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? YES <u>NO</u>		Date: _____	
TEMPERATURE: 15.5C		Contacted By: _____	
SAMPLE IN COMPLIANCE: YES NO			

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 11 of 14
930249

REPORT TO:		INVOICE TO:	
Company: Lozier Environmental Consulting, Inc.	Address: 2011 East Main Street	Company: SAME	Address: SAME
City/State Zip: Rochester, New York 14609	Phone: 585-654-9080	City/State Zip:	Phone:
TURNAROUND TIME: Standard Rush	Fax: 585-654-9080	Fax:	Purchase Order #:
Other: E-Mail: vkaptein@lozierenv.com			

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
83	HART-03-HA-BY-311-BF	11/28/2023	713		DW				X				
84	HART-03-CR-IN-304-T	11/29/2023	507		DW				X				
85	HART-03-CR-IN-302-T	11/29/2023	540		DW				X				
86	HART-03-HA-BY-302-F	11/29/2023	511		DW				X				
87	HART-03-HA-BY-302-BF	11/29/2023	511		DW				X				
88	HART-03-HA-BY-327-BF	11/29/2023	522		DW				X				
89	HART-03-HA-BY-335-F	11/29/2023	527		DW				X				
90	HART-03-HA-BY-335-BF	11/29/2023	527		DW				X				
91	HART-03-HA-BY-347-BF	11/29/2023	544		DW				X				
92	HART-03-CR-IN-350-T	11/29/2023	546		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole & F. Golouch	
RELINQUISHED BY*: V. Kaptein	DATE: 11/29/23 TIME: 1000
RECEIVED BY:	DATE: 12/4 TIME: 1100
RELINQUISHED BY*:	DATE: TIME:
RECEIVED BY:	DATE: TIME:
RELINQUISHED BY*:	DATE: TIME:
RECEIVED BY:	DATE: TIME:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: _____	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES NO	If Present, Date Client is contacted with result:
TEMPERATURE: 15.5 C	Date: _____
SAMPLE IN COMPLIANCE: YES NO	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 9 of 10
932024

Page 112 of 114

LAB ID: M33534		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax: 585-654-9080		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS				
93	HART-03-HA-BY-345-F	11/29/2023	549						X					
94	HART-03-HA-BY-345-BF	11/29/2023	549						X					
95	HART-04-CR-IN-450-T	11/29/2023	554						X					
96	HART-04-HA-BY-453-BF	11/29/2023	555						X					
97	HART-04-CR-IN-453-T	11/29/2023	557						X					
98	HART-04-HA-BY-455-F	11/29/2023	601						X					
99	HART-04-HA-BY-455-BF	11/29/2023	601						X					
100	HART-04-HA-BY-442-F	11/29/2023	608						X					
101	HART-04-HA-BY-442-BF	11/29/2023	608						X					
102	HART-04-HA-BY-437-BF	11/29/2023	612						X					

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole & F. Goljuch
RELINQUISHED BY*: V. Kaptein
RECEIVED BY*: AKD
RELINQUISHED BY*:
RECEIVED BY:
RELINQUISHED BY*:
RECEIVED BY:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: _____	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES <u>NO</u>	If Present, Date Client is
TEMPERATURE: <u>15.5</u> C	contacted with result:
SAMPLE IN COMPLIANCE: YES NO	Date: _____
	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 10 of 10
236029

LAB ID: M33534		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - Hart Street Campus		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax: 585-654-9080		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
103	HART-04-CR-IN-428-T	11/29/2023	619						X			
104	HART-04-CR-IN-422-TL	11/29/2023	621						X			
105	HART-04-CR-IN-422-TR	11/29/2023	621						X			
106	HART-04-HA-BY-416-BF	11/29/2023	625						X			
107	HART-04-CR-IN-417-T	11/29/2023	627						X			
108	HART-04-HA-BY-409-BF	11/29/2023	634						X			

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: J. Saviole & F. Goljuch		DATE: 11/29/23	TIME: 1000
RELINQUISHED BY*: X Kaptein		DATE: 12/4	TIME: 1100
RECEIVED BY:		DATE:	TIME:
RELINQUISHED BY*:		DATE:	TIME:
RECEIVED BY:		DATE:	TIME:
RELINQUISHED BY*:		DATE:	TIME:
RECEIVED BY:		DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: _____		Present Absent	
CUSTODY SEAL INTACT? YES NO		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? YES (NO)		Date: _____	
TEMPERATURE: 15.5 C		Contacted By: _____	
SAMPLE IN COMPLIANCE: YES NO			

Sample Condition Upon Receipt Form (SCUR)

Project # 23LO249
Client: Lozier

Date and Initials of person:
Examining contents: _____
Label: _____
Deliver to location: _____
pH: _____

Thermometer Used: IRG4

Date: 12/4

Time: 1100

Initials: AR

State of Origin: NY

Cooler #1 Temp. °C 15.5 (Visual) 0.2 @ 0.0°C, -0.5 @ 20.0°C (Correction Factor) _____ (Actual) ☒ Samples on ice, cooling process has begun

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other _____
Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☒ Ground
☐ Other _____

Tracking # 7742 4739 6628

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: ☒ Wet ☐ Blue ☐ Melted ☐ None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☐ N/A	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____