



June 02, 2025

Victoria Kaptein
Lozier Environmental Consulting, Inc
2011 E. Main St.
Rochester, NY 14609

RE: Project: RCSD - School No. 58
Pace Project No.: 70356047

Dear Victoria Kaptein:

Enclosed are the analytical results for sample(s) received by the laboratory on May 22, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Renee Cusack'.

Renee Cusack
renee.cusack@pacelabs.com
(845)562-0890
Project Manager

Enclosures

cc: Amy Pusateri, Lozier Environmental Consulting Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70356047001	58-B-KI-IN-L141-TL	Drinking Water	05/14/25 05:42	05/22/25 10:40
70356047002	58-B-KI-BY-L141A-T	Drinking Water	05/14/25 05:42	05/22/25 10:40
70356047003	58-B-KI-BY-STOVE-T	Drinking Water	05/14/25 05:42	05/22/25 10:40
70356047004	58-B-KI-BY-L141C-T	Drinking Water	05/14/25 05:43	05/22/25 10:40
70356047005	58-B-KI-BY-L141D-T	Drinking Water	05/14/25 05:43	05/22/25 10:40
70356047006	58-B-KI-IN-L141C-LEFT	Drinking Water	05/14/25 05:45	05/22/25 10:40
70356047007	58-B-KI-IN-L141C-RIGHT	Drinking Water	05/14/25 05:45	05/22/25 10:40
70356047008	58-B-CF-BY-L149-FL	Drinking Water	05/14/25 05:49	05/22/25 10:40
70356047009	58-B-CF-BY-L149-FR	Drinking Water	05/14/25 05:49	05/22/25 10:40
70356047010	58-B-CF-BY-L149-BF	Drinking Water	05/14/25 05:49	05/22/25 10:40
70356047011	58-B-HA-BY-L105-F	Drinking Water	05/14/25 05:54	05/22/25 10:40
70356047012	58-B-HA-BY-L105-BF	Drinking Water	05/14/25 05:55	05/22/25 10:40
70356047013	58-B-NO-IN-L105B-T	Drinking Water	05/14/25 05:57	05/22/25 10:40
70356047014	58-B-NO-IN-L105-T	Drinking Water	05/14/25 05:58	05/22/25 10:40
70356047015	58-B-CR-IN-L102-T	Drinking Water	05/14/25 05:59	05/22/25 10:40
70356047016	58-B-TC-IN-L103-T	Drinking Water	05/14/25 05:59	05/22/25 10:40
70356047017	58-B-CR-IN-L115-TL	Drinking Water	05/14/25 06:02	05/22/25 10:40
70356047018	58-B-CR-IN-L115-TM	Drinking Water	05/14/25 06:02	05/22/25 10:40
70356047019	58-B-CR-IN-L115-TR	Drinking Water	05/14/25 06:03	05/22/25 10:40
70356047020	58-B-HA-BY-L115-F	Drinking Water	05/14/25 06:06	05/22/25 10:40
70356047021	58-B-HA-BY-L115-BF	Drinking Water	05/14/25 06:06	05/22/25 10:40
70356047022	58-01-HA-BY-G140-F	Drinking Water	05/14/25 06:15	05/22/25 10:40
70356047023	58-01-CR-IN-G130-B	Drinking Water	05/14/25 06:18	05/22/25 10:40
70356047024	58-01-CR-IN-G130-T	Drinking Water	05/14/25 06:20	05/22/25 10:40
70356047025	58-01-CR-IN-G128-B	Drinking Water	05/14/25 06:21	05/22/25 10:40
70356047026	58-01-CR-IN-G128-T	Drinking Water	05/14/25 06:21	05/22/25 10:40
70356047027	58-01-CR-IN-G114-T	Drinking Water	05/14/25 06:33	05/22/25 10:40
70356047028	58-01-CR-IN-G117-T1	Drinking Water	05/14/25 06:37	05/22/25 10:40
70356047029	58-01-CR-IN-G117-T2	Drinking Water	05/14/25 06:37	05/22/25 10:40
70356047030	58-01-CR-IN-G117-T3	Drinking Water	05/14/25 06:39	05/22/25 10:40
70356047031	58-01-CR-IN-G117-T4	Drinking Water	05/14/25 06:39	05/22/25 10:40
70356047032	58-01-HA-BY-G210-F	Drinking Water	05/15/25 05:44	05/22/25 10:40
70356047033	58-01-HA-BY-G210-BF	Drinking Water	05/15/25 05:44	05/22/25 10:40
70356047034	58-01-CR-IN-G210-B	Drinking Water	05/15/25 05:46	05/22/25 10:40
70356047035	58-01-CR-IN-G210-T	Drinking Water	05/15/25 05:48	05/22/25 10:40
70356047036	58-01-CR-IN-G208-T	Drinking Water	05/15/25 05:50	05/22/25 10:40
70356047037	58-01-CR-IN-G121-B	Drinking Water	05/15/25 05:55	05/22/25 10:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70356047038	58-01-CR-IN-G121-T	Drinking Water	05/15/25 05:55	05/22/25 10:40
70356047039	58-01-CR-IN-G122-B	Drinking Water	05/15/25 05:57	05/22/25 10:40
70356047040	58-01-CR-IN-G122-T	Drinking Water	05/15/25 05:57	05/22/25 10:40
70356047041	58-02-CR-IN-U403-T	Drinking Water	05/15/25 06:11	05/22/25 10:40
70356047042	58-02-HA-BY-U109-F	Drinking Water	05/15/25 06:15	05/22/25 10:40
70356047043	58-02-HA-BY-U109-BF	Drinking Water	05/15/25 06:16	05/22/25 10:40
70356047044	58-02-HA-BY-U125-F	Drinking Water	05/15/25 06:26	05/22/25 10:40
70356047045	58-02-HA-BY-U125-BF	Drinking Water	05/15/25 06:26	05/22/25 10:40
70356047046	58-B-HA-BY-L131-F	Drinking Water	05/15/25 06:32	05/22/25 10:40
70356047047	58-B-HA-BY-L131-BF	Drinking Water	05/15/25 06:35	05/22/25 10:40
70356047048	58-01-HA-BY-G404-FL	Drinking Water	05/15/25 06:40	05/22/25 10:40
70356047049	58-01-HA-BY-G404-FR	Drinking Water	05/15/25 06:41	05/22/25 10:40
70356047050	58-01-HA-BY-G404-BF	Drinking Water	05/15/25 06:41	05/22/25 10:40
70356047051	58-01-HA-BY-G406-FL	Drinking Water	05/15/25 06:43	05/22/25 10:40
70356047052	58-01-HA-BY-G406-FR	Drinking Water	05/15/25 06:43	05/22/25 10:40
70356047053	58-01-HA-BY-G406-BF	Drinking Water	05/15/25 06:44	05/22/25 10:40
70356047054	58-01-HA-BY-G404C-BF	Drinking Water	05/15/25 06:45	05/22/25 10:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70356047001	58-B-KI-IN-L141-TL	EPA 200.8, Rev. 5.4	MZ	1
70356047002	58-B-KI-BY-L141A-T	EPA 200.8, Rev. 5.4	MZ	1
70356047003	58-B-KI-BY-STOVE-T	EPA 200.8, Rev. 5.4	MZ	1
70356047004	58-B-KI-BY-L141C-T	EPA 200.8, Rev. 5.4	MZ	1
70356047005	58-B-KI-BY-L141D-T	EPA 200.8, Rev. 5.4	MZ	1
70356047006	58-B-KI-IN-L141C-LEFT	EPA 200.8, Rev. 5.4	MZ	1
70356047007	58-B-KI-IN-L141C-RIGHT	EPA 200.8, Rev. 5.4	MZ	1
70356047008	58-B-CF-BY-L149-FL	EPA 200.8, Rev. 5.4	MZ	1
70356047009	58-B-CF-BY-L149-FR	EPA 200.8, Rev. 5.4	MZ	1
70356047010	58-B-CF-BY-L149-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047011	58-B-HA-BY-L105-F	EPA 200.8, Rev. 5.4	MZ	1
70356047012	58-B-HA-BY-L105-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047013	58-B-NO-IN-L105B-T	EPA 200.8, Rev. 5.4	MZ	1
70356047014	58-B-NO-IN-L105-T	EPA 200.8, Rev. 5.4	MZ	1
70356047015	58-B-CR-IN-L102-T	EPA 200.8, Rev. 5.4	MZ	1
70356047016	58-B-TC-IN-L103-T	EPA 200.8, Rev. 5.4	MZ	1
70356047017	58-B-CR-IN-L115-TL	EPA 200.8, Rev. 5.4	MZ	1
70356047018	58-B-CR-IN-L115-TM	EPA 200.8, Rev. 5.4	MZ	1
70356047019	58-B-CR-IN-L115-TR	EPA 200.8, Rev. 5.4	MZ	1
70356047020	58-B-HA-BY-L115-F	EPA 200.8, Rev. 5.4	MZ	1
70356047021	58-B-HA-BY-L115-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047022	58-01-HA-BY-G140-F	EPA 200.8, Rev. 5.4	MZ	1
70356047023	58-01-CR-IN-G130-B	EPA 200.8, Rev. 5.4	MZ	1
70356047024	58-01-CR-IN-G130-T	EPA 200.8, Rev. 5.4	MZ	1
70356047025	58-01-CR-IN-G128-B	EPA 200.8, Rev. 5.4	MZ	1
70356047026	58-01-CR-IN-G128-T	EPA 200.8, Rev. 5.4	MZ	1
70356047027	58-01-CR-IN-G114-T	EPA 200.8, Rev. 5.4	MZ	1
70356047028	58-01-CR-IN-G117-T1	EPA 200.8, Rev. 5.4	MZ	1
70356047029	58-01-CR-IN-G117-T2	EPA 200.8, Rev. 5.4	MZ	1
70356047030	58-01-CR-IN-G117-T3	EPA 200.8, Rev. 5.4	MZ	1
70356047031	58-01-CR-IN-G117-T4	EPA 200.8, Rev. 5.4	MZ	1
70356047032	58-01-HA-BY-G210-F	EPA 200.8, Rev. 5.4	MZ	1
70356047033	58-01-HA-BY-G210-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047034	58-01-CR-IN-G210-B	EPA 200.8, Rev. 5.4	MZ	1
70356047035	58-01-CR-IN-G210-T	EPA 200.8, Rev. 5.4	MZ	1
70356047036	58-01-CR-IN-G208-T	EPA 200.8, Rev. 5.4	MZ	1
70356047037	58-01-CR-IN-G121-B	EPA 200.8, Rev. 5.4	MZ	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70356047038	58-01-CR-IN-G121-T	EPA 200.8, Rev. 5.4	MZ	1
70356047039	58-01-CR-IN-G122-B	EPA 200.8, Rev. 5.4	MZ	1
70356047040	58-01-CR-IN-G122-T	EPA 200.8, Rev. 5.4	MZ	1
70356047041	58-02-CR-IN-U403-T	EPA 200.8, Rev. 5.4	MZ	1
70356047042	58-02-HA-BY-U109-F	EPA 200.8, Rev. 5.4	MZ	1
70356047043	58-02-HA-BY-U109-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047044	58-02-HA-BY-U125-F	EPA 200.8, Rev. 5.4	MZ	1
70356047045	58-02-HA-BY-U125-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047046	58-B-HA-BY-L131-F	EPA 200.8, Rev. 5.4	MZ	1
70356047047	58-B-HA-BY-L131-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047048	58-01-HA-BY-G404-FL	EPA 200.8, Rev. 5.4	MZ	1
70356047049	58-01-HA-BY-G404-FR	EPA 200.8, Rev. 5.4	MZ	1
70356047050	58-01-HA-BY-G404-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047051	58-01-HA-BY-G406-FL	EPA 200.8, Rev. 5.4	MZ	1
70356047052	58-01-HA-BY-G406-FR	EPA 200.8, Rev. 5.4	MZ	1
70356047053	58-01-HA-BY-G406-BF	EPA 200.8, Rev. 5.4	MZ	1
70356047054	58-01-HA-BY-G404C-BF	EPA 200.8, Rev. 5.4	MZ	1

PASI-NB = Pace Analytical Services - Newburgh

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: RCSD - School No. 58

Pace Project No.: 70356047

Method: EPA 200.8, Rev. 5.4

Description: NB 200.8 ICPMS DW No Prep

Client: Lozier Environmental Consulting, Inc.

Date: June 02, 2025

General Information:

54 samples were analyzed for EPA 200.8, Rev. 5.4 by Pace Analytical Services Newburgh. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-KI-IN-L141-TL Lab ID: 70356047001 Collected: 05/14/25 05:42 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 14:57	7439-92-1	

Sample: 58-B-KI-BY-L141A-T Lab ID: 70356047002 Collected: 05/14/25 05:42 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 14:59	7439-92-1	

Sample: 58-B-KI-BY-STOVE-T Lab ID: 70356047003 Collected: 05/14/25 05:42 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:02	7439-92-1	

Sample: 58-B-KI-BY-L141C-T Lab ID: 70356047004 Collected: 05/14/25 05:43 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:04	7439-92-1	

Sample: 58-B-KI-BY-L141D-T Lab ID: 70356047005 Collected: 05/14/25 05:43 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:06	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-KI-IN-L141C-LEFT **Lab ID:** 70356047006 **Collected:** 05/14/25 05:45 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:13	7439-92-1	

Sample: 58-B-KI-IN-L141C-RIGHT **Lab ID:** 70356047007 **Collected:** 05/14/25 05:45 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:27	7439-92-1	

Sample: 58-B-CF-BY-L149-FL **Lab ID:** 70356047008 **Collected:** 05/14/25 05:49 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:29	7439-92-1	

Sample: 58-B-CF-BY-L149-FR **Lab ID:** 70356047009 **Collected:** 05/14/25 05:49 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:32	7439-92-1	

Sample: 58-B-CF-BY-L149-BF **Lab ID:** 70356047010 **Collected:** 05/14/25 05:49 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-HA-BY-L105-F		Lab ID: 70356047011		Collected: 05/14/25 05:54		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:36	7439-92-1	
Sample: 58-B-HA-BY-L105-BF		Lab ID: 70356047012		Collected: 05/14/25 05:55		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:39	7439-92-1	
Sample: 58-B-NO-IN-L105B-T		Lab ID: 70356047013		Collected: 05/14/25 05:57		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:41	7439-92-1	
Sample: 58-B-NO-IN-L105-T		Lab ID: 70356047014		Collected: 05/14/25 05:58		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:48	7439-92-1	
Sample: 58-B-CR-IN-L102-T		Lab ID: 70356047015		Collected: 05/14/25 05:59		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-TC-IN-L103-T		Lab ID: 70356047016		Collected: 05/14/25 05:59		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:52	7439-92-1	
Sample: 58-B-CR-IN-L115-TL		Lab ID: 70356047017		Collected: 05/14/25 06:02		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:57	7439-92-1	
Sample: 58-B-CR-IN-L115-TM		Lab ID: 70356047018		Collected: 05/14/25 06:02		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 15:59	7439-92-1	
Sample: 58-B-CR-IN-L115-TR		Lab ID: 70356047019		Collected: 05/14/25 06:03		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:01	7439-92-1	
Sample: 58-B-HA-BY-L115-F		Lab ID: 70356047020		Collected: 05/14/25 06:06		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-HA-BY-L115-BF Lab ID: 70356047021 Collected: 05/14/25 06:06 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:06	7439-92-1	

Sample: 58-01-HA-BY-G140-F Lab ID: 70356047022 Collected: 05/14/25 06:15 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:08	7439-92-1	

Sample: 58-01-CR-IN-G130-B Lab ID: 70356047023 Collected: 05/14/25 06:18 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:15	7439-92-1	

Sample: 58-01-CR-IN-G130-T Lab ID: 70356047024 Collected: 05/14/25 06:20 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:18	7439-92-1	

Sample: 58-01-CR-IN-G128-B Lab ID: 70356047025 Collected: 05/14/25 06:21 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-01-CR-IN-G128-T Lab ID: 70356047026 Collected: 05/14/25 06:21 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:27	7439-92-1	

Sample: 58-01-CR-IN-G114-T Lab ID: 70356047027 Collected: 05/14/25 06:33 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:36	7439-92-1	

Sample: 58-01-CR-IN-G117-T1 Lab ID: 70356047028 Collected: 05/14/25 06:37 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:43	7439-92-1	

Sample: 58-01-CR-IN-G117-T2 Lab ID: 70356047029 Collected: 05/14/25 06:37 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:45	7439-92-1	

Sample: 58-01-CR-IN-G117-T3 Lab ID: 70356047030 Collected: 05/14/25 06:39 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-01-CR-IN-G117-T4 Lab ID: 70356047031 Collected: 05/14/25 06:39 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:50	7439-92-1	

Sample: 58-01-HA-BY-G210-F Lab ID: 70356047032 Collected: 05/15/25 05:44 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:52	7439-92-1	

Sample: 58-01-HA-BY-G210-BF Lab ID: 70356047033 Collected: 05/15/25 05:44 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:54	7439-92-1	

Sample: 58-01-CR-IN-G210-B Lab ID: 70356047034 Collected: 05/15/25 05:46 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:56	7439-92-1	

Sample: 58-01-CR-IN-G210-T Lab ID: 70356047035 Collected: 05/15/25 05:48 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 16:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-01-CR-IN-G208-T		Lab ID: 70356047036		Collected: 05/15/25 05:50		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:01	7439-92-1	
Sample: 58-01-CR-IN-G121-B		Lab ID: 70356047037		Collected: 05/15/25 05:55		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:10	7439-92-1	
Sample: 58-01-CR-IN-G121-T		Lab ID: 70356047038		Collected: 05/15/25 05:55		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:12	7439-92-1	
Sample: 58-01-CR-IN-G122-B		Lab ID: 70356047039		Collected: 05/15/25 05:57		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:15	7439-92-1	
Sample: 58-01-CR-IN-G122-T		Lab ID: 70356047040		Collected: 05/15/25 05:57		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-02-CR-IN-U403-T Lab ID: 70356047041 Collected: 05/15/25 06:11 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	1.2	ug/L	1.0	15	1		05/30/25 17:19	7439-92-1	

Sample: 58-02-HA-BY-U109-F Lab ID: 70356047042 Collected: 05/15/25 06:15 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:22	7439-92-1	

Sample: 58-02-HA-BY-U109-BF Lab ID: 70356047043 Collected: 05/15/25 06:16 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:24	7439-92-1	

Sample: 58-02-HA-BY-U125-F Lab ID: 70356047044 Collected: 05/15/25 06:26 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		05/30/25 17:26	7439-92-1	

Sample: 58-02-HA-BY-U125-BF Lab ID: 70356047045 Collected: 05/15/25 06:26 Received: 05/22/25 10:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4									
Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-B-HA-BY-L131-F		Lab ID: 70356047046		Collected: 05/15/25 06:32		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:19	7439-92-1	
Sample: 58-B-HA-BY-L131-BF		Lab ID: 70356047047		Collected: 05/15/25 06:35		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:21	7439-92-1	
Sample: 58-01-HA-BY-G404-FL		Lab ID: 70356047048		Collected: 05/15/25 06:40		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:24	7439-92-1	
Sample: 58-01-HA-BY-G404-FR		Lab ID: 70356047049		Collected: 05/15/25 06:41		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:26	7439-92-1	
Sample: 58-01-HA-BY-G404-BF		Lab ID: 70356047050		Collected: 05/15/25 06:41		Received: 05/22/25 10:40		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: RCSD - School No. 58

Pace Project No.: 70356047

Sample: 58-01-HA-BY-G406-FL **Lab ID:** 70356047051 **Collected:** 05/15/25 06:43 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:35	7439-92-1	

Sample: 58-01-HA-BY-G406-FR **Lab ID:** 70356047052 **Collected:** 05/15/25 06:43 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:38	7439-92-1	

Sample: 58-01-HA-BY-G406-BF **Lab ID:** 70356047053 **Collected:** 05/15/25 06:44 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:40	7439-92-1	

Sample: 58-01-HA-BY-G404C-BF **Lab ID:** 70356047054 **Collected:** 05/15/25 06:45 **Received:** 05/22/25 10:40 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep									
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh									
Lead	<1.0	ug/L	1.0	15	1		06/02/25 12:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: RCSD - School No. 58

Pace Project No.: 70356047

QC Batch:	401624	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples: 70356047001, 70356047002, 70356047003, 70356047004, 70356047005			

METHOD BLANK: 2121049 Matrix: Water
Associated Lab Samples: 70356047001, 70356047002, 70356047003, 70356047004, 70356047005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/30/25 13:59	

LABORATORY CONTROL SAMPLE: 2121050

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.6	97	85-115	

MATRIX SPIKE SAMPLE: 2121052

Parameter	Units	70355336001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.8	101	70-130	

MATRIX SPIKE SAMPLE: 2121054

Parameter	Units	70355546001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	48.7	96	70-130	

SAMPLE DUPLICATE: 2121051

Parameter	Units	70355336001 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: RCSD - School No. 58
Pace Project No.: 70356047

QC Batch:	401626	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70356047006, 70356047007, 70356047008, 70356047009, 70356047010, 70356047011, 70356047012, 70356047013, 70356047014, 70356047015, 70356047016, 70356047017, 70356047018, 70356047019, 70356047020, 70356047021, 70356047022, 70356047023, 70356047024, 70356047025		

METHOD BLANK:	2121055	Matrix:	Water
Associated Lab Samples:	70356047006, 70356047007, 70356047008, 70356047009, 70356047010, 70356047011, 70356047012, 70356047013, 70356047014, 70356047015, 70356047016, 70356047017, 70356047018, 70356047019, 70356047020, 70356047021, 70356047022, 70356047023, 70356047024, 70356047025		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/30/25 15:09	

LABORATORY CONTROL SAMPLE:	2121056					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE SAMPLE:		2121058					
		70356047006	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	48.6	97	70-130	

MATRIX SPIKE SAMPLE:		2121060					
		70356047016	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	48.4	96	70-130	

SAMPLE DUPLICATE:	2121057					
Parameter	Units	70356047006 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: RCSD - School No. 58
Pace Project No.: 70356047

QC Batch:	401627	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70356047026, 70356047027, 70356047028, 70356047029, 70356047030, 70356047031, 70356047032, 70356047033, 70356047034, 70356047035, 70356047036, 70356047037, 70356047038, 70356047039, 70356047040, 70356047041, 70356047042, 70356047043, 70356047044		

METHOD BLANK:	2121061	Matrix:	Water
Associated Lab Samples:	70356047026, 70356047027, 70356047028, 70356047029, 70356047030, 70356047031, 70356047032, 70356047033, 70356047034, 70356047035, 70356047036, 70356047037, 70356047038, 70356047039, 70356047040, 70356047041, 70356047042, 70356047043, 70356047044		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/30/25 16:22	

LABORATORY CONTROL SAMPLE:	2121062					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.7	95	85-115	

MATRIX SPIKE SAMPLE:		2121064					
		70356047026	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	48.6	97	70-130	

MATRIX SPIKE SAMPLE:		2121066					
		70356047036	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	47.6	95	70-130	

SAMPLE DUPLICATE:	2121063					
Parameter	Units	70356047026 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: RCSD - School No. 58

Pace Project No.: 70356047

QC Batch:	401628	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70356047045, 70356047046, 70356047047, 70356047048, 70356047049, 70356047050, 70356047051, 70356047052, 70356047053, 70356047054		

METHOD BLANK:	2121075	Matrix:	Water
Associated Lab Samples:	70356047045, 70356047046, 70356047047, 70356047048, 70356047049, 70356047050, 70356047051, 70356047052, 70356047053, 70356047054		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/30/25 17:31	

LABORATORY CONTROL SAMPLE:	2121076					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.7	101	85-115	

MATRIX SPIKE SAMPLE:		2121078					
		70356050001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	ND	50	57.4	115	70-130	

MATRIX SPIKE SAMPLE:		2121080					
		70356047054	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	51.4	103	70-130	

SAMPLE DUPLICATE:	2121077					
Parameter	Units	70356050001 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	ND	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: RCSD - School No. 58
Pace Project No.: 70356047

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70356047001	58-B-KI-IN-L141-TL	EPA 200.8, Rev. 5.4	401624		
70356047002	58-B-KI-BY-L141A-T	EPA 200.8, Rev. 5.4	401624		
70356047003	58-B-KI-BY-STOVE-T	EPA 200.8, Rev. 5.4	401624		
70356047004	58-B-KI-BY-L141C-T	EPA 200.8, Rev. 5.4	401624		
70356047005	58-B-KI-BY-L141D-T	EPA 200.8, Rev. 5.4	401624		
70356047006	58-B-KI-IN-L141C-LEFT	EPA 200.8, Rev. 5.4	401626		
70356047007	58-B-KI-IN-L141C-RIGHT	EPA 200.8, Rev. 5.4	401626		
70356047008	58-B-CF-BY-L149-FL	EPA 200.8, Rev. 5.4	401626		
70356047009	58-B-CF-BY-L149-FR	EPA 200.8, Rev. 5.4	401626		
70356047010	58-B-CF-BY-L149-BF	EPA 200.8, Rev. 5.4	401626		
70356047011	58-B-HA-BY-L105-F	EPA 200.8, Rev. 5.4	401626		
70356047012	58-B-HA-BY-L105-BF	EPA 200.8, Rev. 5.4	401626		
70356047013	58-B-NO-IN-L105B-T	EPA 200.8, Rev. 5.4	401626		
70356047014	58-B-NO-IN-L105-T	EPA 200.8, Rev. 5.4	401626		
70356047015	58-B-CR-IN-L102-T	EPA 200.8, Rev. 5.4	401626		
70356047016	58-B-TC-IN-L103-T	EPA 200.8, Rev. 5.4	401626		
70356047017	58-B-CR-IN-L115-TL	EPA 200.8, Rev. 5.4	401626		
70356047018	58-B-CR-IN-L115-TM	EPA 200.8, Rev. 5.4	401626		
70356047019	58-B-CR-IN-L115-TR	EPA 200.8, Rev. 5.4	401626		
70356047020	58-B-HA-BY-L115-F	EPA 200.8, Rev. 5.4	401626		
70356047021	58-B-HA-BY-L115-BF	EPA 200.8, Rev. 5.4	401626		
70356047022	58-01-HA-BY-G140-F	EPA 200.8, Rev. 5.4	401626		
70356047023	58-01-CR-IN-G130-B	EPA 200.8, Rev. 5.4	401626		
70356047024	58-01-CR-IN-G130-T	EPA 200.8, Rev. 5.4	401626		
70356047025	58-01-CR-IN-G128-B	EPA 200.8, Rev. 5.4	401626		
70356047026	58-01-CR-IN-G128-T	EPA 200.8, Rev. 5.4	401627		
70356047027	58-01-CR-IN-G114-T	EPA 200.8, Rev. 5.4	401627		
70356047028	58-01-CR-IN-G117-T1	EPA 200.8, Rev. 5.4	401627		
70356047029	58-01-CR-IN-G117-T2	EPA 200.8, Rev. 5.4	401627		
70356047030	58-01-CR-IN-G117-T3	EPA 200.8, Rev. 5.4	401627		
70356047031	58-01-CR-IN-G117-T4	EPA 200.8, Rev. 5.4	401627		
70356047032	58-01-HA-BY-G210-F	EPA 200.8, Rev. 5.4	401627		
70356047033	58-01-HA-BY-G210-BF	EPA 200.8, Rev. 5.4	401627		
70356047034	58-01-CR-IN-G210-B	EPA 200.8, Rev. 5.4	401627		
70356047035	58-01-CR-IN-G210-T	EPA 200.8, Rev. 5.4	401627		
70356047036	58-01-CR-IN-G208-T	EPA 200.8, Rev. 5.4	401627		
70356047037	58-01-CR-IN-G121-B	EPA 200.8, Rev. 5.4	401627		
70356047038	58-01-CR-IN-G121-T	EPA 200.8, Rev. 5.4	401627		
70356047039	58-01-CR-IN-G122-B	EPA 200.8, Rev. 5.4	401627		
70356047040	58-01-CR-IN-G122-T	EPA 200.8, Rev. 5.4	401627		
70356047041	58-02-CR-IN-U403-T	EPA 200.8, Rev. 5.4	401627		
70356047042	58-02-HA-BY-U109-F	EPA 200.8, Rev. 5.4	401627		
70356047043	58-02-HA-BY-U109-BF	EPA 200.8, Rev. 5.4	401627		
70356047044	58-02-HA-BY-U125-F	EPA 200.8, Rev. 5.4	401627		
70356047045	58-02-HA-BY-U125-BF	EPA 200.8, Rev. 5.4	401628		
70356047046	58-B-HA-BY-L131-F	EPA 200.8, Rev. 5.4	401628		
70356047047	58-B-HA-BY-L131-BF	EPA 200.8, Rev. 5.4	401628		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RCSD - School No. 58

Pace Project No.: 70356047

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70356047048	58-01-HA-BY-G404-FL	EPA 200.8, Rev. 5.4	401628		
70356047049	58-01-HA-BY-G404-FR	EPA 200.8, Rev. 5.4	401628		
70356047050	58-01-HA-BY-G404-BF	EPA 200.8, Rev. 5.4	401628		
70356047051	58-01-HA-BY-G406-FL	EPA 200.8, Rev. 5.4	401628		
70356047052	58-01-HA-BY-G406-FR	EPA 200.8, Rev. 5.4	401628		
70356047053	58-01-HA-BY-G406-BF	EPA 200.8, Rev. 5.4	401628		
70356047054	58-01-HA-BY-G404C-BF	EPA 200.8, Rev. 5.4	401628		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 1 of 6

Page 26 of 32

LAB ID: M38046		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - School No. 58		Company: Lozier Environmental Consulting, Inc.		Company: (SAME)	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester NY 14609		City/State Zip:	
		Phone: 585-654-9080		Phone:	
		Fax: 585-654-9662		Fax:	
		E-Mail: support@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
1	58-B-KI-IN-L141-TL	5/14/2025	5:42		DW			hand wash	x			
2	58-B-KI-BY-L141A-T	5/14/2025	5:42		DW			hand wash	x			
3	58-B-KI-BY-STOVE-T	5/14/2025	5:42		DW			prep	x			
4	58-B-KI-BY-L141C-T	5/14/2025	5:43		DW			prep	x			
5	58-B-KI-BY-L141D-T	5/14/2025	5:43		DW			hand wash	x			
6	58-B-KI-IN-L141C-LEFT	5/14/2025	5:45		DW			dish left	x			
7	58-B-KI-IN-L141C-RIGHT	5/14/2025	5:45		DW			dish right	x			
8	58-B-CF-BY-L149-FL	5/14/2025	5:49		DW				x			
9	58-B-CF-BY-L149-FR	5/14/2025	5:49		DW				x			
10	58-B-CF-BY-L149-BF	5/14/2025	5:49		DW				x			

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: Joe Savioe	DATE: 5/20/2025	TIME:
RELINQUISHED BY*: Joe Savioe	DATE: 5/20/25	TIME: 1040
RECEIVED BY*: <i>Alvin</i>	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY*:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY*:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3-	TOTAL NUMBER OF CONTAINERS: 54	COLIFORM BACTERIA:	
CUSTODY SEAL INTACT? YES	SAMPLE ON ICE? NO	Present	Absent
TEMPERATURE: 5-7 C	SAMPLE IN COMPLIANCE: YES	If Present, Date Client is contacted with result:	
		Date: _____	
		Contacted By: _____	

MO#: 70356047
70356047

FED 6-6 GRAD
881405636440



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 2 of 6

Page 27 of 32

LAB ID: M38046
PROJECT NAME: RCSD - School No. 58
TURNAROUND TIME: Standard Rush
Other:

REPORT TO:		INVOICE TO:	
Company:	Lozier Environmental Consulting, Inc.	Company: (SAME)	
Address:	2011 East Main Street	Address:	
City/State Zip:	Rochester NY 14609	City/State Zip:	
Phone:	585-654-9080	Phone:	
Fax:	585-654-9662	Fax:	
E-Mail:	support@lozierenv.com	Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
11	58-B-HA-BY-L105-F	5/14/2025	5:54		DW				Lead			
12	58-B-HA-BY-L105-BF	5/14/2025	5:55		DW							
13	58-B-NO-IN-L105B-T	5/14/2025	5:57		DW							
14	58-B-NO-IN-L105-T	5/14/2025	5:58		DW							
15	58-B-CR-IN-L102-T	5/14/2025	5:59		DW							
16	58-B-TG-IN-L103-T	5/14/2025	5:59		DW							
17	58-B-CR-IN-L115-TL	5/14/2025	6:02		DW							
18	58-B-CR-IN-L115-TM	5/14/2025	6:02		DW							
19	58-B-CR-IN-L115-TR	5/14/2025	6:03		DW							
20	58-B-HA-BY-L115-F	5/14/2025	6:06		DW							

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe
RELINQUISHED BY*: Joe Savioe
RECEIVED BY: *John P...*
RELINQUISHED BY*: *John P...*
RECEIVED BY: *John P...*
RELINQUISHED BY*: *John P...*
RECEIVED BY: *John P...*

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3-		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: 54		Present Absent	
CUSTODY SEAL INTACT? YES		If Present, Date Client is	
SAMPLE ON ICE? NO		contacted with result:	
TEMPERATURE: 15-7 C		Date: _____	
SAMPLE IN COMPLIANCE: YES		Contacted By: _____	

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

8814 0563 6440

W0#: 70356047
PM: RC1 Due Date: 06/06/25
CLIENT: NB-LOZIER



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 3 of 6

Page 28 of 32

LAB ID: M38046
PROJECT NAME: RCSD - School No. 58
TURNAROUND TIME: Standard Rush
Other:

REPORT TO:				INVOICE TO:	
Company: Lozier Environmental Consulting, Inc.		Company: (SAME)			
Address: 2011 East Main Street		Address:			
City/State Zip: Rochester NY 14609		City/State Zip:			
Phone: 585-654-9080		Phone:		Fax:	
Fax: 585-654-9662		Purchase Order #:			
E-Mail: support@lozierenv.com					

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS
21	58-B-HA-BY-L115-BF	5/14/2025	6:06		DW			attached BF non functional	Lead
22	58-01-HA-BY-G140-F	5/14/2025	6:15		DW				
23	58-01-CR-IN-G130-B	5/14/2025	6:18		DW				
24	58-01-CR-IN-G130-T	5/14/2025	6:20		DW				
25	58-01-CR-IN-G128-B	5/14/2025	6:21		DW				
26	58-01-CR-IN-G128-T	5/14/2025	6:21		DW				
27	58-01-CR-IN-G114-T	5/14/2025	6:33		DW			other taps covered	
28	58-01-CR-IN-G117-T1	5/14/2025	6:37		DW				
29	58-01-CR-IN-G117-T2	5/14/2025	6:37		DW				
30	58-01-CR-IN-G117-T3	5/14/2025	6:39		DW				

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe

RECEIVED BY: Abba Hane DATE: 5/20/2025 TIME: steps 1040

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FEB 21 2025
8814 0563 6440

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDE: HNO3-		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: 54		Present	Absent
CUSTODY SEAL INTACT? YES		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? NO		Date:	Contacted By:
TEMPERATURE: <u>15.7</u> C			
SAMPLE IN COMPLIANCE: YES			

MO#: 70356047
PM: RC1 Due Date: 06/06/25
CLIENT: NB-LOZIER



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 4 of 6

Page 29 of 32

LAB ID: M38046	Company: Lozier Environmental Consulting, Inc.	REPORT TO:	INVOICE TO:
PROJECT NAME: RCSD - School No. 58	Address: 2011 East Main Street		Company: (SAME)
TURNAROUND TIME: Standard Rush	City/State Zip: Rochester NY 14609		Address:
Other:	Phone: 585-654-9080 Fax: 585-654-9662		City/State Zip:
	E-Mail: support@lozierenv.com		Phone: Fax:
			Purchase Order #:

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
31	58-01-CR-IN-G117-T4	5/14/2025	6:39		DW				x			
32	58-01-HA-BY-G210-F	5/15/2025	5:44		DW				x			
33	58-01-HA-BY-G210-BF	5/15/2025	5:44		DW				x			
34	58-01-CR-IN-G210-B	5/15/2025	5:46		DW				x			
35	58-01-CR-IN-G210-T	5/15/2025	5:48		DW				x			
36	58-01-CR-IN-G208-T	5/15/2025	5:50		DW				x			
37	58-01-CR-IN-G121-B	5/15/2025	5:55		DW				x			
38	58-01-CR-IN-G121-T	5/15/2025	5:55		DW				x			
39	58-01-CR-IN-G122-B	5/15/2025	5:57		DW				x			
40	58-01-CR-IN-G122-T	5/15/2025	5:57		DW				x			

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe DATE: 5/20/2025 TIME:

RECEIVED BY: *Alisa Iru* DATE: 5/20/2025 TIME: 10:50

RELINQUISHED BY: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3-	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 54	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES	Present Absent
SAMPLE ON ICE? NO	If Present, Date Client is
TEMPERATURE: 15.2°C	contacted with result:
SAMPLE IN COMPLIANCE: YES	Date: _____
	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

765 56 0820

8814 0565 6440

WO#: 70356047
PM: RC1 Due Date: 06/06/25
CLIENT: NB-LOZIER



2011 East Main Street, Rochester, NY 14609 Phone (585) 654-9080 Fax (585) 654-9662
Web: LozierEnv.com E-Mail: support@lozierenv.com

Page 5 of 6

Page 30 of 32

LAB ID: M38046		Company: Lozier Environmental Consulting, Inc.		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - School No. 58		Address: 2011 East Main Street		City/State Zip: Rochester NY 14609		Company: (SAME)	
TURNAROUND TIME: Standard Rush		Phone: 585-654-9080		Fax: 585-654-9662		City/State Zip:	
Other:		E-Mail: support@lozierenv.com		Purchase Order #:		Fax:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS			
41	58-02-CR-IN-U403-T	5/15/2025	6:11		DW				x	Lead		
42	58-02-HA-BY-U109-F	5/15/2025	6:15		DW				x			
43	58-02-HA-BY-U109-BF	5/15/2025	6:16		DW				x			
44	58-02-HA-BY-U125-F	5/15/2025	6:26		DW				x			
45	58-02-HA-BY-U125-BF	5/15/2025	6:26		DW				x			
46	58-B-HA-BY-L131-F	5/15/2025	6:32		DW				x			
47	58-B-HA-BY-L131-BF	5/15/2025	6:35		DW				x			
48	58-01-HA-BY-G404-FL	5/15/2025	6:40		DW				x			
49	58-01-HA-BY-G404-FR	5/15/2025	6:41		DW				x			
50	58-01-HA-BY-G404-BF	5/15/2025	6:41		DW				x			

Container Type (Circle One): Plastic Glass Sterile Other _____ Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe DATE: 5/20/2025 TIME:

RECEIVED BY: John Hsu DATE: 5/22/25 TIME: 1040

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY: DATE: TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

0814057626430

FOR LAB USE ONLY		FOR POTABLE WATER ONLY:	
PRESERVATIVE/BIOCIDES: HNO3-		COLIFORM BACTERIA:	
TOTAL NUMBER OF CONTAINERS: 54		Present Absent	
CUSTODY SEAL INTACT? YES		If Present, Date Client is contacted with result:	
SAMPLE ON ICE? NO		Date: _____	
TEMPERATURE: 15.7C		Contacted By: _____	
SAMPLE IN COMPLIANCE: YES			

W0#: 70356047
PM: RC1 Due Date: 06/06/25
CLIENT: NB-LOZIER



Page 6 of 6

Page 31 of 32

		REPORT TO:		INVOICE TO:	
LAB ID: M38046		Company: Lozier Environmental Consulting, Inc.		Company: (SAME)	
PROJECT NAME: RCSD - School No. 58		Address: 2011 East Main Street		Address:	
TURNAROUND TIME: Standard Rush		City/State Zip: Rochester NY 14609		City/State Zip:	
Other:		Phone: 585-654-9080 Fax: 585-654-9662		Phone: Fax:	
		E-Mail: support@lozierenv.com		Purchase Order #:	

Page 3 of 3

										REQUESTED ANALYSIS				
LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	Lead					
51	58-01-HA-BY-G406-FL	5/15/2025	6:43		DW				x					
52	58-01-HA-BY-G406-FR	5/15/2025	6:43		DW				x					
53	58-01-HA-BY-G406-BF	5/15/2025	6:44		DW				x					
54	58-01-HA-BY-G404C-BF	5/15/2025	6:45		DW				x					

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

FOR LAB USE ONLY

PRESERVATIVE/BIOCIDES: HNO3-

FOR POTABLE WATER ONLY:

TOTAL NUMBER OF CONTAINERS: 54

COLIFORM BACTERIA:

CUSTODY SEAL INTACT? YES

	Present	Absent
1. The patient has been exposed to someone who has had COVID-19		
2. The patient has traveled to a country or area where there are cases of COVID-19		
3. The patient has visited a nursing home or long-term care facility		
4. The patient has visited a hospital or other healthcare facility		
5. The patient has visited a public place where many people gather		
6. The patient has visited a public place where people are crowded together		
7. The patient has visited a public place where people are coughing or sneezing		
8. The patient has visited a public place where people have fever or other symptoms of illness		
9. The patient has visited a public place where people have been tested for COVID-19		
10. The patient has visited a public place where people have been treated for COVID-19		
11. The patient has visited a public place where people have died from COVID-19		
12. The patient has visited a public place where people have been quarantined		
13. The patient has visited a public place where people have been isolated		
14. The patient has visited a public place where people have been hospitalized		
15. The patient has visited a public place where people have been in intensive care		
16. The patient has visited a public place where people have been on mechanical ventilation		
17. The patient has visited a public place where people have been receiving oxygen therapy		
18. The patient has visited a public place where people have been receiving intravenous fluids		
19. The patient has visited a public place where people have been receiving medical treatment		
20. The patient has visited a public place where people have been receiving surgery		
21. The patient has visited a public place where people have been receiving anesthesia		
22. The patient has visited a public place where people have been receiving blood transfusions		
23. The patient has visited a public place where people have been receiving organ transplants		
24. The patient has visited a public place where people have been receiving chemotherapy		
25. The patient has visited a public place where people have been receiving radiation therapy		
26. The patient has visited a public place where people have been receiving immunotherapy		
27. The patient has visited a public place where people have been receiving hormone therapy		
28. The patient has visited a public place where people have been receiving targeted therapy		
29. The patient has visited a public place where people have been receiving stem cell transplantation		
30. The patient has visited a public place where people have been receiving gene therapy		
31. The patient has visited a public place where people have been receiving CRISPR-Cas9 gene editing		
32. The patient has visited a public place where people have been receiving mRNA vaccines		
33. The patient has visited a public place where people have been receiving viral vector vaccines		
34. The patient has visited a public place where people have been receiving protein-based vaccines		
35. The patient has visited a public place where people have been receiving inactivated vaccines		
36. The patient has visited a public place where people have been receiving live attenuated vaccines		
37. The patient has visited a public place where people have been receiving conjugate vaccines		
38. The patient has visited a public place where people have been receiving polysaccharide vaccines		
39. The patient has visited a public place where people have been receiving subunit vaccines		
40. The patient has visited a public place where people have been receiving whole virus vaccines		
41. The patient has visited a public place where people have been receiving recombinant protein vaccines		
42. The patient has visited a public place where people have been receiving synthetic peptide vaccines		
43. The patient has visited a public place where people have been receiving DNA vaccines		
44. The patient has visited a public place where people have been receiving viral vector vaccines		
45. The patient has visited a public place where people have been receiving mRNA vaccines		
46. The patient has visited a public place where people have been receiving protein-based vaccines		
47. The patient has visited a public place where people have been receiving inactivated vaccines		
48. The patient has visited a public place where people have been receiving live attenuated vaccines		
49. The patient has visited a public place where people have been receiving conjugate vaccines		
50. The patient has visited a public place where people have been receiving polysaccharide vaccines		
51. The patient has visited a public place where people have been receiving subunit vaccines		
52. The patient has visited a public place where people have been receiving whole virus vaccines		
53. The patient has visited a public place where people have been receiving recombinant protein vaccines		
54. The patient has visited a public place where people have been receiving synthetic peptide vaccines		
55. The patient has visited a public place where people have been receiving DNA vaccines		
56. The patient has visited a public place where people have been receiving viral vector vaccines		
57. The patient has visited a public place where people have been receiving mRNA vaccines		
58. The patient has visited a public place where people have been receiving protein-based vaccines		
59. The patient has visited a public place where people have been receiving inactivated vaccines		
60. The patient has visited a public place where people have been receiving live attenuated vaccines		
61. The patient has visited a public place where people have been receiving conjugate vaccines		
62. The patient has visited a public place where people have been receiving polysaccharide vaccines		
63. The patient has visited a public place where people have been receiving subunit vaccines		
64. The patient has visited a public place where people have been receiving whole virus vaccines		
65. The patient has visited a public place where people have been receiving recombinant protein vaccines		
66. The patient has visited a public place where people have been receiving synthetic peptide vaccines		
67. The patient has visited a public place where people have been receiving DNA vaccines		
68. The patient has visited a public place where people have been receiving viral vector vaccines		
69. The patient has visited a public place where people have been receiving mRNA vaccines		
70. The patient has visited a public place where people have been receiving protein-based vaccines		
71. The patient has visited a public place where people have been receiving inactivated vaccines		
72. The patient has visited a public place where people have been receiving live attenuated vaccines		
73. The patient has visited a public place where people have been receiving conjugate vaccines		
74. The patient has visited a public place where people have been receiving polysaccharide vaccines		
75. The patient has visited a public place where people have been receiving subunit vaccines		
76. The patient has visited a public place where people have been receiving whole virus vaccines		
77. The patient has visited a public place where people have been receiving recombinant protein vaccines		
78. The patient has visited a public place where people have been receiving synthetic peptide vaccines		
79. The patient has visited a public place where people have been receiving DNA vaccines		
80. The patient has visited a public place where people have been receiving viral vector vaccines		
81. The patient has visited a public place where people have been receiving mRNA vaccines		
82. The patient has visited a public place where people have been receiving protein-based vaccines		
83. The patient has visited a public place where people have been receiving inactivated vaccines		
84. The patient has visited a public place where people have been receiving live attenuated vaccines		
85. The patient has visited a public place where people have been receiving conjugate vaccines		
86. The patient has visited a public place where people have been receiving polysaccharide vaccines		
87. The patient has visited a public place where people have been receiving subunit vaccines		
88. The patient has visited a public place where people have been receiving whole virus vaccines		
89. The patient has visited a public place where people have been receiving recombinant protein vaccines		
90. The patient has visited a public place where people have been receiving synthetic peptide vaccines		
91. The patient has visited a public place where people have been receiving DNA vaccines		
92. The patient has visited a public place where people have been receiving viral vector vaccines		
93. The patient has visited a public place where people have been receiving mRNA vaccines		
94. The patient has visited a public place where people have been receiving protein-based vaccines		
95. The patient has visited a public place where people have been receiving inactivated vaccines		
96. The patient has visited a public place where people have been receiving live attenuated vaccines		
97. The patient has visited a public place where people have been receiving conjugate vaccines		
98. The patient has visited a public place where people have been receiving polysaccharide vaccines		
99. The patient has visited a public place where people have been receiving subunit vaccines		
100. The patient has visited a public place where people have been receiving whole virus vaccines		

SAMPLE ON ICE? NO

If Present, Date Client is

TEMPERATURE: 17.0°C

contacted with result:

SAMPLE IN COMPLIANCE: YES

Date: _____

--	--

TEED 6x 600
0814 0563 6430

Sample Condition Upon Receipt Form (SCUR)

WO#: 70356047

Project #

PM: RC1

Due Date: 06/06/25

Client:

CLIENT: NB-LOZIER

Date and Initials of person:

Examining contents: _____

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: IRG4

Date: 5/22

Time: 1040

Initials: _____

State of Origin: NY

Cooler #1 Temp: °C 15.7 (Visual) 0.2 @ 0.0°C, -0.5 @ 20.0°C (Correction Factor) (Actual) ☒ Samples on ice, cooling process has begun

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☒ Ground

☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: ☒ Wet ☐ Blue ☐ Melted ☒ None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☐ N/A	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution: