


June 18, 2024

V Kaptein
NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609

Project Location: RCSD-School 54
Project Number: M34573
Laboratory Work Order Number: 24F0967

Enclosed are results of analyses for samples received by the laboratory on June 7, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Project Manager



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

NB-Lozier Environmental Consulting, Inc
2011 E Main Street
Rochester, NY 14609
ATTN: V Kaptein

REPORT DATE: 6/18/2024

PURCHASE ORDER NUMBER: RCSD- School 54

PROJECT NUMBER: M34573

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24F0967

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: RCSD-School 54


FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
(26) 54-01-CR-IN-101-T1	24F0967-01	Drinking Water		EPA 200.8 Rev 5.4	
(27) 54-01-CR-IN-101-T2	24F0967-02	Drinking Water		EPA 200.8 Rev 5.4	
(28) 54-01-CR-IN-101-T3	24F0967-03	Drinking Water		EPA 200.8 Rev 5.4	
(25) 54-01-CR-IN-103-T	24F0967-04	Drinking Water		EPA 200.8 Rev 5.4	
(24) 54-01-CR-IN-104-T	24F0967-05	Drinking Water		EPA 200.8 Rev 5.4	
(19) 54-01-CR-IN-105-B	24F0967-06	Drinking Water		EPA 200.8 Rev 5.4	
(20) 54-01-CR-IN-105-T	24F0967-07	Drinking Water		EPA 200.8 Rev 5.4	
(17) 54-01-CR-IN-107-B	24F0967-08	Drinking Water		EPA 200.8 Rev 5.4	
(18) 54-01-CR-IN-107-T	24F0967-09	Drinking Water		EPA 200.8 Rev 5.4	
(29) 54-01-CR-IN-113-T	24F0967-10	Drinking Water		EPA 200.8 Rev 5.4	
(14) 54-01-CR-IN-130-B	24F0967-11	Drinking Water		EPA 200.8 Rev 5.4	
(15) 54-01-CR-IN-130-T	24F0967-12	Drinking Water		EPA 200.8 Rev 5.4	
(12) 54-01-CR-IN-134-B	24F0967-13	Drinking Water		EPA 200.8 Rev 5.4	
(13) 54-01-CR-IN-134-T	24F0967-14	Drinking Water		EPA 200.8 Rev 5.4	
(7) 54-01-CR-IN-136-B	24F0967-15	Drinking Water		EPA 200.8 Rev 5.4	
(8) 54-01-CR-IN-136-T	24F0967-16	Drinking Water		EPA 200.8 Rev 5.4	
(5) 54-01-CR-IN-140-B	24F0967-17	Drinking Water		EPA 200.8 Rev 5.4	
(6) 54-01-CR-IN-140-T	24F0967-18	Drinking Water		EPA 200.8 Rev 5.4	
(21) 54-01-HA-BY-104A-BF	24F0967-19	Drinking Water		EPA 200.8 Rev 5.4	
(22) 54-01-HA-BY-104A-DF1	24F0967-20	Drinking Water		EPA 200.8 Rev 5.4	
(23) 54-01-HA-BY-104A-DF2	24F0967-21	Drinking Water		EPA 200.8 Rev 5.4	
(9) 54-01-HA-BY-134A-BF	24F0967-22	Drinking Water		EPA 200.8 Rev 5.4	
(10) 54-01-HA-BY-135A-DF1	24F0967-23	Drinking Water		EPA 200.8 Rev 5.4	
(11) 54-01-HA-BY-135A-DF2	24F0967-24	Drinking Water		EPA 200.8 Rev 5.4	
(1) 54-01-K-IN-137-T1	24F0967-25	Drinking Water		EPA 200.8 Rev 5.4	
(2) 54-01-K-IN-137-T2	24F0967-26	Drinking Water		EPA 200.8 Rev 5.4	
(3) 54-01-K-IN-137-T3	24F0967-27	Drinking Water		EPA 200.8 Rev 5.4	
(4) 54-01-K-IN-137-T4	24F0967-28	Drinking Water		EPA 200.8 Rev 5.4	
(16) 54-01-NO-IN-126-T	24F0967-29	Drinking Water		EPA 200.8 Rev 5.4	
(36) 54-02-CR-IN-201-T	24F0967-31	Drinking Water		EPA 200.8 Rev 5.4	
(35) 54-02-CR-IN-203-T	24F0967-32	Drinking Water		EPA 200.8 Rev 5.4	
(37) 54-02-CR-IN-204-T	24F0967-33	Drinking Water		EPA 200.8 Rev 5.4	
(34) 54-02-CR-IN-206-T	24F0967-34	Drinking Water		EPA 200.8 Rev 5.4	
(30) 54-02-CR-IN-216-T	24F0967-35	Drinking Water		EPA 200.8 Rev 5.4	
(38) 54-02-CR-IN-224-T	24F0967-36	Drinking Water		EPA 200.8 Rev 5.4	
(39) 54-02-CR-IN-226-T	24F0967-37	Drinking Water		EPA 200.8 Rev 5.4	
(31) 54-02-HA-BY-210-BF	24F0967-40	Drinking Water		EPA 200.8 Rev 5.4	
(32) 54-02-HA-BY-210-DF1	24F0967-41	Drinking Water		EPA 200.8 Rev 5.4	
(33) 54-02-HA-BY-210-DF2	24F0967-42	Drinking Water		EPA 200.8 Rev 5.4	
(40) 54-02-CR-IN-228-T	24F0967-47	Drinking Water		EPA 200.8 Rev 5.4	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Pace Analytical Services, LLC - Newburgh for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Renee Cusack
PM



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (26) 54-01-CR-IN-101-T1

Sampled: 6/4/2024 06:34

Sample ID: 24F0967-01

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 10:37	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (27) 54-01-CR-IN-101-T2

Sampled: 6/4/2024 06:35

Sample ID: 24F0967-02

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 10:49	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Sampled: 6/4/2024 06:37

Field Sample #: (28) 54-01-CR-IN-101-T3

Sample ID: 24F0967-03

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:06	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (25) 54-01-CR-IN-103-T

Sampled: 6/4/2024 06:32

Sample ID: 24F0967-04

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:09	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (24) 54-01-CR-IN-104-T

Sampled: 6/4/2024 06:28

Sample ID: 24F0967-05

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:11	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (19) 54-01-CR-IN-105-B

Sampled: 6/4/2024 06:19

Sample ID: 24F0967-06

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:14	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (20) 54-01-CR-IN-105-T

Sampled: 6/4/2024 06:21

Sample ID: 24F0967-07

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.4	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:17	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (17) 54-01-CR-IN-107-B

Sampled: 6/4/2024 06:11

Sample ID: 24F0967-08

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:20	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (18) 54-01-CR-IN-107-T

Sampled: 6/4/2024 06:10

Sample ID: 24F0967-09

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.0	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:22	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (29) 54-01-CR-IN-113-T

Sampled: 6/4/2024 06:42

Sample ID: 24F0967-10

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	4.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:31	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (14) 54-01-CR-IN-130-B

Sampled: 6/4/2024 05:59

Sample ID: 24F0967-11

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:34	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (15) 54-01-CR-IN-130-T

Sampled: 6/4/2024 06:01

Sample ID: 24F0967-12

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:39	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (12) 54-01-CR-IN-134-B

Sampled: 6/4/2024 05:55

Sample ID: 24F0967-13

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:42	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (13) 54-01-CR-IN-134-T

Sampled: 6/4/2024 05:57

Sample ID: 24F0967-14

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:45	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (7) 54-01-CR-IN-136-B

Sampled: 6/4/2024 05:50

Sample ID: 24F0967-15

Sample Matrix: Drinking Water

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL							Prepared	Analyzed	
Lead	1.1	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:48	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (8) 54-01-CR-IN-136-T

Sampled: 6/4/2024 05:52

Sample ID: 24F0967-16

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:50	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (5) 54-01-CR-IN-140-B

Sampled: 6/4/2024 05:45

Sample ID: 24F0967-17

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:53	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (6) 54-01-CR-IN-140-T

Sampled: 6/4/2024 05:47

Sample ID: 24F0967-18

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 11:56	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (21) 54-01-HA-BY-104A-BF

Sampled: 6/4/2024 06:24

Sample ID: 24F0967-19

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:04	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (22) 54-01-HA-BY-104A-DF1

Sampled: 6/4/2024 06:25

Sample ID: 24F0967-20

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:07	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Sampled: 6/4/2024 06:26

Field Sample #: (23) 54-01-HA-BY-104A-DF2

Sample ID: 24F0967-21

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:10	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (9) 54-01-HA-BY-134A-BF

Sampled: 6/4/2024 05:46

Sample ID: 24F0967-22

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:21	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Sampled: 6/4/2024 05:48

Field Sample #: (10) 54-01-HA-BY-135A-DF1

Sample ID: 24F0967-23

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:24	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (11) 54-01-HA-BY-135A-DF2

Sampled: 6/4/2024 05:49

Sample ID: 24F0967-24

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:26	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (1) 54-01-K-IN-137-T1

Sampled: 6/4/2024 05:40

Sample ID: 24F0967-25

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.0	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:29	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (2) 54-01-K-IN-137-T2

Sampled: 6/4/2024 05:40

Sample ID: 24F0967-26

Sample Matrix: Drinking Water

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL							Prepared	Analyzed	
Lead	1.3	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:38	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (3) 54-01-K-IN-137-T3

Sampled: 6/4/2024 05:41

Sample ID: 24F0967-27

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:40	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (4) 54-01-K-IN-137-T4

Sampled: 6/4/2024 05:42

Sample ID: 24F0967-28

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:43	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (16) 54-01-NO-IN-126-T

Sampled: 6/4/2024 06:06

Sample ID: 24F0967-29

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:46	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (36) 54-02-CR-IN-201-T

Sampled: 6/4/2024 06:59

Sample ID: 24F0967-31

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:49	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (35) 54-02-CR-IN-203-T

Sampled: 6/4/2024 06:58

Sample ID: 24F0967-32

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:51	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Sampled: 6/4/2024 07:01

Field Sample #: (37) 54-02-CR-IN-204-T

Sample ID: 24F0967-33

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 12:57	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (34) 54-02-CR-IN-206-T

Sampled: 6/4/2024 06:56

Sample ID: 24F0967-34

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:00	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (30) 54-02-CR-IN-216-T

Sampled: 6/4/2024 06:50

Sample ID: 24F0967-35

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:02	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (38) 54-02-CR-IN-224-T

Sampled: 6/4/2024 07:05

Sample ID: 24F0967-36

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:11	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (39) 54-02-CR-IN-226-T

Sampled: 6/4/2024 07:07

Sample ID: 24F0967-37

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:14	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (31) 54-02-HA-BY-210-BF

Sampled: 6/5/2024 07:25

Sample ID: 24F0967-40

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:16	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (32) 54-02-HA-BY-210-DF1

Sampled: 6/4/2024 06:51

Sample ID: 24F0967-41

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:19	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (33) 54-02-HA-BY-210-DF2

Sampled: 6/4/2024 06:52

Sample ID: 24F0967-42

Sample Matrix: Drinking Water

Metals Analyses (Total)										
Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:22	JC



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: RCSD-School 54

Sample Description:

Work Order: 24F0967

Date Received: 6/7/2024

Field Sample #: (40) 54-02-CR-IN-228-T

Sampled: 6/4/2024 07:10

Sample ID: 24F0967-47

Sample Matrix: Drinking Water

Metals Analyses (Total)											
Analyte	Results	MCL/SMCL			Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL							Prepared	Analyzed	
Lead	1.2	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	6/11/24	6/13/24 13:25	JC

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 Rev 5.4 in Drinking Water</i>	
Lead	NB-CT,NB-NJ,NB-NY

Pace Analytical Services, LCC operates under the following certifications and accreditations:

Code	Description	Number	Expires
NB-CT	Connecticut Department of Public Health	PH-0823	09/30/2024
NB-NJ	New Jersey DEP	NY015 NELAP	06/30/2024
NB-NY	New York State Department of Health	10142 NELAP	03/31/2025



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 1 of 5
24F0916-7-1

REPORT TO:
Company: Lozier Environmental Consulting, Inc.
Address: 2011 East Main Street
City/State Zip: Rochester, New York 14609

INVOICE TO:
Company: SAME
Address: SAME
City/State Zip: SAME
Phone: SAME
Fax: SAME
Purchase Order #: SAME

LAB ID: M34573
PROJECT NAME: RCSD - School 54
TURNAROUND TIME: Standard Rush
Other:

REPORT TO:
Company: Lozier Environmental Consulting, Inc.
Address: 2011 East Main Street
City/State Zip: Rochester, New York 14609

INVOICE TO:
Company: SAME
Address: SAME
City/State Zip: SAME
Phone: SAME
Fax: SAME
Purchase Order #: SAME

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS
26	54-01-CR-IN-101-T1	6/4/2024	634	DW					X	
27	54-01-CR-IN-101-T2	6/4/2024	635	DW					X	
28	54-01-CR-IN-101-T3	6/4/2024	637	DW					X	
25	54-01-CR-IN-103-T	6/4/2024	632	DW					X	
24	54-01-CR-IN-104-T	6/4/2024	628	DW					X	
19	54-01-CR-IN-105-B	6/4/2024	619	DW					X	
20	54-01-CR-IN-105-T	6/4/2024	621	DW					X	
17	54-01-CR-IN-107-B	6/4/2024	611	DW					X	
18	54-01-CR-IN-107-T	6/4/2024	610	DW					X	
29	54-01-CR-IN-113-T	6/4/2024	642	DW					X	

Container Type (Circle One): Plastic Glass Sterile Other

Delivery (Circle One): Client Drop-Off / Courier Tracking #

ESD 566 RD

7167 1496 1304



24F0967

SAMPLED BY*: Joe Savoie

RELINQUISHED BY*: V. Kaptein

RECEIVED BY*: *[Signature]* DATE: 6/4/24 TIME: 13:54

RELINQUISHED BY*: *[Signature]* DATE: 6/7/24 TIME: 1100

RECEIVED BY*: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY*: DATE: TIME:

FOR LAB USE ONLY

PRESERVATIVE/BIOCIDE: HNO3-

TOTAL NUMBER OF CONTAINERS: 46

CUSTODY SEAL INTACT? YES NO

SAMPLE ON ICE? YES (NO)

TEMPERATURE: 25.3

SAMPLE IN COMPLIANCE: YES NO

FOR POTABLE WATER ONLY:

COLIFORM BACTERIA:

Present Absent

If Present, Date Client is

contacted with result:

Date: Contacted By:



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 2 of 5
24FC9161-

Page 47 of 51

LAB ID: M34573		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - School 54		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone:		Phone:	
		Fax:		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
14	54-01-CR-IN-130-B	6/4/2024	559		DW				X				
15	54-01-CR-IN-130-T	6/4/2024	601		DW				X				
12	54-01-CR-IN-134-B	6/4/2024	555		DW				X				
13	54-01-CR-IN-134-T	6/4/2024	557		DW				X				
7	54-01-CR-IN-136-B	6/4/2024	550		DW				X				
8	54-01-CR-IN-136-T	6/4/2024	552		DW				X				
5	54-01-CR-IN-140-B	6/4/2024	545		DW				X				
6	54-01-CR-IN-140-T	6/4/2024	547		DW				X				
21	54-01-HA-BY-104A-BF	6/4/2024	624		DW				X				
22	54-01-HA-BY-104A-DF1	6/4/2024	625		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: Joe Savoie

RELINQUISHED BY*: V. Kaptein DATE: 6/4/24 TIME: 13:54

RECEIVED BY*: *[Signature]* DATE: 6/7/24 TIME: 1100

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY*: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY*: DATE: TIME:

PRESERVATIVE/BIOCIDES: HNO3	FOR LAB USE ONLY	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 46		COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO		Present Absent
SAMPLE ON ICE? YES (NO)		If Present, Date Client is
TEMPERATURE: 25.0		contacted with result:
SAMPLE IN COMPLIANCE: YES NO		Date: _____
		Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com
Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 2 of 5
2460967

Page 48 of 51

LAB ID: M34573	REPORT TO:	INVOICE TO:
PROJECT NAME: RCSD - School 54	Company: Lozier Environmental Consulting, Inc.	Company: SAME
TURNAROUND TIME: Standard Rush	Address: 2011 East Main Street	Address:
Other:	City/State Zip: Rochester, New York 14609	City/State Zip:
	Phone:	Phone:
	Fax:	Fax:
	E-Mail: vkaptein@lozierenv.com	Purchase Order #:

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
23	54-01-HA-BY-104A-DF2	6/4/2024	626		DW				X				
9	54-01-HA-BY-135A-BF	6/4/2024	546		DW				X				
10	54-01-HA-BY-135A-DF1	6/4/2024	548		DW				X				
11	54-01-HA-BY-135A-DF2	6/4/2024	549		DW				X				
1	54-01-K-IN-137-T1	6/4/2024	540		DW				X				
2	54-01-K-IN-137-T2	6/4/2024	540		DW				X				
3	54-01-K-IN-137-T3	6/4/2024	541		DW				X				
4	54-01-K-IN-137-T4	6/4/2024	542		DW				X				
16	54-01-NO-IN-126-T	6/4/2024	606		DW				X				
47	54-01-UT-IN-125B-T	6/4/2024	740		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: Joe Savoie

RELINQUISHED BY*: V. Kaptein DATE: 6/4/24 TIME: 13:54

RECEIVED BY*: *[Signature]* DATE: 6/7/24 TIME: 1200

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY*: DATE: TIME:

RELINQUISHED BY*: DATE: TIME:

RECEIVED BY*: DATE: TIME:

PRESERVATIVE/BIOCIDES: HNO3-	FOR LAB USE ONLY
TOTAL NUMBER OF CONTAINERS: 46	FOR POTABLE WATER ONLY:
CUSTODY SEAL INTACT? YES NO	COLIFORM BACTERIA:
SAMPLE ON ICE? YES <u>NO</u>	Present Absent
TEMPERATURE: 26.3	If Present, Date Client is contacted with result:
SAMPLE IN COMPLIANCE: YES NO	Date: _____
	Contacted By: _____



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 4 of 5
2450967-4

Page 49 of 51

LAB ID: M34573	REPORT TO:	Company: Lozier Environmental Consulting, Inc.	Address: 2011 East Main Street	City/State Zip: Rochester, New York 14609	Phone: vkaptein@lozierenv.com	Fax: E-Mail: vkaptein@lozierenv.com	Purchase Order #:
PROJECT NAME: RCSD - School 54	INVOICE TO:	Company: SAME	Address: SAME	City/State Zip: SAME	Phone: SAME	Fax: SAME	
TURNAROUND TIME: Standard Rush							
Other:							

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
36	54-02-CR-IN-201-T	6/4/2024	659		DW				X				
35	54-02-CR-IN-203-T	6/4/2024	658		DW				X				
37	54-02-CR-IN-204-T	6/4/2024	701		DW				X				
34	54-02-CR-IN-206-T	6/4/2024	656		DW				X				
30	54-02-CR-IN-216-T	6/4/2024	650		DW				X				
38	54-02-CR-IN-224-T	6/4/2024	705		DW				X				
39	54-02-CR-IN-226-T	6/4/2024	707		DW				X				
44	54-02-CR-IN-230-T	6/4/2024	722		DW				X				
45	54-02-CR-IN-232-T	6/4/2024	724		DW				X				
31	54-02-HA-BY-210-BF	6/5/2024	725		DW				X				

Container Type (Circle One): Plastic Glass Sterile Other _____
SAMPLED BY: Joe Savoie

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

FOR LAB USE ONLY

RELINQUISHED BY: V Kaptein	DATE: 6/4/24	TIME: 13:54
RECEIVED BY: [Signature]	DATE: 6/7/24	TIME: 11:00
RELINQUISHED BY:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

PRESERVATIVE/BIOCIDE: HNO3-	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 46	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES NO	Present Absent
SAMPLE ON ICE? YES (NO)	If Present, Date Client is contacted with result:
TEMPERATURE: 25.3 C	Date: _____
SAMPLE IN COMPLIANCE: YES NO	Contacted By: _____

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis



2011 East Main Street, Rochester, NY 14609
Web: LozierEnv.com

Phone (585) 654-9080 Fax (585) 654-9662
E-Mail: support@lozierenv.com

Page 5 of 5
24F0967-5

LAB ID: M34573		REPORT TO:		INVOICE TO:	
PROJECT NAME: RCSD - School 54		Company: Lozier Environmental Consulting, Inc.		Company: SAME	
TURNAROUND TIME: Standard Rush		Address: 2011 East Main Street		Address:	
Other:		City/State Zip: Rochester, New York 14609		City/State Zip:	
		Phone:		Phone:	
		Fax:		Fax:	
		E-Mail: vkaptein@lozierenv.com		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	LEAD	REQUESTED ANALYSIS			
32	54-02-HA-BY-210-DF1	6/4/2024	651		DW				X				
33	54-02-HA-BY-210-DF2	6/4/2024	652		DW				X				
41	54-02-HA-BY-223-BF	6/4/2024	717		DW				X				
42	54-02-HA-BY-223-DF1	6/4/2024	718		DW				X				
43	54-02-HA-BY-223-DF2	6/4/2024	719		DW				X				
46	54-02-RM-IN-220-T	6/4/2024	732		DW				X				
40	54-02-CR-IN-228-T	6/4/2024	710		DW				X				
	DID NOT RECEIVE												

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY*: Joe Savoie

RELINQUISHED BY*: V. Kaptein DATE: 6/4/24 TIME: 13:54

RECEIVED BY*: [Signature] DATE: 6/7/24 TIME: 11:00

RELINQUISHED BY*: [Signature] DATE: _____ TIME: _____

RECEIVED BY*: [Signature] DATE: _____ TIME: _____

RELINQUISHED BY*: [Signature] DATE: _____ TIME: _____

RECEIVED BY*: [Signature] DATE: _____ TIME: _____

PRESERVATIVE/BIOCIDES: HNO3-		FOR LAB USE ONLY	
TOTAL NUMBER OF CONTAINERS: 46		FOR POTABLE WATER ONLY:	
CUSTODY SEAL INTACT? YES NO		COLIFORM BACTERIA:	
SAMPLE ON ICE? YES <u>NO</u>		Present Absent	
TEMPERATURE: 25.3C		If Present, Date Client is contacted with result:	
SAMPLE IN COMPLIANCE: YES NO		Date: _____	
		Contacted By: _____	

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

Sample Condition Upon Receipt Form (SCUR)

Project # 24K0967
Client: Lozier

Date and Initials of person:
Examining contents: _____
Label: _____
Deliver to location: _____
pH: _____

Thermometer Used: IRG4

Date: 6/7

Time: 1100

Initials: _____

State of Origin: NY

Cooler #1 Temp. °C 25.3 (Visual) 0.2 @ 0.0°C, -0.5 @ 20.0°C (Correction Factor) 25.5 (Actual) ☒ Samples on ice, cooling process has begun

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other _____

Tracking # 7167 1461304

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☐ N/A	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____