



November 24, 2025

Service Request No:R2514358

Victoria Kaptein
Lozier Environmental Consulting, Incorporated
2011 East Main Street
Rochester, NY 14609

Laboratory Results for: M40748 RCSD - School No. 7

Dear Victoria,

Enclosed are the results of the sample(s) submitted to our laboratory October 31, 2025
For your reference, these analyses have been assigned our service request number **R2514358**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE

+1 585 288 5380

FAX

+1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Received: 10/31/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Forty drinking water samples were received for analysis at ALS Environmental on 10/31/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Report revised to change sample IDs to match COC on 11/24/2025.

Approved by 

Date 11/14/2025



Sample Receipt Information

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7

Service Request:R2514358

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2514358-001	07-02-CR-IN-210	10/15/2025	
R2514358-002	07-02-CR-IN-206-T	10/15/2025	
R2514358-003	07-02-CR-IN-206-B	10/15/2025	
R2514358-004	07-02-CR-IN-201-T	10/15/2025	
R2514358-005	07-02-CR-IN-201-B	10/15/2025	
R2514358-006	07-02-CR-IN-200-T	10/15/2025	
R2514358-007	07-02-CR-IN-200-B	10/15/2025	
R2514358-008	07-02-CR-IN-202-T	10/15/2025	
R2514358-009	07-02-CR-IN-202-B	10/15/2025	
R2514358-010	07-02-GYM-IN-208	10/15/2025	
R2514358-011	07-02-GYM-IN-208	10/15/2025	
R2514358-012	07-02-GYM-IN-208	10/15/2025	
R2514358-013	07-02-GYM-IN-208	10/15/2025	
R2514358-014	07-02-GYM-IN-208	10/15/2025	
R2514358-015	07-02-GYM-IN-208	10/15/2025	
R2514358-016	07-02-GYM-IN-208	10/15/2025	
R2514358-017	07-02-HA-IN-C203-BF	10/15/2025	
R2514358-018	07-02-CR-IN-225-T	10/15/2025	
R2514358-019	07-02-CR-IN-225-B	10/15/2025	
R2514358-020	07-02-CR-IN-224-T	10/15/2025	
R2514358-021	07-02-CR-IN-224-B	10/15/2025	
R2514358-022	07-02-CR-IN-223-T	10/15/2025	
R2514358-023	07-02-CR-IN-223-B	10/15/2025	
R2514358-024	07-02-CR-IN-222-T	10/15/2025	
R2514358-025	07-02-CR-IN-222-B	10/15/2025	
R2514358-026	07-02-CR-IN-221-T	10/15/2025	
R2514358-027	07-02-CR-IN-221-B	10/15/2025	
R2514358-028	07-02-CR-IN-220-T	10/15/2025	
R2514358-029	07-02-CR-IN-220-B	10/15/2025	
R2514358-030	07-02-CR-IN-219-T	10/15/2025	
R2514358-031	07-02-CR-IN-219-B	10/15/2025	
R2514358-032	07-02-CR-IN-218-T	10/15/2025	
R2514358-033	07-02-CR-IN-218-B	10/15/2025	
R2514358-034	07-02--IN-247	10/15/2025	
R2514358-035	07-03-HA-BY-332	10/15/2025	
R2514358-036	07-03-HA-BY-332	10/15/2025	
R2514358-037	07-03-HA-BY-332	10/15/2025	
R2514358-038	07-03-CR-IN-B300-T	10/15/2025	
R2514358-039	07-03-CR-IN-B300-B	10/15/2025	
R2514358-040	07-03-CR-IN-B301-T	10/15/2025	



REPORT TO:		INVOICE TO:	
Company:	Lozier Environmental Consulting, Inc.	Company:	(SAME)
Address:	2011 East Main Street	Address:	
City, State Zip:	Rochester NY 14609	City, State Zip:	
Phone:	585-654-9080	Fax:	585-654-9662
Other:	E-Mail: support@lozierenv.com	Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS					
									Lead					
41	07-02-CR-IN-210	10/15/2025	6:27		DW				x					
42	07-02-CR-IN-206-T	10/15/2025	6:32		DW				x					
43	07-02-CR-IN-206-B	10/15/2025	6:32		DW				x					
44	07-02-CR-IN-201-T	10/15/2025	6:37		DW				x					
45	07-02-CR-IN-201-B	10/15/2025	6:37		DW				x					
46	07-02-CR-IN-200-T	10/15/2025	6:40		DW				x					
47	07-02-CR-IN-200-B	10/15/2025	6:40		DW				x					
48	07-02-CR-IN-202-T	10/15/2025	6:45		DW				x					
49	07-02-CR-IN-202-B	10/15/2025	6:45		DW				x					
50	07-02-GYM-IN-208	10/15/2025	6:52		DW				x					

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe	DATE: 10/28/2025	TIME:
RECEIVED BY: <i>[Signature]</i>	DATE: 10/31	TIME: 1630
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3-	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS: 93	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES	Present Absent
SAMPLE ON ICE? NO	If Present, Date Client is
TEMPERATURE: _____	result:
SAMPLE IN COMPLIANCE	

R2514358
Lozier Environmental Consulting, Incorporated
M40748 RCSD - School No. 7



REPORT TO:				INVOICE TO:			
Company: Lozier Environmental Consulting, Inc.				Company: (SAME)			
Address: 2011 East Main Street				Address:			
City, State Zip: Rochester NY 14609				City, State Zip:			
Phone: 585-654-9080 Fax: 585-654-9662				Phone: Fax:			
E-Mail: support@lozierenv.com				Purchase Order #:			

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS					
									Lead					
51	07-02-GYM-IN-208	10/15/2025	6:52		DW			w/ single fountain	x					
52	07-02-GYM-IN-208	10/15/2025	6:54		DW				x					
53	07-02-GYM-IN-208	10/15/2025	6:54		DW				x					
54	07-02-GYM-IN-208	10/15/2025	6:54		DW			w/ double fountain	x					
55	07-02-GYM-IN-208	10/15/2025	7:03		DW				x					
56	07-02-GYM-IN-208	10/15/2025	7:03		DW				x					
57	07-02-HA-IN-C203-BF	10/15/2025	7:03		DW				x					
58	07-02-CR-IN-225-T	10/15/2025	7:05		DW				x					
59	07-02-CR-IN-225-B	10/15/2025	7:05		DW				x					
60	07-02-CR-IN-224-T	10/15/2025	7:09		DW				x					

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe	DATE: 10/28/2025	TIME:
RECEIVED BY: <i>[Signature]</i>	DATE: 10/31	TIME: 1630
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3-	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS 93	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES	Present Absent
SAMPLE ON ICE? NO	If Present, Date Client is
TEMPERATURE: _____ C	contacted with result:
SAMPLE IN COMPLIANCE: YES	Date: _____
	Contacted By: _____



REPORT TO:		INVOICE TO:	
Company:	Lozier Environmental Consulting, Inc.	Company:	(SAME)
Address:	2011 East Main Street	Address:	
City, State Zip:	Rochester NY 14609	City, State Zip:	
Phone:	585-654-9080	Fax:	585-654-9662
Other:	E-Mail: support@lozierenv.com	Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS					
									Lead					
61	07-02-CR-IN-224-B	10/15/2025	7:09		DW				x					
62	07-02-CR-IN-223-T	10/15/2025	7:11		DW				x					
63	07-02-CR-IN-223-B	10/15/2025	7:11		DW				x					
64	07-02-CR-IN-222-T	10/15/2025	7:13		DW				x					
65	07-02-CR-IN-222-B	10/15/2025	7:14		DW				x					
66	07-02-CR-IN-221-T	10/15/2025	7:16		DW				x					
67	07-02-CR-IN-221-B	10/15/2025	7:16		DW				x					
68	07-02-CR-IN-220-T	10/15/2025	7:16		DW				x					
69	07-02-CR-IN-220-B	10/15/2025	7:16		DW				x					
70	07-02-CR-IN-219-T	10/15/2025	7:18		DW				x					

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe	DATE: 10/28/2025	TIME:
RECEIVED BY: <i>[Signature]</i>	DATE: 10/31	TIME: 1630
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3-	FOR POTABLE WATER ONLY:
TOTAL NUMBER OF CONTAINERS 93	COLIFORM BACTERIA:
CUSTODY SEAL INTACT? YES	Present Absent
SAMPLE ON ICE? NO	If Present, Date Client is
TEMPERATURE: _____ C	contacted with result:
SAMPLE IN COMPLIANCE: YES	Date: _____
	Contacted By: _____



REPORT TO:		INVOICE TO:	
Company: Lozier Environmental Consulting, Inc.		Company: (SAME)	
Address: 2011 East Main Street		Address:	
City, State Zip: Rochester NY 14609		City, State Zip:	
Phone: 585-654-9080 Fax: 585-654-9662		Phone: Fax:	
Other:		Purchase Order #:	

LAB ID (Lab Use Only)	SAMPLE DESCRIPTION / LOCATION	DATE	TIME	AIR	WATER: P=Potable NP=Non-Potable	SOIL / SOLID	WIPE / SWAB / TAPE LIFT	SAMPLE COMMENTS	REQUESTED ANALYSIS					
									Lead					
71	07-02-CR-IN-219-B	10/15/2025	7:18		DW				x					
72	07-02-CR-IN-218-T	10/15/2025	7:20		DW				x					
73	07-02-CR-IN-218-B	10/15/2025	7:20		DW				x					
74	07-02-IN-247	10/15/2025	7:22		DW				x					
75	07-03-HA-BY-332	10/15/2025	7:28		DW				x					
76	07-03-HA-BY-332	10/15/2025	7:28		DW				x					
77	07-03-HA-BY-332	10/15/2025	7:28		DW				x					
78	07-03-CR-IN-B300-T	10/15/2025	7:38		DW				x					
79	07-03-CR-IN-B300-B	10/15/2025	7:38		DW				x					
80	07-03-CR-IN-B301-T	10/15/2025	7:40		DW				x					

Container Type (Circle One): Plastic Glass Sterile Other _____

Delivery (Circle One): Client Drop-Off / Courier (Tracking # _____)

SAMPLED BY* Joe Savioe

RELINQUISHED BY*: Joe Savioe	DATE: 10/28/2025	TIME:
RECEIVED BY: <i>[Signature]</i>	DATE: 10/31	TIME: 1630
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:
RELINQUISHED BY*:	DATE:	TIME:
RECEIVED BY:	DATE:	TIME:

*The above signatures hereby authorize subcontracting of samples as required for laboratory analysis

FOR LAB USE ONLY	
PRESERVATIVE/BIOCIDE: HNO3- TOTAL NUMBER OF CONTAINERS 93 CUSTODY SEAL INTACT? YES SAMPLE ON ICE? NO TEMPERATURE: _____ C SAMPLE IN COMPLIANCE: YES	FOR POTABLE WATER ONLY: COLIFORM BACTERIA: Present Absent If Present, Date Client is contacted with result: Date: _____ Contacted By: _____



R2514358

5

Lozier Environmental Consulting, Incorporated
M40748 RCSD - School No. 7

Cooler Receipt and Preservation

Project/Client Lozier Folder Number _____Cooler received on 10/31 by: AGCOURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <u>N</u>
2	Custody papers properly completed (ink, signed)?	Y <u>N</u>
3	Did all bottles arrive in good condition (unbroken)?	Y <u>N</u>
4	Circle: Wet Ice Dry Ice Gel packs present?	Y <u>N</u>

5a	Did VOA vials have sig* bubbles?	Y N <u>NA</u>
5b	Sig* bubbles: Alk? Y N <u>NA</u> Sulfide? Y N <u>NA</u>	
6	Where did the bottles originate?	<u>ALS/ROC</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<u>NA</u>

8. Temperature Readings Date: 10/31 Time: 1630 ID: IR#12 IR#11 From: Temp Blank Sample Bottle

Temp (°C)	<u>16.8</u>						
Within 0-6°C?	Y <u>N</u>	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
 & Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMD by AG on 10/31 at 1630
 5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 11/4 Time: 2100 by: AG

9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
 10. Did all bottle labels and tags agree with custody papers? YES NO
 11. Were correct containers used for the tests indicated? YES NO
 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO N/A
 13. Were dissolved metals filtered in the field? YES NO N/A
 14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2	<u>802325</u>	HNO ₃	<u>X</u>							
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃								
		ZnAcetate	-	-						
		HCl	**	**						

**VOAs and 1664 Not to be tested before analysis.
 Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: _____

Explain all Discrepancies/ Other Comments: _____

HPROD	BULK
HTR	FLDT
SUB	HQFB
ALS	LL3541

Labels secondary reviewed by: AG

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.	+	Correlation coefficient for MSA is <0.995.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).	N	Inorganics- Matrix spike recovery was outside laboratory limits.
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.	N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.	S	Concentration has been determined using Method of Standard Additions (MSA).
E	Organics- Concentration has exceeded the calibration range for that specific analysis.	W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.	P	Concentration >40% difference between the two GC columns.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.	C	Confirmed by GC/MS
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.	Q	DoD reports: indicates a pesticide/Aroclor is not confirmed ($\geq 100\%$ Difference between two GC columns).
#	Spike was diluted out.	X	See Case Narrative for discussion.
		MRL	Method Reporting Limit. Also known as:
		LOQ	Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
		MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
		LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
		ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations¹



NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to <https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx>.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-CR-IN-210
Lab Code: R2514358-001
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-206-T
Lab Code: R2514358-002
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-206-B
Lab Code: R2514358-003
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-201-T
Lab Code: R2514358-004
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-201-B
Lab Code: R2514358-005
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-CR-IN-200-T
Lab Code: R2514358-006
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-200-B
Lab Code: R2514358-007
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-202-T
Lab Code: R2514358-008
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-202-B
Lab Code: R2514358-009
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-010
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-011
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-012
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-013
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-014
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-015
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-016
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-HA-IN-C203-BF
Lab Code: R2514358-017
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-225-T
Lab Code: R2514358-018
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-225-B
Lab Code: R2514358-019
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-224-T
Lab Code: R2514358-020
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-CR-IN-224-B
Lab Code: R2514358-021
Sample Matrix: Drinking Water

Date Collected: 10/15/25
Date Received: 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-223-T
Lab Code: R2514358-022
Sample Matrix: Drinking Water

Date Collected: 10/15/25
Date Received: 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-223-B
Lab Code: R2514358-023
Sample Matrix: Drinking Water

Date Collected: 10/15/25
Date Received: 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-222-T
Lab Code: R2514358-024
Sample Matrix: Drinking Water

Date Collected: 10/15/25
Date Received: 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-222-B
Lab Code: R2514358-025
Sample Matrix: Drinking Water

Date Collected: 10/15/25
Date Received: 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-CR-IN-221-T
Lab Code: R2514358-026
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-221-B
Lab Code: R2514358-027
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-220-T
Lab Code: R2514358-028
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-220-B
Lab Code: R2514358-029
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-219-T
Lab Code: R2514358-030
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-02-CR-IN-219-B
Lab Code: R2514358-031
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-218-T
Lab Code: R2514358-032
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02-CR-IN-218-B
Lab Code: R2514358-033
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-02--IN-247
Lab Code: R2514358-034
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-035
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7/

Service Request: R2514358

Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-036
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-037
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-03-CR-IN-B300-T
Lab Code: R2514358-038
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-03-CR-IN-B300-B
Lab Code: R2514358-039
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN

Sample Name: 07-03-CR-IN-B301-T
Lab Code: R2514358-040
Sample Matrix: Drinking Water

Date Collected: 10/15/25**Date Received:** 10/31/25

Analysis Method
200.8

Extracted/Digested By

Analyzed By
MKASTAN



PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":

For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.



Sample Results

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Metals

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-210
Lab Code: R2514358-001

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:07	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-206-T
Lab Code: R2514358-002

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:15	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-206-B
Lab Code: R2514358-003

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-201-T
Lab Code: R2514358-004

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-201-B
Lab Code: R2514358-005

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:20	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-200-T
Lab Code: R2514358-006

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-200-B
Lab Code: R2514358-007

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-202-T
Lab Code: R2514358-008

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:24	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-202-B
Lab Code: R2514358-009

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-010

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-011

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:29	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-012

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:33	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-013

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:35	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-014

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:36	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-015

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:38	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-016

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-HA-IN-C203-BF
Lab Code: R2514358-017

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:53	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-225-T
Lab Code: R2514358-018

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:55	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-225-B
Lab Code: R2514358-019

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:56	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-224-T
Lab Code: R2514358-020

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:58	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-224-B
Lab Code: R2514358-021

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:59	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-223-T
Lab Code: R2514358-022

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-223-B
Lab Code: R2514358-023

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:06	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-222-T
Lab Code: R2514358-024

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:07	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-222-B
Lab Code: R2514358-025

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-221-T
Lab Code: R2514358-026

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:10	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-221-B
Lab Code: R2514358-027

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:12	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-220-T
Lab Code: R2514358-028

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:13	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-220-B
Lab Code: R2514358-029

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:15	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-219-T
Lab Code: R2514358-030

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-219-B
Lab Code: R2514358-031

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-218-T
Lab Code: R2514358-032

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02-CR-IN-218-B
Lab Code: R2514358-033

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:24	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-02--IN-247
Lab Code: R2514358-034

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-035

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-036

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:38	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-037

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:42	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-CR-IN-B300-T
Lab Code: R2514358-038

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-CR-IN-B300-B
Lab Code: R2514358-039

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: 07-03-CR-IN-B301-T
Lab Code: R2514358-040

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25 16:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:47	



QC Summary Forms

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com



Metals

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: Method Blank
Lab Code: R2514358-MB1

Service Request: R2514358
Date Collected: NA
Date Received: NA
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 10:57	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: Method Blank
Lab Code: R2514358-MB2

Service Request: R2514358
Date Collected: NA
Date Received: NA
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 11:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water
Sample Name: Method Blank
Lab Code: R2514358-MB3

Service Request: R2514358
Date Collected: NA
Date Received: NA
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	1.0 U	ug/L	1.0	1	11/12/25 12:35	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25
Date Analyzed: 11/12/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name: 07-02-CR-IN-210
Lab Code: R2514358-001
Analysis Method: 200.8

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike R2514358-001MS		Result	Duplicate Matrix Spike R2514358-001DMS		% Rec Limits	RPD	RPD Limit
			Spike Amount	% Rec		Spike Amount	% Rec			
Lead, Total	1.0 U	19.7	20.0	98	19.9	20.0	99	70-130	1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25
Date Analyzed: 11/12/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-015
Analysis Method: 200.8

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike R2514358-015MS		Result	Duplicate Matrix Spike R2514358-015DMS		% Rec Limits	RPD	RPD Limit
			Spike Amount	% Rec		Spike Amount	% Rec			
Lead, Total	1.0 U	18.8	20.0	94	18.8	20.0	94	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25
Date Analyzed: 11/12/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name: 07-02-GYM-IN-208
Lab Code: R2514358-016
Analysis Method: 200.8

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike R2514358-016MS		Result	Duplicate Matrix Spike R2514358-016DMS		% Rec Limits	RPD	RPD Limit
			Spike Amount	% Rec		Spike Amount	% Rec			
Lead, Total	1.0 U	18.6	20.0	93	19.0	20.0	95	70-130	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25
Date Analyzed: 11/12/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-035
Analysis Method: 200.8

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike		Result	Duplicate Matrix Spike		% Rec Limits	RPD	RPD Limit
			Spike Amount	% Rec		Spike Amount	% Rec			
Lead, Total	1.0 U	19.2	20.0	96	19.1	20.0	95	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Collected: 10/15/25
Date Received: 10/31/25
Date Analyzed: 11/12/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name: 07-03-HA-BY-332
Lab Code: R2514358-036
Analysis Method: 200.8

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike		Result	Duplicate Matrix Spike		% Rec Limits	RPD	RPD Limit
			Spike Amount	% Rec		Spike Amount	% Rec			
Lead, Total	1.0 U	19.6	20.0	98	19.5	20.0	98	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358

Date Analyzed: 11/12/25

Lab Control Sample Summary

Inorganic Parameters

Units:ug/L

Basis:NA

Lab Control Sample

R2514358-LCS1

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	20.2	20.0	101	85-115

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Analyzed: 11/12/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2514358-LCS2

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	20.2	20.0	101	85-115

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Lozier Environmental Consulting, Incorporated
Project: M40748 RCSD - School No. 7
Sample Matrix: Drinking Water

Service Request: R2514358
Date Analyzed: 11/12/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2514358-LCS3

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	20.5	20.0	103	85-115