ALLEN PARK PUBLIC SCHOOLS

REQUEST FOR PROPOSAL (RFP)

Food Service Equipment Purchase — School Nutrition Program

1. RFP Identification

RFP Number: FSD FY27-001

Issue Date: 10/06/2026

Issuing Department: Food & Nutrition Department

Food Service Coordinator (Contact): Lamar Davis

Phone / Email: 313-827-2185 / Davisla@appublicschools.com

Advertisement Posting Date (allenparkschools.com): 10/06/2026

Advertisement Minimum Run Length: 30 Days

Minimum 30 calendar days, per Allen Park Public Schools procurement procedures, Section V.1.

Written Questions Deadline: Friday 11/13/2026 at 2:00 PM Eastern Time

Written Answers / Addenda Issued By: Friday 11/20/2026, in writing to all known offerors (Lamar Davis, Food Service Coordinator)

Pre-Proposal Meeting Date/Time/Location (if any): N/A

Is Attendance at Pre-Proposal Meeting Mandatory for Award? (Y/N): N

Proposal Due Date and Time: Monday 12/07/2026 at 2:00 PM Eastern Time

Minimum 60 days from the date information/specifications are given to vendors to the proposal opening, per Section V.1.

Submission Location / Method: Food Service Office, Central Administration Building, 9601 Vine Ave., Allen Park, MI 48101, Attn: Lamar Davis. Sealed envelope marked "RFP FSD FY27-001, Do Not Open," with one (1) original and one (1) copy. Electronic submissions are not accepted. Late proposals will be returned unopened.

Proposal Opening: Monday 12/07/2026 at 2:00 PM Eastern Time, at the submission location above. Only the names of offerors submitting proposals will be read aloud; prices are not read or disclosed until after evaluation.

Optional Site Visit: By appointment with the Food Service Coordinator through 11/13/2026 (not mandatory). Any information provided during a site visit will be shared with all known offerors by written addendum.

Anticipated Board of Education Approval Date: January 25, 2027

Anticipated Award Notification: In writing, by email, within five (5) business days after Board of Education approval.

Contract Period: From execution of the purchase order/contract through final written acceptance of all installed equipment and expiration of the warranty period in Section 14.

2. Background and Purpose

Allen Park Public Schools is soliciting proposals from qualified vendors to furnish, deliver and install 33 line items (34 units) of mobile serving counters, hot and cold food units, cashier stands, sneeze guards, grab-and-go

merchandisers and induction cooking equipment at Allen Park High School, 9601 Vine Rd, Allen Park, MI 48101 as described in Section 5 (Scope of Work / Specifications) for use in the District's School Nutrition Program.

This procurement is conducted as a formal Request for Proposal because the estimated purchase price meets or exceeds the State of Michigan competitive bidding threshold under MCL 380.1274 — the applicable threshold here, per the District's 'most restrictive procurement method' rule (Procurement Procedures, Section I.D) — and because the purchase is funded in whole or in part with federal Child Nutrition Program funds, which independently require documented full and open competition under 2 CFR Part 200, Subpart D.

3. Capital Equipment Pre-Approval

Per Section II of the Procurement Procedures, because the per-unit cost of this equipment is expected to exceed the District's $10,000 capitalization threshold, the following must be completed and documented before this RFP is issued:

- Reviewed the MDE Pre-Approved Food Service Equipment List for each item. Result: All items in this solicitation were verified as being on the MDE Pre-Approved Food Service Equipment List as of 10/5/2026; documentation is retained in the procurement file.
- MDE Equipment and Other Capital Expenditure Request Form: not required, because every item is on the Pre-Approved List.

4. Funding Source and Compliance Notice

This procurement is funded, in whole or in part, by:

- [ ] USDA Child Nutrition Equipment Assistance Grant (Award #: _____)
- [X] National School Lunch Program / School Breakfast Program nonprofit school food service account funds
- [ ] Other federal source: _____
- [ ] District General Fund / local funds (no federal funds)

Because federal funds are involved, this procurement complies with 2 CFR §§ 200.317–200.327 and includes the required contract provisions of 2 CFR Part 200, Appendix II, as reflected in Section 10 below, consistent with the District's Procurement Procedures, Section I and Section V.

5. Scope of Work / Equipment Specifications

FOOD SERVICE EQUIPMENT - Equipment Specifications and Quantities (Items 1–33)

District /Entity Name	*ALLEN PARK PUBLIC SCHOOLS- HIGH SCHOOL*	**Lamar J Davis – Allen Park Public Schools Food Service Coordinator**
District /Entity	*9601 Vine Rd Allen Park, Michigan 48101*	

Address		
Contact Name & Phone #	***313-827-2185***	-
E-Mail	Davisla@appublicschools.com	

Item #	Quantity	Description Of Equipment	Manufacturer Name or Equal	Install?	Remove old?	Select help?
1	1	**CASH REGISTER STAND** Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish CS-DR Stainless steel drawer, no lock, for TCS cashier stand MOD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top 9"on customer side in lieu of tray slides, with 4" turn down except cash drawer CORD-10 10 ft. cord & plug E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source CUT-OPI-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location) MOD-HT Special Height Body, per unit	Duke Manufacturing Model No. TCS-30PG	Yes	Yes	No

		MOD-HT-34 34" Height Body MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling				
2	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-32PG Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor	Duke Manufacturing Model No. TST-32PG	Yes	Yes	No
3	**1**	**OPEN DISPLAY MERCHANDISER** GTI Designs Model No. URPT-1250 United Refrigerated Multideck Pass Through Grab and Go Merchandiser, Rear pass through doors, Self-Contained, 51.75"W, 79"H, 695 Lbs Net Weight, (4) tiers of shelving, electronic digital control, 220v/60/1-ph, 25 amps, ETL, ETL-Sanitation. 1 year parts and labor warranty, standard 1 ea Self contained refrigeration, standard Glass side panels, standard LED lights on all shelves, standard 1 ea LED light on top interior, standard Vertical LED lights interior, standard (4) tiers adjustable flat/angled shelves, standard 1 ea 3" heavy duty casters, standard Product Guards on each shelf, standard 1 ea Product tag clips on each shelf, standard Electric Condensate Pan, standard Electric Locking Gate (net) Stainless steel finish, standard	GTI Designs Model No. URPT-1250	Yes	Yes	No
4	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D	Duke Manufacturing Model No. TST-46PG	Yes	Yes	No

		x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 1 ea 217102 Silver Hammer powder coat paint finish 1 ea MOD-14-3 14ga stainless steel top, in lieu of standard 1 ea MOD-12-46 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides 1 ea CORD-10 10 ft. cord & plug 1 ea CUT-OPI-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location) 1 ea MOD-HT Special Height Body, per unit 1 ea MOD-HT-34 34" Height Body 1 ea MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling 1 ea K12-WARR K-12 School Warranty- (2) years parts and labor				
5	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TTU-45PG Thurmaduke™ Triangle Unit, 45° corner, must attach to an adjacent unit, 32" triangle, 36"H, 16ga stainless steel top, 20ga paint grip steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF 1 ea 217102 Silver Hammer powder coat paint finish 1 ea MOD-14-2 14ga stainless steel top, in lieu of standard 1 ea MOD-12-32 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides 1 ea MOD-HT Special Height Body, per unit 1 ea MOD-HT-34 34" Height Body 1 ea MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling 1 ea K12-WARR K-12 School Warranty - (2) years parts and labor	Duke Manufacturing Model No. TTU-45PG	Yes	Yes	No
6	**1**	**HOT FOOD SERVING COUNTER/ TABLE** Duke Manufacturing Model No. TWHF-60PGThurmaduke™ Ganged Waterless Well,	Duke Manufacturing Model No.	Yes	Yes	No

		mobile, electric, 60"W x32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells,touch screen controls, paint grip steel body & undershelf, dishshelf, 5" dia. swivel casters with brakes, 6' cord & plug, cULus, ULEPH ClassifiedVoltage/phase to be confirmed by District addendum (see Open Specification Items, Section 5) 217102 Silver Hammer powder coat paint finish MOD-14-4 14ga stainless steel top, in lieu of standard "MOD-12-60 Extend width of top to extend body 9""on customerside in lieu of tray slides, with 4"" turn down on all sides" ILD Internal Locking Device (right operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body "MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed,screw attached, 1/2"" above floor for easy rolling" K12-WARR K-12 School Warranty-(2) years parts and labor "CUSTOM Electric Inter-Connect, stainless steel box & cover,receptacles & breakers, mounted in base and wired," "CUSTOM Installation of foodguards supplied by dealer Installed byDuke including wiring" NOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipment NOTE: glass guards packed separately for jobsite installation	TWHF-60PG			
7	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. TM2N-A TM2N-A - 1" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (USP); 644B-3/1 SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 60" CL LENGTH; APPROX 156 LBS EA (2 END SUPPORTS)	Premier Metal & Glass Model No. TM2N-A	Yes	Yes	No
8	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-18PG Thurmaduke™ Solid Top Unit, utility counter,	Duke Manufacturing Model No.	Yes	Yes	No

		18"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 6"H stainless steel legs with adjustable feet (casters prohibited due to tipping), NSF 217102 Silver Hammer powder coat paint finish MOD-14-114ga stainless steel top, in lieu of standard "MOD-12-18 Extend width of top to extend body 9""on customer side in lieu of tray slides, with 4"" turn down on all sides" ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body "MOD-2S-1OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2"" above floor for easy rolling" K12-WARR K-12 School Warranty- (2) years parts and labor	TST-18PG			
9	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-18PG Thurmaduke™ Solid Top Unit, utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 6"H stainless steel legs with adjustable feet (casters prohibited due to tipping), NSF 217102 Silver Hammer powder coat paint finish MOD-14-114ga stainless steel top, in lieu of standard "MOD-12-18 Extend width of top to extend body 9""on customer side in lieu of tray slides, with 4"" turn down on all sides" ILD Internal Locking Device (right operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-1OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years	Duke Manufacturing Model No. TST-18PG	Yes	Yes	No

		parts and labor				
10	**1**	**HOT FOOD SERVING COUNTER/ TABLE**Duke Manufacturing Model No. TWHF-60PGThurmaduke™ Ganged Waterless Well, mobile, electric, 60"W x32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, touch screen controls, paint grip steel body & undershelf, dishshelf, 5" dia. swivel casters with brakes, 6' cord & plug, cULus, ULEPH ClassifiedVoltage/phase to be confirmed by District addendum (see Open Specification Items, Section 5) 217102 Silver Hammer powder coat paint finish MOD-14-4 14ga stainless steel top, in lieu of standard MOD-12-60 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides ILD Internal Locking Device (left operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height) CORD-10 10 ft. cord & plug MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor CUSTOM Electric Inter-Connect, stainless steel box & cover, receptacles & breakers, mounted in base and wired, CUSTOM Installation of foodguards supplied by dealer Installed by Duke including wiring NOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipment NOTE: glass guards packed separately for jobsite installation	Duke Manufacturing Model No. TWHF-60PG	Yes	Yes	No
11	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. TM2N-A TM2N-A-1" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (USP); 644B-3/1 SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS	Premier Metal & Glass Model No. TM2N-A	Yes	Yes	No

		FINISH; APPROX 60" CL LENGTH; APPROX 156 LBS EA (2 END SUPPORTS)				
12	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TTU-45PG Thurmaduke™ Triangle Unit, 45° corner, must attach to an adjacent unit, 32" triangle, 36"H, 16ga stainless steel top, 20ga paint grip steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides ILD Internal Locking Device (on both ends connecting to item 5 & 7), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor	Duke Manufacturing Model No. TTU-45PG	Yes	Yes	No
13	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-3 14ga stainless steel top, in lieu of standard "MOD-12-46 Extend width of top to extend body 9""on customer side in lieu of tray slides, with 4"" turn down on all sides" CORD-10 10 ft. cord & plug "E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel	Duke Manufacturing Model No. TST-46PG	Yes	Yes	No

		cover, wired to" existing power source "CUT-OPl-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)" MOD-HT Special Height Body, per unit 1 ea MOD-HT-34 34" Height Body 1 ea MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling				
14	**1**	**OPEN DISPLAY MERCHANDISER** GTI Designs Model No. URPT-1250 United Refrigerated Multideck Pass Through Grab and Go Merchandiser, Rear pass through doors, Self-Contained, 51.75"W, 79"H, 695 Lbs Net Weight, (4) tiers of shelving, electronic digital control, 220v/60/1-ph, 25 amps, ETL, ETL-Sanitation. 1 year parts and labor warranty, standard Self contained refrigeration, standard Glass side panels, standard LED lights on all shelves, standard LED light on top interior, standard Vertical LED lights interior, standard (4) tiers adjustable flat/angled shelves, standard 3" heavy duty casters, standard Product Guards on each shelf, standard Product tag clips on each shelf, standard Electric Condensate Pan, standard Electric Locking Gate (net) Stainless steel finish, standard	GTI Designs Model No. URPT-1250	Yes	Yes	No
15	**1**	**SERVING COUNTER, UTILITY**Duke Manufacturing Model No. TST-32PGThurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"Dx 36"H, 16ga stainless steel top, 20ga paint grip steel body &undershelves, 5" dia. gray poly swivel casters & brakes, NSF217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard "MOD-12-32 Extend width of top to extend body 9""on customerside in lieu of tray slides, with 4"" turn down on all sides" MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body M OD-2S- 2CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty - (2) years parts and labor	Duke Manufacturing Model No. TST-32PG	Yes	Yes	No

16	**1**	**CASH REGISTER STAND** Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W , 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish CS-DR Stainless steel drawer, no lock, for TCS cashier stand M OD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top 9"on customer side in lieu of tray slides, with 4" turn down except cash drawer COR D-10 10 ft. cord & plug "E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to" existing power source CUT-OPI-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor	Duke Manufacturing Model No. TCS-30PG	Yes	Yes	No
17	**1**	**CASH REGISTER STAND** Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier St an d, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish CS-DR Stainless steel drawer, no lock, for TCS cashier stand MOD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top 9"on customer	Duke Manufacturing Model No. TCS-30PG	Yes	Yes	No

		side in lieu of tray slides, with 4" turn down except cash drawer CORD-10 10 ft. cord & plug E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source CUT-OPI-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty - (2) years parts and labor				
18	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-32PG Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard "MOD-12-32 Extend width of top to extend body 9""on customer side in lieu of tray slides, with 4"" turn down on all sides" MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body "MOD-2S-2CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2"" above floor for easy rolling" K12-WARR K-12 School Warranty - (2) years parts and labor	Duke Manufacturing Model No. TST-32PG	Yes	Yes	No
19	**1**	**SERVING COUNTER, UTILITY**Duke Manufacturing Model No. TST-88PGThurmaduke™ Solid Top Unit, mobile utility counter, 88"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF217102 Silver Hammer powder coat paint finish MOD-14-6 14ga stainless steel top, in lieu of standard "TDST-X-2 For recessed top (to	Duke Manufacturing Model No. TST-88PG	Yes	Yes	No

		accommodate griddles, fryers, etc.):To standard unit price...ADD (for TST models)" *For item 21, Spring USA cooking top, model #ICB234-18* CORD-10 10 ft. cord & plug "MOD-LEG 6"" high stainless steel legs in lieu of standard casters,with stainless steel adjustable foot" MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body "329-6PG Hinged doors, no lock, paint grip steel to match body,recessed stainless steel pull" **Hinged doors** "MOD-2S-6CU Kick Plate, customer's side, stainless steel, recessed,screw attached, 1/2"" above floor for easy rolling" K12-WARR K-12 School Warranty- (2) years parts and labor CUSTOM Installation of equipment supplied by dealer Installed by Duke including wiring "Factory Installation of Dealer Supplied Food Guards*NOTE: It is the responsibility of the Dealer to provide Food" Guards and ship to Duke* *For item 20, PMG guard model #FMIV* TDST-MOD For special height rail "LOUVER Stainless louvered panel at customer side for drop-inventilation" "Factory Installation of Dealer Supplied Induction Drop-In*NOTE: It is the responsibility of the Dealer to provide Induction" Drop-In and ship to Duke* *For item 21, Spring USA Induction Drop-In NOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipment NOTE: glass guards packed separately for jobsite installation "ICB CUSTOM Electric inter connect box with outlets breakers andcord, mounted in the base" **5-15R For guard lights** **L14-50P For Spring USA #ICB234-18** (32.9A, 4000W)				
20	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. FMIV FMIV-A-1" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH NO TOP SHELF; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (FIXED); 644B-3/1 SURFACE MOUNTING OPTION; NO HEAT/LIGHT INCLUDED; BRUSHED STAINLESS FINISH; APPROX 88" CL LENGTH; APPROX 118 LBS EA (2 END AND 1 CENTER SUPPORTS)	Premier Metal & Glass Model No. FMIV FMIV-A-1	Yes	Yes	No
21	**2**	**INDUCTION RANGE, BUILT IN/DROP IN** Spring USA Model No. ICB234-18	Spring USA Model No.	Yes	Yes	No

		MAX Induction™ Cooking System, built-in, (2) 1800 watt MAX Induction® ranges (SM-181R), (1) induction air filter system (AF- 350), integrated power management system (PM-2251), 20 cook modes, temperature range 100°F to 400°F, individual SmartScan® controls, stainless steel, 208-240v/60/1-ph, 32.9 amps, 4.0kW, NEMA 14-50P, ETL, UL-STD 197, NSF-ANSI STD 4, UL-ANSI/NSF No. 2, FCC, cETL (custom product)	ICB234-18			
22	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TTU-45PG Thurmaduke™ Triangle Unit, 45° corner, must attach to an adjacent unit, 32" triangle, 36"H, 16ga stainless steel top, 20ga paint grip steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body "MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2"" above floor for easy rolling" K12-WARR K-12 School Warranty- (2) years parts and labor	Duke Manufacturing Model No. TTU-45PG	Yes	Yes	No
23	**1**	**HOT FOOD SERVING COUNTER/ TABLE** Duke Manufacturing Model No. TWHF-60PG Thurmaduke™ Ganged Waterless Well, mobile, electric, 60"W x 32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, touch screen controls, paint grip steel body & undershelf, dish shelf, S" dia. swivel casters with brakes, 6' cord & plug, cULus, UL EPH Classified Voltage/phase to be confirmed by District addendum (see Open Specification Items, Section 5) 217102 Silver Hammer powder coat paint finish MOD-14-4 14ga stainless steel top, in lieu of standard "MOD-12-60 Extend width of top to extend body 9""on customer side in lieu of tray slides , with 4"" turn down on	Duke Manufacturing Model No. TWHF-60PG	Yes	Yes	No

		all sides" ILD Internal Locking Device (rt on operator, stainless steel pin & "latch line up device under countertop, per unit price (Note: Units required to be portable)" 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty - (2) years parts and labor CUSTOM Installation of foodguards supplied by dealer Installed by Duke including wiring NOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipment NOTE: glass guards packed separately for jobsite installation CUSTOM Electric Inter-Connect, stainless steel box & cover, receptacles & breakers, mounted in base and wired,				
24	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. TM2N-A TM2N-A-1" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (USP); 644B-3/1 SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 60" CL LENGTH; APPROX 156 LBS EA (2 END SUPPORTS)	Premier Metal & Glass Model No. TM2N-A	Yes	Yes	No
25	**1**	**SERVING COUNTER, UTILITY**Duke Manufacturing Model No. TST-46PGThurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"Dx 36"H, 16ga stainless steel top, 20ga paint grip steel body &undershelves, 5"	Duke Manufacturing Model No. TST-46PG	Yes	Yes	No

		dia. gray poly swivel casters & brakes, NSF217102 Silver Hammer powder coat paint finish MOD-14-3 14ga stainless steel top, in lieu of standard MOD-12-46 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides "ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)MOD-HT Special Height Body, per unit" MOD-HT-34 34" Height Body MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor				
26	**1**	**HOT FOOD SERVING COUNTER/ TABLE** Duke Manufacturing Model No. TWHF-60PG Thurmaduke™ Ganged Waterless Well, mobile, electric, 60"W x 32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, touch screen controls, paint grip steel body & undershelf, dish shelf, 5" dia. swivel casters with brakes, 6' cord & plug, cULus, UL EPH Classified Voltage/phase to be confirmed by District addendum (see Open Specification Items, Section 5) 217102 Silver Hammer powder coat paint finish MOD-14-4 14ga stainless steel top, in lieu of standard MOD-12-60 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides ILD Internal Locking Device (left operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height) CORD-10 10 ft. cord & plug MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed,	Duke Manufacturing Model No. TWHF-60PG	Yes	Yes	No

		screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor CUSTOM Electric Inter-Connect, stainless steel box & cover, receptacles & breakers, mounted in base and wired, CUSTOM Installation of foodguards supplied by dealer Installed by Duke including wiring NOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipment NOTE: glass guards packed separately for jobsite installation				
27	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. TM2N-A TM2N-A- I" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH TOP SHELF AND REAR SUPPORTS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (USP); 644B-3/1 SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 60" CL LENGTH; APPROX 156 LBS EA (2 END SUPPORTS)	Premier Metal & Glass Model No. TM2N-A	Yes	Yes	No
28	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TTU-45PG Thurmaduke™ Triangle Unit, 45° corner, must attach to an adjacent unit, 32" triangle, 36"H, 16ga stainless steel top, 20ga paint grip steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard "MOD-12-32 Extend width of top up to 12"", for a 44"" or less overall top, with stainless steel fixed brackets" M OD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy ro lling	Duke Manufacturing Model No. TTU-45PG	Yes	Yes	No

29	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit , mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-3 14ga stainless steel top, in lieu of standard "MOD-12-46 Extend width of top to extend body 9""on customer side in lieu of tray slides, with 4"" turn down on all sides" ILD Internal Locking Device (right operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) CORD-10 10 ft. cord & plug	Duke Manufacturing Model No. TST-46PG	Yes	Yes	No
30	**1**	**SERVING COUNTER, COLD FOOD**Duke Manufacturing Model No. TFCP-60PG-N7Thurmaduke™ Flush Mount Cold Pan Unit, mobile, 60"W x 32"D x36"H, 16ga stainless steel top, (4) pan size, digital control, selfcontained refrigeration, drain for each well manifolded to onelocation, hinged paint grip steel louvered grill, paint grip steelbody & undershelf, 5" dia. swivel casters with brakes, 10' cord &plug, 120v/60/1-ph, R290, NEMA 5-15, 6.8 amps, CULus, UL EPHClassified217102 Silver Hammer powder coat paint finish COND-EVAP Condensate evaporator MOD-14-4 14ga stainless steel top, in lieu of standard MOD-12-60 Extend width of top to extend body 9"on customer side in lieu of tray slides, with 4" turn down on all sides ILD Internal Locking Device (left operator), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable) CORD-10 10 ft. cord & plug E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-4OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling K12-WARR K-12 School Warranty- (2) years parts and labor CUSTOM Installation of foodguards supplied by	Duke Manufacturing Model No. TFCP-60PG-N7	Yes	Yes	No

		dealer Installed by Duke including wiringNOTE: sneeze guard is NOT included in this line item; it is furnished under the separate sneeze guard line item. NOTE: glass guards NOT assembled for shipmentNOTE: glass guards packed separately for jobsite installation				
31	**1**	**SNEEZE GUARD, STATIONARY** Premier Metal & Glass Model No. TM2NA TM 2N-A - 1" OD GEARLESS ADJUSTABLE FOOD SHIELD WITH TOP SHELF AND REAR SUPPOR TS; 3/8" CLEAR TEMPERED GLASS WITH POLISHED EDGES AND RADIUS CORNERS; BOTH END PANELS INCLUDED (USP); 644B-3/ I SURFACE MOUNTING OPTION; ULTRASLIM LED LIGHT IN COMPLEMENTARY COLORED HOUSING; BRUSHED STAINLESS FINISH; APPROX 60" CL LENGTH; APPROX 156 LBS EA (2 END SUPPORTS)	Premier Metal & Glass Model No. TM2NA	Yes	Yes	No
32	**1**	**SERVING COUNTER, UTILITY** Duke Manufacturing Model No. TST-32PG Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF 217102 Silver Hammer powder coat paint finish MOD-14-2 14ga stainless steel top, in lieu of standard "MOD-12-32 Extend width of top to extend body 9""on customer sid e in lieu of tray slides, with 4"" turn down on all sid es" MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body M OD-2S- 2CU Kick Plate, customer's si de, stainless st eel, recessed, screw att ached , 1/2" above floor for easy ro ll ing K12-WARR K-12 School Warranty- (2) years parts and labor	Duke Manufacturing Model No. TST-32PG	Yes	Yes	No
33	**1**	**CASH REGISTER STAND** Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters &	Duke Manufacturing Model No. TCS-30PG	Yes	Yes	No

		brakes, NSF 217102 Silver Hammer powder coat paint finish CS-DR Stainless steel drawer, no lock, for TCS cashier stand MOD-14-2 14ga stainless steel top, in lieu of standard MOD-12-32 Extend width of top 9"on customer side in lieu of tray slides, with 4" turn down except cash drawer CORD-10 10 ft. cord & plug "E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to" existing power source CUT-OPI-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location) MOD-HT Special Height Body, per unit MOD-HT-34 34" Height Body MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling				

Person(s) who prepared these specifications: Stiefel & Associates. Per Section V.3 of the Procurement Procedures, Stiefel & Associates, its affiliates, and anyone who participated in preparing these specifications are prohibited from submitting a bid or proposal on this RFP.

Approved Equals

Brand names and model numbers identify the quality, performance and salient characteristics required. An offeror may propose an equal product by submitting manufacturer cut sheets showing that it meets or exceeds every listed characteristic (dimensions, gauge, materials, finish, utility requirements, NSF/UL listings, and warranty) no later than the written-questions deadline in Section 1. The District will approve or deny each request in writing, by addendum to all known offerors, no later than 11/20/2026. A proposal offering an equal that was not approved by addendum may be rejected as non-responsive. Any approved equal must be identified in the "Make/Model Offered" column of Section 16.

Open Specification Items

Voltage and phase for the electric hot food units (items 6, 10, 23 and 26) will be confirmed by addendum no later than 11/20/2026. Offerors must price these units for the voltage and phase stated in that addendum.

6. Buy American Provision

The Buy American Provision (7 CFR 210.21(d)) applies to solicitations involving the purchase of a food component. This RFP is for equipment only and includes no food component; the Buy American Provision therefore does not apply to this solicitation.

7. Geographic Preference

Per USDA SP 22-2024 / CACFP 08-2024 / SFSP 13-2024, geographic or local preference is prohibited for this procurement except for unprocessed, locally grown or locally raised agricultural products — not applicable to equipment purchases. No geographic preference will be applied in this RFP.

8. Instructions to Offerors

- Proposals must be received by the date and time in Section 1. Late proposals will not be considered.
- Proposals must be signed by an individual authorized to bind the offeror, and must include a signed statement of non-collusion.
- Pricing must be firm for a minimum of 120 days from the proposal due date.
- Offerors must complete and return all forms required in Section 11.
- Withdrawal of a submitted proposal is permitted only by written notice received before the proposal due date and time; proposals may not be modified or withdrawn after the deadline.
- This solicitation does not include an option to add new or substitute products, and other public agencies may not purchase under the resulting contract (no "piggyback" provision). Additional quantities require a separate procurement.
- Contract type for this RFP: Fixed price. All prices are firm and fixed through final acceptance; no price adjustments are permitted.
- Allen Park Public Schools is responsible for all contracts it awards under this RFP.
- The District will notify all offerors of award or non-award in writing, by email, within five (5) business days after Board of Education approval. The District will not issue a purchase order until the three (3) business day protest period in Section 12 has expired.
- The District reserves the right to reject any or all proposals and waive minor informalities.
- Award basis: A single award will be made to the responsible offeror whose proposal is most advantageous to the District, price and other factors considered, for all items (1 through 33). Partial or line-item proposals will not be considered, because the units are designed to function together (interlocking line-up devices, interconnected electrical, and factory-installed guards).
- Offerors must submit the completed Section 16 pricing form, the forms in Exhibits A through F, and a W-9. Proposals missing required forms may be rejected as non-responsive.

9. Evaluation Criteria (100 Points Total — Price Must Be Highest-Weighted)

Per Section V (RFP Award) of the Procurement Procedures, price alone is not the sole basis for award, but must receive the highest point weighting of all criteria.

Criterion	Points
Price (must be the highest-weighted criterion)	40
Service Capability	15

Quality	15
Experience / References	10
Business Practices	5
Accounting and Reporting System	5
Other (specify): Delivery/installation plan and lead time	10
Total	100

Price scoring: The lowest total proposed price (Section 16) from a responsive, responsible offeror receives the full 40 price points. Every other offeror receives (lowest total price ÷ that offeror's total price) × 40 points. Scores are totaled across all criteria for a maximum of 100 points.

10. Required Federal and District Contract Provisions

The following provisions, drawn from 2 CFR Part 200, Appendix II and Section V of the District's Procurement Procedures, apply to the resulting contract. Where a provision is tied to a dollar threshold, it applies if the total contract award exceeds that amount.

Termination Clause (all contracts over $10,000)

Termination for Cause: The awarded contract may be terminated in whole or in part by either party in the event of failure to fulfill obligations, provided the other party is given at least 30 days' written notice (delivered by certified mail, return receipt requested) and an opportunity for consultation followed by a reasonable opportunity to rectify defects prior to termination.

Termination for Convenience: Allen Park Public Schools may terminate an award prior to the expiration of the term, without cause and without penalty, upon 30 days' written notice to the selected vendor.

Other Applicable Provisions

- Contractual remedies: If the contract exceeds $250,000, the District may pursue administrative, contractual or legal remedies for any violation or breach of contract terms, including sanctions and penalties as appropriate.
- Equal Employment Opportunity certification (Civil Rights Act of 1964, Title IX, Section 504, EO 11246/11375, ADA).
- Davis-Bacon Act and Copeland Anti-Kickback Act: apply only where required by the federal program legislation governing the funding source.
- Contract Work Hours and Safety Standards Act: if the contract exceeds $100,000 and involves the employment of mechanics or laborers (including installation crews), wages must be computed on a standard 40-hour workweek with overtime paid at not less than one and one-half times the basic rate for hours over 40.
- Rights to Inventions: not applicable to this equipment purchase.
- Clean Air Act and Federal Water Pollution Control Act: if the contract exceeds $150,000, the contractor must comply with all applicable standards, orders and requirements under those Acts and report any violation to the District, the Federal awarding agency and the appropriate EPA Regional Office.
- Debarment and Suspension Certification (Executive Orders 12549 and 12689), or SAM.gov search results maintained in the procurement file.
- Byrd Anti-Lobbying Amendment: if the contract exceeds $100,000, the contractor certifies (Exhibit C) that it has not used federal funds for lobbying and will disclose any lobbying with non-federal funds.

- Price adjustment: not applicable. All prices are firm and fixed through final acceptance.
- Access clause: MDE, USDA, and authorized representatives must have access to contractor books and records related to this contract.
- Records retention clause: contractor must maintain records for three (3) years after final payment, or longer if an audit finding remains unresolved.
- Energy efficiency: the contractor must comply with mandatory standards and policies relating to energy efficiency contained in the State energy conservation plan issued under the Energy Policy and Conservation Act (42 U.S.C. 6201 et seq.).

11. Required Certifications and Forms

- Signed Statement of Non-Collusion (Exhibit A)
- Certification Regarding Debarment, Suspension, and Other Responsibility Matters (Exhibit B), or SAM.gov search documentation
- Certification Regarding Lobbying (Exhibit C)
- W-9 (Request for Taxpayer Identification Number and Certification)
- Conflict of Interest Disclosure (Exhibit D) — confirming no Allen Park Public Schools employee, officer, agent, or immediate family member has a financial interest in the offeror
- Equal Employment Opportunity Certification (Exhibit E)
- References (Exhibit F) — a minimum of three K-12 or institutional food service accounts served in the last 3 years
- Signed Addenda Acknowledgment (provided on the signature page, Section 17)

12. Protest Procedures

Any bidder, person, or entity may file a bid protest with Allen Park Public Schools. The protest shall specify the reasons and facts upon which the protest is based and shall be filed in writing to the Food Service Coordinator no later than three (3) business days after the date of the bid award or notice of unsuccessful bid. Allen Park Public Schools will investigate the basis for the protest, analyze all facts, and notify the affected bidder of evidence found. Allen Park Public Schools will issue a written decision within fifteen (15) business days following receipt of the protest. The decision will state the reasons for the action taken, and a copy will be furnished to the protestor and any other affected parties.

13. Minority and Women's Business Enterprises

Allen Park Public Schools takes affirmative steps to ensure minority firms, women's business enterprises, and labor surplus area firms are used when possible, including placing qualified firms on solicitation lists and soliciting them whenever they are potential sources.

14. Warranty, Delivery, Service, and Contract Terms

Minimum Warranty Period Required: Two (2) years parts and labor on all equipment (items 1 through 33), regardless of whether a warranty line appears in a particular item description. The manufacturer's standard one (1) year parts and labor warranty is acceptable for items 3 and 14 (open display merchandisers).

Required Delivery / Installation Window: Complete by April 2, 2027, on non-student days coordinated with the Food Service Coordinator. Offerors must state their quoted lead time. An offeror that cannot meet this date must

state its earliest guaranteed completion date; the District will consider it under the delivery/installation plan criterion in Section 9.

Service / Parts Response Time Expectation: Phone response within 24 hours and on-site response within 48 hours of a service call, with an authorized service agent within 50 miles of Allen Park, Michigan.

Payment: Net 30 days after delivery, installation and written acceptance by the Food Service Coordinator, upon receipt of a correct invoice referencing the purchase order. No deposits or advance payments. Prices must exclude taxes from which the District is exempt; the District will furnish an exemption certificate on request.

Delivery: FOB destination, freight prepaid. The offeror is responsible for loss or damage until written acceptance, and must inspect, unpack and remove all packaging and debris. The offeror must provide the manufacturer, model and serial number of each unit at delivery for the District's equipment inventory records.

Installation: Performed by qualified personnel. All electrical connections must be made by a licensed electrician and comply with applicable codes; the offeror obtains permits required for its work. The offeror must protect floors and walls and repair any damage. Contractor personnel must comply with District policies and applicable Michigan law for contractors working in school buildings, including any required criminal background checks.

Acceptance: The District will inspect and test installed equipment before written acceptance. Defects or non-conforming items must be corrected or replaced at the offeror's expense.

Insurance: Before work begins, the offeror must provide certificates showing commercial general liability coverage of at least $1,000,000 per occurrence / $2,000,000 aggregate (naming Allen Park Public Schools as additional insured), automobile liability of at least $1,000,000, and workers' compensation as required by Michigan law.

Old Equipment: The District will identify equipment to be removed. Removed equipment remains District property; the offeror may not take title or salvage value without written District authorization. Disposal of federally funded equipment will follow 2 CFR 200.313 and the District's surplus property policy.

15. Michigan-Specific Notices

- This procurement is conducted under MCL 380.1274 and the District's Procurement Procedures for Child Nutrition Programs.
- Board of Education approval is required prior to award; approval is anticipated at the January 25, 2027 meeting.
- A Michigan-based business preference, if adopted by local Board policy, cannot be applied because this purchase involves federal funds.
- Proposals are opened at the date, time and location in Section 1. Proposal contents and prices are not disclosed during evaluation and become available after award as permitted by law.

16. Pricing Proposal Form

RFP No. FSD FY27-001 — Offeror: _____

Offerors must enter a unit price for every item. Extended Price = Unit Price × Qty. The Total Proposed Price (equipment plus all additional charges) is the figure used for price scoring in Section 9. Unit prices include the warranty described in Section 14.

Item #	Description / Model Specified	Qty	Make/Model Offered (complete only if offering an "or equal")	Unit Price	Extended Price
1	Cash Register Stand — Duke TCS-30PG	1		$	$
2	Serving Counter, Utility — Duke TST-32PG	1		$	$
3	Open Display Merchandiser — GTI URPT-1250	1		$	$
4	Serving Counter, Utility — Duke TST-46PG	1		$	$
5	Serving Counter, Utility (Triangle) — Duke TTU-45PG	1		$	$
6	Hot Food Serving Counter/Table — Duke TWHF-60PG	1		$	$
7	Sneeze Guard, Stationary — Premier Metal & Glass TM2N-A	1		$	$
8	Serving Counter, Utility — Duke TST-18PG	1		$	$
9	Serving Counter, Utility — Duke TST-18PG	1		$	$
10	Hot Food Serving Counter/Table — Duke TWHF-60PG	1		$	$
11	Sneeze Guard, Stationary — Premier Metal & Glass TM2N-A	1		$	$
12	Serving Counter, Utility (Triangle) — Duke TTU-45PG	1		$	$
13	Serving Counter, Utility — Duke TST-46PG	1		$	$
14	Open Display Merchandiser — GTI URPT-1250	1		$	$
15	Serving Counter, Utility — Duke TST-32PG	1		$	$
16	Cash Register Stand — Duke TCS-30PG	1		$	$
17	Cash Register Stand — Duke TCS-30PG	1		$	$
18	Serving Counter, Utility — Duke TST-32PG	1		$	$
19	Serving Counter, Utility — Duke TST-88PG (with factory-installed guards/induction)	1		$	$

Item #	Description / Model Specified	Qty	Make/Model Offered (complete only if offering an "or equal")	Unit Price	Extended Price
20	Sneeze Guard, Stationary — Premier Metal & Glass FMIV-A	1		$	$
21	Induction Range, Built-In/Drop-In — Spring USA ICB234-18	2		$	$
22	Serving Counter, Utility (Triangle) — Duke TTU-45PG	1		$	$
23	Hot Food Serving Counter/Table — Duke TWHF-60PG	1		$	$
24	Sneeze Guard, Stationary — Premier Metal & Glass TM2N-A	1		$	$
25	Serving Counter, Utility — Duke TST-46PG	1		$	$
26	Hot Food Serving Counter/Table — Duke TWHF-60PG	1		$	$
27	Sneeze Guard, Stationary — Premier Metal & Glass TM2N-A	1		$	$
28	Serving Counter, Utility (Triangle) — Duke TTU-45PG	1		$	$
29	Serving Counter, Utility — Duke TST-46PG	1		$	$
30	Serving Counter, Cold Food — Duke TFCP-60PG-N7	1		$	$
31	Sneeze Guard, Stationary — Premier Metal & Glass TM2N-A	1		$	$
32	Serving Counter, Utility — Duke TST-32PG	1		$	$
33	Cash Register Stand — Duke TCS-30PG	1		$	$
				Subtotal — Equipment (Items 1–33)	
				Freight / Delivery (list separately)	
				Installation, incl. electrical connections and factory-installed items	
				Removal and Disposal of Old Equipment	
				Other charges (specify): _____	
				TOTAL PROPOSED PRICE (used for price scoring, Section 9)	

Quoted lead time from purchase order to delivery: _____ weeks Pricing firm through: _____ (minimum per Section 8)

17. Authorized Signature

By signing below, the offeror certifies the information provided is true and accurate and agrees to be bound by the terms of this RFP if selected.

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Addenda Acknowledged (list numbers received): _____

Exhibit A — Statement of Non-Collusion

The undersigned offeror certifies that this proposal is genuine and not collusive or a sham; that the offeror has not colluded, conspired, connived or agreed, directly or indirectly, with any other offeror or person to submit a collusive or sham proposal in connection with RFP FSD FY27-001; and that the offeror has not in any manner sought by collusion to secure an advantage over any other offeror or the District.

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Exhibit B — Certification Regarding Debarment, Suspension, and Other Responsibility Matters

The offeror certifies, to the best of its knowledge and belief, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency (Executive Orders 12549 and 12689; 2 CFR Part 180), and that it has not within the past three years been convicted of or had a civil judgment rendered against it for fraud or a criminal offense in connection with a public transaction. If the offeror is unable to certify to any of these statements, it must attach an explanation. The District may also verify status through SAM.gov.

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Exhibit C — Certification Regarding Lobbying (Byrd Anti-Lobbying Amendment)

The offeror certifies, to the best of its knowledge and belief, that (1) no Federal appropriated funds have been or will be paid to any person to influence or attempt to influence an officer or employee of any agency, a Member of Congress, or an employee of a Member of Congress in connection with this contract; (2) if any funds other than Federal appropriated funds have been or will be used for such purposes, the offeror will complete and submit Standard Form LLL, "Disclosure of Lobbying Activities"; and (3) the offeror will require the same certification from any subcontractor at all tiers receiving more than $100,000. This certification is required if the contract exceeds $100,000 (31 U.S.C. 1352).

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Exhibit D — Conflict of Interest Disclosure

The offeror certifies that no Allen Park Public Schools employee, officer, agent, Board member, or immediate family member of any of them has a financial or other interest in the offeror or in the outcome of this procurement. If an interest exists, describe it below; failure to disclose may disqualify the proposal.

Disclosure (write "None" if no interest): _____

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Exhibit E — Equal Employment Opportunity Certification

The offeror certifies that it complies with all applicable equal opportunity and nondiscrimination laws, including Title VI of the Civil Rights Act of 1964, Title IX of the Education Amendments of 1972, Section 504 of the Rehabilitation Act of 1973, Executive Orders 11246 and 11375, and the Americans with Disabilities Act, and that it does not discriminate on the basis of race, color, religion, sex, national origin, age, or disability in employment or in the performance of this contract.

Company Name: _____

Authorized Signature: _____

Printed Name and Title: _____

Date: _____

Exhibit F — References

List at least three K-12 or institutional food service accounts served within the last three years for which similar equipment was supplied and installed.

Reference 1 — Organization, contact, phone, equipment/year:
_____

Reference 2 — Organization, contact, phone, equipment/year:
_____

Reference 3 — Organization, contact, phone, equipment/year:
_____