

ADDENDUM #8

Date: October 23, 2026

Project: New Locker Room Facility and Renovations to the
Existing Concession and Tennis Facilities Project at the
Merrillville High School
276 E 68th Place
Merrillville, Indiana 46410

Architect's Project #26027

To: Prospective Bidders

This addendum forms a part of the Bid Documents and modifies the original Bid Documents dated October 2, 2026 as noted below. Acknowledge receipt of this addendum in the space on the Bid Form. Failure to do so may subject bidder to disqualification.

SPECIFICATIONS

1. Specification Section 07 4244 Aluminum composite Panel System – Paragraph 2.01 Materials – subsection C – Revise as follows:

2.01 MATERIALS

- C. Finish - Minimum 70 percent fluoropolymer resin coating conforming to AAMA 605.2. This shall include coating systems utilizing Kynar 500, Hylar 5000 or Megafon. Film thicknesses shall be as recommended by the coating manufacturer.

1. Color Shall be Custom & are called out on drawings
2. The custom colors shall be reviewed & approved by owner
3. Gloss shall be standard 30 to 50 percent.

DRAWINGS

2. Drawing Sheet A1.1.1-A – Partial Floor Plan – Area A –**Revise Elevation Key Note #2 to read:**
Aluminum Composite Panels – Colors as listed Below: (Color shall be reviewed/verified with owner)
Purple – Custom Color shall match PPG: Duranar XL Violet.
Gray – Custom Color Shall match Sherwin-Williams “City Scape” SW7067

END OF ADDENDUM #8