DOMINION
Environmental Consultants

AHERA 6-Month Surveillance Inspection Form

(As Required by AHERA – 40 CFR Part 763 Subpart E)

I. Facility Information

School/Building Name: Kyrene de las Brisas Elementary School

LEA (Local Education Agency): Kyrene Elementary School District No. 28

Building Address: 777 North Desert Breeze Boulevard

City/State/Zip: Chandler, AZ 85226

Last Reinspection Date (3-Year): March 3, 2025

II. Surveillance Information

Date of Surveillance: October 7, 2026

Inspector Name: Nick Marcos

Inspector Accreditation # / Expiration: ON-188748-8873-031326 Exp. 3.13.27

Management Planner Accreditation # / Expiration: 4612-8873-102425 Exp. 10.24.26

Inspector Company: Dominion Environmental Consultants, Inc.

Phone: (623) 516-1415

III. Review of Asbestos Management Plan

✓ Asbestos Management Plan reviewed prior to inspection
✓ Most recent inspection/reinspection report available
✓ Previous response actions reviewed
✓ O&M; program documentation reviewed
✓ Training records reviewed by LEA

Comments:

_____

_____

_____

IV. O & M Areas with ACBM in need of repair

Based on the findings of the inspection, appropriate response actions must be selected in accordance with AHERA guidelines. Because all of the ACBM at Kyrene de Las Brisas Elementary School is in good condition and unlikely to be disturbed, it may be managed in place through an operations and maintenance (O&M) program, including periodic surveillance and worker training. However, if the material becomes damaged or poses a risk of fiber release, response actions such as repair (e.g., encapsulation or enclosure) or removal may be required. Repairs are typically used when damage is limited, and the material can be stabilized, while removal is often necessary when ACBM is significantly damaged, cannot be effectively repaired, or will be impacted by renovation or demolition activities. All such actions must be performed using accredited personnel and appropriate work practices to prevent asbestos fiber release and protect building occupants. Under 40 CFR 61 Subpart M, projects involving regulated asbestos-containing material (RACM) above threshold amounts (160 sq ft, 260 linear ft, or 35 cubic ft) must follow full NESHAP requirements, regardless of how the waste is packaged.

In the event of a fiber release episode, 40 CFR 763.90 requires prompt action to control the hazard. The affected area must be immediately isolated, appropriate personnel notified, and cleanup performed by trained professionals using HEPA vacuums and wet methods. The damaged ACBM must then be repaired, encapsulated, or removed, followed by a visual inspection and, if necessary, air clearance testing before the space can be safely reoccupied.

V. Classification , Condition, Response Action of All Remaining ACBM

MAIN BUILDING:

Material Description	Assessment Classification	Material Condition	Changes Since Last Inspection		Response Action Recommendations	Accessibility & Potential for Disturbance
Black Weather Stripping	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Gray Metal Door Frame Sealant	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Clear 9" x 9" Block Mortar	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
2' x 2' Black Carpet Squares	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Mastic for 2' x 2' Black Carpet Squares	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Counter/Cabinet Caulking	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Gray Sink Coating	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Off-White 4" x 4" Ceramic Wall Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Gray 4" x 4" Ceramic Wall Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Black 4" x 4" Ceramic Wall Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Grout for 4" x 4" Ceramic Wall Tiles	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Mastic for 4" x 4" Ceramic Wall Tiles	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Navy Blue Cove Base Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Grout for Navy Blue Cove Base Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Mastic for Navy Blue Cove Base Tile	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated
Fixture Caulking	1 2 3 4 **5** 6 7	**G** MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible **Accessible** V/D W/D Renovated

Gray 4" Cove Base	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mastic for Gray 4" Cove Base	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mop Sink Caulking	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
White Pipe Wrap/Coating for Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
4" x 4" Light Pink Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	Removed N/A	Inaccessible Accessible V/D W/D Renovated
Grout for 4" x 4" Light Pink Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	Removed N/A	Inaccessible Accessible V/D W/D Renovated
Mastic for 4" x 4" Light Pink Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	Removed N/A	Inaccessible Accessible V/D W/D Renovated
Gray Granite Countertop	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Smooth Drywall System	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
White 4" x 4" Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Grout for White 4" x 4" Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mastic for White 4" x 4" Ceramic Wall Tile	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Wrap for Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Sink Caulking	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Red 12" x 12" VCT	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Blue 12" x 12" VCT	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Green 12" x 12" VCT	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Yellow 12" x 12" VCT	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mastic for Red, Blue, Green, & Yellow 12" x 12" VCT	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Brown Door/Window Frame Sealant	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
6" Black Cove Base	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Blue 4" Cove Base	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mastic for Black Cove Base	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
48" x 12" Black Vinyl	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mastic for 48" x 12" Black Vinyl	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Brown 16" x 4" Decorative Block	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mortar for Brown 16" x 4" Decorative Block	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Brown 16" x 8" Block	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Mortar for Brown 16" x 8" Block	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Gray Duct Mastic	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Flex Duct Wrap	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated

Silver Duct Wrap	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Red Fire Stop Caulking	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Ceiling Insulation Wrap	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Black Foam Pipe Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Black HVAC Damper	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated

LIBRARY BUILDING:

Material Description	Assessment Classification	Material Condition	Changes Since Last Inspection		Response Action Recommendations	Accessibility & Potential for Disturbance
Gray Sink Coating	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Wrap for Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Counter/Cabinet Caulking	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Black Window Sealant	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Clear 9" x 9" Block Grout	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
White Door Sealant	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Gray Duct Mastic	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Wrap for Flex Duct Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Wrap for Duct Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Unfinished Drywall	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Gray Sink Coating	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Wrap for Tac Board	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Counter/Cabinet Caulking	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Black Window Sealant	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Clear 9" x 9" Block Grout	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
White Door Sealant	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Gray Duct Mastic	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Wrap for Flex Duct Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Silver Wrap for Duct Insulation	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated
Unfinished Drywall	1 2 3 4 5 6 7	G MD SD DA R E	Y	N	O&M Repair Enclose/Encaps Remove	Inaccessible Accessible V/D W/D Renovated

*Assessment Classifications

1. Damaged or significantly damaged thermal system insulation ACBM.
2. Damaged friable surfacing ACBM.
3. Significantly damaged friable surfacing ACBM.
4. Damaged or significantly damaged friable miscellaneous ACBM.
5. ACBM with potential for damage.
6. ACBM with potential for significant damage.
7. Any remaining friable ACBM or friable suspected ACBM.

*ACBM Condition:

G	Good
MD	Minor Damage
SD	Significant Damage
DA	Damaged & Accessible
R	Removed
E	Enclosed or Encapsulated

V. Notifications

☐ Custodial/Maintenance staff informed by _____ on Date: _____
☐ Response action timeline established by_____ on Date: _____

VI. Photographic Documentation of Damaged Areas

☐ Photo Log of Damaged ACBM Attached

☑ No Damages Observed

VII. Inspector Certification

I certify that this surveillance was conducted in accordance with 40 CFR §763.92 and applicable state regulations.

Inspector Signature: _____
Date: 10/7/26

VIII. LEA Acknowledgment

LEA Representative Name: _____
Title: _____
Signature: _____
Date: _____