Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

November 06, 2026

Nicholas DeBella
Clinton Central School District
75 Chenango Ave
Clinton, NY 13323

RE: Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Dear Nicholas DeBella:

Enclosed are the analytical results for sample(s) received by the laboratory on October 30, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa

Alexandria Correa
alexandria.correa@pacelabs.com
(516) 370-6000
Project Manager

Enclosures

cc: Sara Carr
OHM BOCES Safety Services, OHM BOCES Clinton Central School District
Jason Tague

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections: 1 2 3 4 5 6

Section 1: Cert Page 3
Section 2: Results 4
Section 3: Quality Control 31
Section 4: Qualifiers 34
Section 5: QC Cross Reference 35
Section 6: Chain of Custody 36
6.1: Chain of Custody 36

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

CERTIFICATIONS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747
Delaware Certification # NY 10478
Massachusetts Certification #: M-NY026
New Jersey Certification #: NY158
Pennsylvania Certification #: 68-00350
Texas Certification #: T104704582
Vermont Certification #: VT-10478
Connecticut Certification #: PH-0435
Maryland Certification #: 208
New Hampshire Certification #: 2987
New York Certification #: 10478 Primary Accrediting Body
Rhode Island Certification #: LAO00340
Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 3 **Lab ID: 70459072001** Collected: 10/20/26 06:08 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 11:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 4 **Lab ID: 70459072002** Collected: 10/20/26 06:09 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.0**	ug/L	1.0	1		11/06/26 11:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 6 **Lab ID: 70459072003** Collected: 10/20/26 06:14 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 11:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 7 **Lab ID: 70459072004** Collected: 10/20/26 06:14 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 11:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 8 **Lab ID: 70459072005** Collected: 10/20/26 06:15 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 11:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 9 **Lab ID: 70459072006** Collected: 10/20/26 06:15 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 11:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 21 **Lab ID: 70459072007** Collected: 10/20/26 06:19 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**3.1**	ug/L	1.0	1		11/06/26 11:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 68 **Lab ID: 70459072008** Collected: 10/20/26 05:58 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.3**	ug/L	1.0	1		11/06/26 12:02	7439-92-1	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 69 **Lab ID: 70459072009** Collected: 10/20/26 05:58 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.5**	ug/L	1.0	1		11/06/26 12:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 70 **Lab ID: 70459072010** Collected: 10/20/26 05:56 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.3**	ug/L	1.0	1		11/06/26 12:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 71 **Lab ID: 70459072011** Collected: 10/20/26 05:56 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.0**	ug/L	1.0	1		11/06/26 12:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 80 **Lab ID: 70459072012** Collected: 10/20/26 05:53 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**2.4**	ug/L	1.0	1		11/06/26 12:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 81 **Lab ID: 70459072013** Collected: 10/20/26 05:54 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**2.4**	ug/L	1.0	1		11/06/26 12:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 82 **Lab ID: 70459072014** Collected: 10/20/26 05:51 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 83 **Lab ID: 70459072015** Collected: 10/20/26 05:51 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 108 **Lab ID: 70459072016** Collected: 10/20/26 05:48 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 109 **Lab ID: 70459072017** Collected: 10/20/26 05:49 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 114 **Lab ID: 70459072018** Collected: 10/20/26 05:46 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.1**	ug/L	1.0	1		11/06/26 12:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: CMS 115 **Lab ID: 70459072019** Collected: 10/20/26 05:46 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: 3213 S **Lab ID: 70459072020** Collected: 10/20/26 06:12 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HA 215 DF **Lab ID: 70459072021** Collected: 10/20/26 06:17 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HA 215 BF **Lab ID: 70459072022** Collected: 10/20/26 06:17 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: 106 K S **Lab ID: 70459072023** Collected: 10/20/26 06:04 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.3**	ug/L	1.0	1		11/06/26 12:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HB 206 DF **Lab ID: 70459072024** Collected: 10/20/26 06:10 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HB 206 BF **Lab ID: 70459072025** Collected: 10/20/26 06:10 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HA 105 DF **Lab ID: 70459072026** Collected: 10/20/26 06:02 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 12:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Sample: HA 105 BF **Lab ID: 70459072027** Collected: 10/20/26 06:02 Received: 10/30/26 06:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		11/06/26 13:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

QC Batch: 482909
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70459072001, 70459072002, 70459072003, 70459072004, 70459072005, 70459072006

METHOD BLANK: 2604433 Matrix: Drinking Water

Associated Lab Samples: 70459072001, 70459072002, 70459072003, 70459072004, 70459072005, 70459072006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/26 11:08	

LABORATORY CONTROL SAMPLE: 2604434

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.8	100	85-115	

MATRIX SPIKE SAMPLE: 2604436

Parameter	Units	70459062077 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.6	50	67.0	127	70-130	

MATRIX SPIKE SAMPLE: 2604438

Parameter	Units	70459062078 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	63.4	125	70-130	

SAMPLE DUPLICATE: 2604435

Parameter	Units	70459062077 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.6	3.7	2	20	

SAMPLE DUPLICATE: 2604437

Parameter	Units	70459062078 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

QC Batch: 482911
Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70459072007, 70459072008, 70459072009, 70459072010, 70459072011, 70459072012, 70459072013, 70459072014, 70459072015, 70459072016, 70459072017, 70459072018, 70459072019, 70459072020, 70459072021, 70459072022, 70459072023, 70459072024, 70459072025, 70459072026

METHOD BLANK: 2604442
Matrix: Drinking Water

Associated Lab Samples: 70459072007, 70459072008, 70459072009, 70459072010, 70459072011, 70459072012, 70459072013, 70459072014, 70459072015, 70459072016, 70459072017, 70459072018, 70459072019, 70459072020, 70459072021, 70459072022, 70459072023, 70459072024, 70459072025, 70459072026

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/26 11:55	

LABORATORY CONTROL SAMPLE: 2604443

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 2604445

Parameter	Units	70459072007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.1	50	66.2	126	70-130	

MATRIX SPIKE SAMPLE: 2604447

Parameter	Units	70459072008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	50	68.9	135	70-130	M1

SAMPLE DUPLICATE: 2604444

Parameter	Units	70459072007 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.1	3.0	3	20	

SAMPLE DUPLICATE: 2604446

Parameter	Units	70459072008 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	1.3	1.3	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

QC Batch: 482940
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70459072027

METHOD BLANK: 2604565 Matrix: Drinking Water

Associated Lab Samples: 70459072027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/06/26 13:24	

LABORATORY CONTROL SAMPLE: 2604566

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE SAMPLE: 2604568

Parameter	Units	70459072027 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.6	105	70-130	

MATRIX SPIKE SAMPLE: 2604570

Parameter	Units	70458377001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.3	50	54.1	102	70-130	

SAMPLE DUPLICATE: 2604567

Parameter	Units	70459072027 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2604569

Parameter	Units	70458377001 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.3	3.3	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALIFIERS

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/06/2026 04:08 PM

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: CLINTON CSD MIDDLE SCHOOL
Pace Project No.: 70459072

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70459072001	**CMS 3**	EPA 200.8	482909		
70459072002	**CMS 4**	EPA 200.8	482909		
70459072003	**CMS 6**	EPA 200.8	482909		
70459072004	**CMS 7**	EPA 200.8	482909		
70459072005	**CMS 8**	EPA 200.8	482909		
70459072006	**CMS 9**	EPA 200.8	482909		
70459072007	**CMS 21**	EPA 200.8	482911		
70459072008	**CMS 68**	EPA 200.8	482911		
70459072009	**CMS 69**	EPA 200.8	482911		
70459072010	**CMS 70**	EPA 200.8	482911		
70459072011	**CMS 71**	EPA 200.8	482911		
70459072012	**CMS 80**	EPA 200.8	482911		
70459072013	**CMS 81**	EPA 200.8	482911		
70459072014	**CMS 82**	EPA 200.8	482911		
70459072015	**CMS 83**	EPA 200.8	482911		
70459072016	**CMS 108**	EPA 200.8	482911		
70459072017	**CMS 109**	EPA 200.8	482911		
70459072018	**CMS 114**	EPA 200.8	482911		
70459072019	**CMS 115**	EPA 200.8	482911		
70459072020	**3213 S**	EPA 200.8	482911		
70459072021	**HA 215 DF**	EPA 200.8	482911		
70459072022	**HA 215 BF**	EPA 200.8	482911		
70459072023	**106 K S**	EPA 200.8	482911		
70459072024	**HB 206 DF**	EPA 200.8	482911		
70459072025	**HB 206 BF**	EPA 200.8	482911		
70459072026	**HA 105 DF**	EPA 200.8	482911		
70459072027	**HA 105 BF**	EPA 200.8	482940		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 70459072

70459072

Company Name:	OHM BOCES Clinton CSD
Street Address:	75 Chenango Ave Clinton , NY 13323 P: (315) 368-4585
Customer Project #:	
Project Name:	Clinton CSD
Site Collection Info/Facility ID (as applicable):	Middle School
Time Zone Collected:	[ ] AK [ ] PT [ ] MT [ ] CT [X] ET
Contact/Report To:	Nicholas DeBella
Phone #:	315 368 4585
E-Mail:	ndebella@ccs.edu
Cc E-Mail:	
Invoice To:	
Invoice E-Mail:	
Purchase Order # (if applicable):	
Quote #:	
County / State origin of sample(s):	New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____

Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
Proj. Mgr: Alexandria Correa
AcctNum / Client ID:
Table #:
Profile / Template: x
Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. Cl2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment
CMS 3	DW	G	10/20/2026	6048				1		X	
CMS 4				609							
CMS 6				614							
CMS 7				6141							
CMS 8				615							
CMS 9				615							
CMS 21				619							
CMS 68				558							
CMS 69				558							
CMS 70				556							

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Richard Paszkiewicz
Signature:

Additional Instructions from Pace®:

Coolers: | Thermometer ID: THM11 | Correction Factor (°C): 0 | Obs. Temp. (°C) 23.4 | Corrected Temp. (°C) 23.4

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	10/29 1315	PACE	10/29/26 1315
	10/29 1315		10/29/26 2305
	10/30/26 0145		10/30 230
	10/30 [illegible]		

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier
[ ] FedEx [ ] UPS [ ] Other

Page: 1 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

CMS PLE 10/31/26 6

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	OHM BOCES Clinton CSD
Street Address:	75 Chenango Ave Clinton , NY 13323 P: (315) 368-4585
Customer Project #:	
Project Name:	Clinton CSD
Site Collection Info/Facility ID (as applicable):	Middle School
Time Zone Collected:	[ ] AK [ ] PT [ ] MT [ ] CT [X] ET
Contact/Report To:	
Phone #:	
E-Mail:	
Cc E-Mail:	
Invoice To:	
Invoice E-Mail:	
Purchase Order # (if applicable):	
Quote #:	
County / State origin of sample(s):	New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **
Identify Container Preservative Type***
Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
Proj. Mgr: Alexandria Correa
AcctNum / Client ID:
Table #:
Profile / Template: x
Prelog / Bottle Ord. ID:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. Cl2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample.
Cms 71	DW	G	10/20/2026	556				1		X		
Cms 80				553								
Cms 81				554								
Cms 82				551								
Cms 83				551								
Cms 108				548								
Cms 109				549								
Cms 114				546								
Cms 115				546								
3213 S				612								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Richard Paszkiewicz
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
1	T11	0	20.4	20.4

	Date/Time:		Date/Time:	
Relinquished by/Company: (Signature)	10/29 1315	Received by/Company: (Signature) DACE	10/29/26 1315	Tracking Number:
Relinquished by/Company: (Signature)	10/29 1315	Received by/Company: (Signature)	10/29/26 2305	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	10/30/26 0145	Received by/Company: (Signature)	10/30 2330	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	10/30 [illegible]	Received by/Company: (Signature)	Date/Time:	Page: 2 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Temp pull 10/30/26 600

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name: OHM BOCES Clinton CSD	Contact/Report To:
Street Address: 75 Chenango Ave, Clinton , NY 13323, P: (315) 368-4585	Phone #:
	E-Mail:
	Cc E-Mail:
Customer Project #:	Invoice To:
Project Name: Clinton CSD	Invoice E-Mail:
Site Collection Info/Facility ID (as applicable): Middle School	Purchase Order # (if applicable):
	Quote #:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET	County / State origin of sample(s): New York

Specify Container Size **

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

Identify Container Preservative Type***

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other_____	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
	Rush (Pre-approval required): [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
	Date Results Requested: Standard 10 business day
	DW PWSID # or WW Permit # as applicable:
	Field Filtered (if applicable): [ ] Yes [ ] No
	Analysis:

Lab Use Only: Proj. Mgr: Alexandria Correa; AcctNum / Client ID:; Table #:; Profile / Template: x; Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. Cl2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment
HA 215 DF	DW	G	10/20/2026	617				1		X	
HA 215 BF				617							
106 K S				604							
HB 206 DF				610							
HB 206 BF				610							
HA 105 DF				602							
HA 105 BF				602							

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Richard Paszkiewicz
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	THU1	0	23.6	23.6

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	10/29 1315	PACE	10/29/26 1315
	10/29 1315		10/29/26 2305
	10/30/26 0645		10/30 2300
	10/30 0650		

Tracking Number:

Delivered by: [ ] In- Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 3 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

10/30 0650

DC#_Title: ENV-FRM-MELV-0024 v08_SCUR
Effective Date: 5/12/2026

WO#: 70459072
PM: ALC **Due Date: 11/10/26**
CLIENT: ClintonCSD

Client Name: Clinton CSD **Project #**

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☑ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☑ No **Seals intact:** ☐ Yes ☑ No **Temperature Blank Present:** ☐ Yes ☐ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☑ None ☐ Other **Type of Ice:** Wet Blue (None)

Thermometer Used: IR11 **Correction Factor:** 0 ☐ Samples on ice, cooling process has begun
Cooler Temperature(°C): 20.4 **Cooler Temperature Corrected(°C):** 20.4 **Date/Time 5035A kits placed in freezer**
Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☐ No

Did samples orignate from a foreign source including Hawaii and Puerto Rico)? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 11/21/26 AO

				COMMENTS:
Chain of Custody Present:	☑Yes	☐No		1.
Chain of Custody Filled Out:	☑Yes	☐No		2.
Chain of Custody Relinquished:	☑Yes	☐No		3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Samples Arrived within Hold Time:	☑Yes	☐No		5.
Short Hold Time Analysis (<72hr):	☐Yes	☑No		6.
Rush Turn Around Time Requested:	☐Yes	☑No		7.
Sufficient Volume: (Triple volume provided for MS/MSD)	☑Yes	☐No		8.
Correct Containers Used:	☑Yes	☐No		9.
-Pace Containers Used:	☑Yes	☐No		
Containers Intact:	☑Yes	☐No		10.
Filtered volume received for Dissolved tests	☐Yes	☐No	☑N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes Matrix: SL WT OIL OTHER	☐No		12.

Date and Initials of person checking preservation: 11/21/26 AO

All containers needing preservation have been checked? pH paper Lot # 210526	☑Yes	☐No	☐N/A	13. ☐ HNO_3 ☐ H_2SO_4 ☐ NaOH ☐ HCl Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO_3, H_2SO_4, HCl, NaOH>9 Sulfide, NAOH>12 Cyanide) Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	☑Yes	☐No	☐N/A	Initial when completed: / Lot # of added preservative: / Date/Time preservative added:
Samples checked for dechlorination: KI starch test strips Lot # Residual chlorine strips Lot #	☐Yes	☐No	☑N/A	14. Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sulfide? Lead Acetate Strips Lot #	☐Yes	☐No	☑N/A	15. Positive for Sulfide? Y N
Headspace in ALK Bottle (>6mm):	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☐No	☑N/A	16.
Trip Blank Present:	☐Yes	☐No	☑N/A	17.
Trip Blank Custody Seals Present	☐Yes	☐No	☑N/A	

Client Notification/ Resolution: **Field Data Required? Y / N**
Person Contacted: **Date/Time:**
Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.