

Decision Aid: Exclusion and Return for Persons with COVID-19 Symptoms and Close Contacts in Child Care, Schools, and Youth Camps

For the purposes of this decision aid, **COVID-19 symptoms** are any ONE of the following: fever of 100.4° or higher, sore throat, cough, difficulty breathing, diarrhea or vomiting, new onset of severe headache (especially with fever), or new loss of taste or smell. For persons with chronic conditions such as asthma, the symptoms should represent a change from baseline.

<p>Exclude all persons (child, care provider, educator, other staff) with COVID-19 symptoms and recommend evaluation by a health care provider and testing for COVID-19¹</p>	<p style="text-align: center;">Recommendations for the person with symptoms who is NOT FULLY VACCINATED</p> <p>Individuals are fully vaccinated 2 weeks after receiving either 1) both doses of a 2-dose vaccine series or 2) a single dose vaccine.</p>	<p style="text-align: center;">Recommendations for close contacts of the person with symptoms</p>
<p>Person has symptoms and positive test for COVID-19 or clinical diagnosis of COVID-19</p>	<p>May return when it has been at least 10 days since symptoms first appeared AND no fever for at least 24 hours without fever-reducing medication AND improvement of other symptoms.</p>	<p>All close contacts should quarantine according to MDH and local guidance <i>except</i> those who are fully vaccinated OR have been infected with COVID-19 in the past 90 days AND are asymptomatic.</p>
<p>Person has symptoms and negative test for COVID-19</p>	<p>If no known exposure, may return when symptoms have improved, no fever for 24 hours without fever-reducing medication, AND applicable criteria in the Communicable Diseases Summary have been met.</p> <p>If known exposure, may return when quarantine completed according to MDH and local guidance.</p>	<p>Close contacts do not need to quarantine.</p>
<p>Person has symptoms and health care provider documents symptoms are due to a specific alternative diagnosis (ex. strep throat, otitis media, pre-existing condition such as asthma)</p>	<p>If no known exposure, may return when symptoms have improved, no fever for at least 24 hours without fever-reducing medication, AND applicable criteria in the Communicable Diseases Summary have been met.</p> <p>If known exposure, may return when quarantine completed according to MDH and local guidance.</p>	<p>Close contacts do not need to quarantine.</p>
<p>Person has symptoms with no negative test for COVID-19 AND no specific alternative diagnosis</p>	<p>If no known exposure, may return when it has been at least 10 days since symptoms first appeared AND no fever for at least 24 hours without fever-reducing medication AND improvement of other symptoms.</p>	<p>Household members² should not attend or work in a child care, school, or youth camp until the person with symptoms is able to return <i>except</i> those who are fully vaccinated OR have been infected with COVID-19 in the past 90 days AND are asymptomatic.</p>
	<p>If known exposure, may return when it has been at least 10 days since symptoms first appeared AND no fever for at least 24 hours without fever-reducing medication AND improvement of other symptoms.</p>	<p>All close contacts should quarantine according to MDH and local guidance <i>except</i> those who are fully vaccinated OR have been infected with COVID-19 in the past 90 days AND are asymptomatic.</p>

¹For persons with symptoms who were previously infected with COVID-19 and recovered, follow [CDC guidance](#).

²These persons should not be reported to the local health department as contacts. The child care, school, or youth camp should inform the household members of these recommendations.

Decision Aid: Exclusion and Return for Persons with COVID-19 Symptoms and Close Contacts in Child Care, Schools, and Youth Camps

For the purposes of this decision aid, **COVID-19 symptoms** are any ONE of the following: fever of 100.4° or higher, sore throat, cough, difficulty breathing, diarrhea or vomiting, new onset of severe headache (especially with fever), or new loss of taste or smell. For persons with chronic conditions such as asthma, the symptoms should represent a change from baseline.

Exclude all persons (child, care provider, educator, other staff) with COVID-19 symptoms and recommend evaluation by a health care provider and testing for COVID-19 if indicated ¹	Recommendations for the person with symptoms who is FULLY VACCINATED Individuals are fully vaccinated 2 weeks after receiving either 1) both doses of a 2-dose vaccine series or 2) a single dose vaccine.	Recommendations for close contacts of the person with symptoms
Person has symptoms and positive test for COVID-19 or clinical diagnosis of COVID-19	May return when it has been at least 10 days since symptoms first appeared AND no fever for at least 24 hours without fever-reducing medication AND improvement of other symptoms.	All close contacts should quarantine according to MDH and local guidance <i>except</i> those who are fully vaccinated OR have been infected with COVID-19 in the past 90 days AND are asymptomatic.
Person has symptoms and negative test for COVID-19	May return when symptoms have improved, no fever for 24 hours without fever-reducing medication, AND applicable criteria in the Communicable Diseases Summary have been met.	Close contacts do not need to quarantine.
Person has symptoms and health care provider documents symptoms are due to a specific alternative diagnosis (ex. strep throat, otitis media, pre-existing condition such as asthma)	May return when symptoms have improved, no fever for at least 24 hours without fever-reducing medication, AND applicable criteria in the Communicable Diseases Summary have been met.	Close contacts do not need to quarantine.
Person has symptoms and no negative test for COVID-19 AND no specific alternative diagnosis	If no known exposure, may return when symptoms have improved, no fever for 24 hours without fever-reducing medication, AND applicable criteria in the Communicable Diseases Summary have been met. Person should have written health care provider assessment that COVID-19 testing is not indicated and risk of COVID-19 is low.	Close contacts do not need to quarantine.
	If known exposure, may return when it has been at least 10 days since symptoms first appeared AND no fever for at least 24 hours without fever-reducing medication AND improvement of other symptoms.	All close contacts should quarantine according to MDH and local guidance <i>except</i> those who are fully vaccinated OR have been infected with COVID-19 in the past 90 days AND are asymptomatic.

¹For persons with symptoms who were previously infected with COVID-19 and recovered, follow [CDC guidance](#).