





# State of Alaska School/Child Care/Head Start and Preschool Immunization Requirements\*

	Infancy through	Kindergarten through 12th
Vaccine-Preventable Diseases	Preschool	grade
Diphtheria, Tetanus, Pertussis (DTaP/DT/Td/Tdap)	•	•
Polio	<b>*</b>	<b>*</b>
Measles, Mumps, Rubella (MMR)	<b>*</b>	<b>*</b>
Hepatitis A	<b>•</b>	<b>*</b>
Hepatitis B	<b>*</b>	<b>*</b>
Varicella (Chickenpox)	<b>*</b>	2 doses grades K through 6th
Hib (Haemophilus influenzae type b)	Under age 5 yrs	Under age 5 yrs only

<sup>\*</sup> The number of doses and type of vaccine required varies depending upon child's age, grade, and prior vaccination history. Check with your health care provider for details.

#### WHY ARE THESE IMMUNIZATIONS IMPORTANT?

For many years the backbone of Alaska's disease prevention efforts has been the appropriate immunization of children attending our schools and childcare facilities. Compliance with these requirements has nearly eliminated vaccine-preventable diseases that in the past caused significant illness and death (see details on the back of this sheet). This success is the direct result of the tremendous partnerships that have developed among parents, school and child care facility personnel, and health care providers. This support and commitment will ensure that Alaska's children and adults do not suffer from diseases that can be prevented safely and effectively.

#### WHERE TO GET IMMUNIZATIONS AND INFORMATION:

Childhood vaccines are available at physician offices, clinics and public health centers throughout the state. For additional information talk to your doctor or nurse, or call

# Alaska Immunization Program:

In Anchorage: 269-8088

Toll free Helpline: 1-888-430-4321

Or visit our website at http://epi.alaska.gov/immunize





#### Diseases prevented by these vaccines:

#### Diphtheria

- Caused by bacteria that can infect the nose, throat and lungs.
- Breathing becomes difficult and can lead to suffocation.
- Death results in one out of 10 cases.

#### Tetanus

Caused by bacteria that enter the body through a cut or wound.

### (Lockjaw)

- This disease causes extremely painful tightening of the muscles, usually all over the body.
- One in 10 people who get tetanus die.

# Pertussis

• Causes coughing spells so severe that it is hard to eat, drink or breathe.

## (Whooping

- This can last for weeks.
- Cough)
- Pertussis also can result in brain damage or death, especially in infants.

#### Polio

- Once a common cause of paralysis in the United States.
- It is important to be protected against polio because this virus still exists in the world.

#### Measles

- A serious childhood disease that causes rash, cough, runny nose, eye irritation, and fever.
- It spreads very easily and can lead to hearing loss, pneumonia, brain damage, and even death.

#### Mumps

- Causes headache, fever, and swelling of the cheeks and jaw.
- It can lead to hearing loss, meningitis (inflammation of the brain), and brain damage.

#### Rubella

Usually causes a slight fever and rash.

## (German Measles)

• However, if it occurs during pregnancy, rubella can cause severe birth defects or be fatal to newborn infants.

#### Haemophilus influenza type b

#### (Hib)

- A dangerous childhood disease that can cause meningitis (inflammation of the brain), loss of hearing, seizures, mental retardation, and death.
- It is most serious in infants under one year of age.

- Hepatitis A A serious viral infection of the liver that causes fever, yellow eyes and skin (jaundice), loss of appetite, and nausea.
  - It is spread from person-to-person or through contaminated food or water.

- Hepatitis B A serious disease of the liver caused by a different virus than hepatitis A.
  - People who have the infection may suffer from liver failure or liver cancer, which is often fatal.
  - The earlier in life a person is infected, the more likely he or she is to become a lifelong carrier of the disease and pass it on to others.

#### Varicella

- A childhood disease that can be extremely serious, especially in infants and adults.
- (Chickenpox) It can lead to severe skin infection, scars, pneumonia, brain damage and death.